

2005 MY TRIBUTE SPECIFICATION DECK

ISSUE DATE: May 14, 2004 REVISED DATE: June 23, 2004

PRODUCTION TIMING:

Job # 1: December 22, 2003 Job # 2: August 2, 2004

LINEUP:

TRIBUTE *i* 2WD & 4WD TRIBUTE *s* 2WD & 4WD

CONTENTS:	Page(s)
Product Changes	2
Trim Level Comparisons	3 - 4
Features	5 - 11
Option Packages	12
Interior & Exterior Colors	13
Specifications	14 - 15

2005 TRIBUTE PRODUCT CHANGES - Job #2

Lineup

• Add *i* 4WD 5MT



- LEV-II ULEV/Tier 2 Bin 5 emissions level ilo LEV-II LEV/Tier2Bin5 (*i* 5MT)
- LEV-II LEV/Tier 2 Bin 5 emissions level ilo LEV-I LEV/Interim Tier2Bin8 (*i* 4AT, *s*)

Exterior

- Change front grille vertical "ribs" from black to body color.
- Change side repeater light lens color from amber to white.

Interior

- Change door trim insert from hard type urethane panel to vinyl (*i*).
- Change armrest covering from hard type urethane to cloth (standard) or leather (optional)
- Change inner door handles from color-keyed to painted silver
- Delete cigarette lighter & ashtray cup
- Delete fuel-filler door release lever

Color & Trim

- Add Stormfront Gray Metallic (33D)
- Delete Dark Teal Metallic (21F)

Options & Packages

- Add Premium Package (i):
 - 6-way power driver's seat
 - Leather-trimmed seat upholstery (with vinyl door trim)
 - Black Maple-look center instrument panel treatment
 - Leather-wrapped steering wheel
 - Cruise control with steering wheel-mounted controls
 - Dual illuminated visor vanity mirrors
 - Overhead storage (2-bin; sunglasses holder + 1 bin)
 - Fog lights
 - Body-color dual power remote mirrors (folding-type)
 - "A-gloss" painted bumpers & lower body-side trim
 - "A-gloss" painted wheel-arch trim
- Add Side Air Bags and Side-Impact Air Curtains with rollover protection option (*s*)
- Delete Side-Impact Air Curtains only option (s)

TRIM LEVEL COMPARISON



FUNCTIONAL	INTERIOR (continued)
2.3L DOHC 16-valve 4-cylinder engine with 153 hp	12V power outlets (2-front)
5-speed manual overdrive transmission	Color-keyed inner door handles
Front wheel drive	Green nighttime gauge & controls illumination
Power-assisted ventilated front & rear drum brakes	Gauge illumination dimming control switch
Power-assisted rack-and-pinion steering with engine speed-sensing	Silver-color bezels on gauges (4)
variable assist	Silver-color power window switch panel (front)
Independent MacPherson strut front suspension	Silver-color center instrument panel trim
Multilink rear suspension with dual lateral links & trailing arms	Silver-color HVAC controls
Front stabilizer bar	Color-keyed door trim & hard type door panel trim insert
Anti-Lock Brake System (ABS) w/ EBD; Brake assist	Front door storage pockets
Console-mounted gear shifter	Large center floor console with covered storage compartment
	Cupholders (4) - 2-front & 2-rear
EXTERIOR	Glove compartment with lock
16-inch alloy wheels (5-spoke)	Driver-side & passenger-side covered visor vanity mirrors
P235/70R16 all-season tires; Temporary mini spare tire	Day/night rearview mirror (manual-type)
Roof rack with cross bars	Cargo area hooks (4)
Molded-in-color bumpers/lower body-side trim/wheelarch moldings	Assist grips (1-front & 2-rear) - w/o side-impact air curtains
Chrome-plated grille bar	"A"-pillar assist grips (2)
Body-color door handles	Driver-side footrest
Black dual power remote mirrors (folding-type)	Remote hood release
2-speed variable-intermittent windshield wipers	Battery saver
Fixed-intermittent rear wiper with washer	
Fixed mast-type radio antenna	SAFETY & SECURITY
Clear-lens halogen headlights w/ automatic delayed shutoff	"Triple-H" body construction; Front & rear crumple zones
Rear window defogger (with timer)	Advanced dual front airbags (SRS)
Center windshield sunshade (dot patterned-type)	3-point safety belts for all seating positions
Green-tinted glass on windshield & front windows	Front safety-belt pretensioners with force limiters
Privacy-tint glass on rear windows and liftgate	Height adjustable front shoulder belt "B" pillar anchors
Flip-up liftgate window	LATCH rear seat child safety-seat lower anchors & upper tethers
Side repeater lights	Child-safety rear door locks
Single exhaust outlet	Illuminated keyless entry w/ panic button feature
	Engine immobilizer anti-theft system
INTERIOR	OPTIONS & PACKAGES
5-passenger seating capacity	<u>Factory-Installed:</u>
Air conditioning (manual type)	4-Speed Automatic Transmission (<i>i</i> only)
Heater/defroster (mechanical controls) with rear heater ducts	Electronic 4-Wheel Drive (4WD)
Front side-window demisters	Premium Package
<i>i</i> type cloth-trimmed seat upholstery	
Full interior carpeting; carpet floor mats (front & rear)	Dant Installad
Reclining front bucket seats with adjustable headrests	Port-Installed:
Rear seat adjustable headrests (all seating positions) 60/40 split fold-down rear seatback	All-Weather Floor Mats
*	Cargo Net
AM/FM/CD audio system (modular) w/ 4 speakers & digital clock Sirius satellite radio-ready head unit	Cargo Tray Cargo Tray and Organizer
Power door locks with two-stage unlocking feature Front door central locking (driver & passenger)	Cassette Player Compass/Outside Temp AutoDim Mirror
Retained accessory power for windows & moonroof (10 min.)	Compass/Outside Temp AutoDim Mirror Compass/Outside Temp AutoDim Mirror with Homelink
Remote keyless illuminated entry system	DVD Entertainment System
Power windows with driver's-side one-touch-down feature	In-Dash 6-Disc CD Changer
Passenger power window lock-out feature (driver-controlled)	Perimeter Alarm
I assenger power window lock-out realure (urrer-controlled)	

i

Illuminated power window switches - all windows

Urethane tilt steering wheel

Delayed courtesy lights (dome light, map lights) Dual map lights; Cargo area light Tachometer; resettable trip odometers (2)

MNAO Product Development and Strategy

Rear Bumper Step Plate

Side Step Tubes - Black

Rear Spoiler

Wheel Locks

TRIM LEVEL COMPARISON



(in addition	s to or in place of i)
FUNCTIONAL	
3.0L DOHC 24-valve 6-cylinder engine	
4-speed automatic overdrive transmission	
Power-assisted ventilated front & solid rear disc brakes	
E XTERIOR Fog lights	
'A-gloss" painted bumpers & lower body-side trim	
'A-gloss' painted wheel-arch trim	
Body-color dual power remote mirrors (folding-type)	
INTERIOR	
type cloth-trimmed seat upholstery & door panel trim inser	
Adjustable driver's seat lumbar support	
Cruise control w/ steering wheel-mounted controls	
Front seatback map pockets (driver & passenger side)	
Dual illuminated visor vanity mirrors	
OPTIONS_	
Factory-Installed:	
Package 1	
Package 2	
Package 3	
Side Air Bags & Side-Impact Air Curtains w/ rollover protection	
Гоw Package	

2005 TRIBUTE FUNCTIONAL FEATURES



Trim Levels

	i	S		
Engine				
2.3L DOHC 16-valve 4-cylinder engine		-		
3.0L DOHC 24-valve 6-cylinder engine	-			
Electronic multiport fuel injection				
Underhood insulator pad				
Engine block heater (for I4 & V6)	A	Α		
Exhaust				
ULEV-II/ Tier 2 Bin 5 emissions level (<i>i</i> 5MT only)		-		
LEV-II/ Tier 2 Bin 5 emissions level (<i>i</i> 4AT included)				
Single exhaust outlet				
Drivetrain				
Front-wheel drive				
5-speed manual transmission		-		
4-speed electronically controlled automatic transmission				
Electronic 4-wheel drive (4WD)				
Front Suspension				
Power-assisted rack-and-pinion steering with engine-speed-sensing variable assist				
Independent front MacPherson strut suspension with coil springs and shock absorbers				
Stabilizer bar				
Rear Suspension				
Rear multi-link suspension with dual lateral links, trailing arms, coil springs, and shock absorbers				
Brakes				
Power-assisted ventilated front disc/rear drum brakes		-		
Power-assisted ventilated front disc/solid rear disc brakes	-			
Anti-lock Brake System (ABS) w/ Electronic Brakeforce Distribution (EBD)				
Brake assist				

■ = Standard

P = Package Option O = Option

A = Dealer-Installed Accessory PIO = Port-Installed Option Bolded Type = New Feature

2005 TRIBUTE EXTERIOR FEATURES



	i	S
Body Type		
4-door Sport Utility Vehicle (SUV)		
Styling		
Door handles – body-color		
Bumpers – molded-color		-
Bumpers – painted	Р	
Body-side trim – molded-in-color		-
Body-side trim – painted	Р	
Wheel-arch trim - molded-in-color		-
Wheel-arch trim - painted	Р	
Chrome-plated front grille bar		
Bright Mazda logo badge - front & rear liftgate		
Bright Mazda badge - rear passenger-side		
Bright Tribute badge - rear driver-side		
Chrome liftgate molding		
Touch-up paint	А	А
Fuel door – body-color		
Convenience		
Bike attachment - roof rack type	Α	А
Bike attachment - trailer-hitch type	А	А
Car cover	А	А
Car cover cable lock	А	А
Class II towing preparation, frame-mounted trailer hitch w/ 3,500-lb capacity, and wiring harness		0
Front mask - protective full-type or half-type	А	А
Hood bug deflector - smoke-color	А	А
Moonroof wind deflector - smoke-color	-	А
Rear bumper step plate	A/PIO	A/PIO
Rear mudguards - medium gray or mineral brown	A	-
Rear mudguards - dark shadow gray or mineral brown	-	А
Rear mudguards – primer	-	А
Rear spoiler	A/PIO	A/PIO
Remote keyless illuminated entry system		
Roof cargo box	А	А
Roof luggage basket with stretch net	А	А
Roof rack with cross bars		
Ski attachment - roof rack type	А	А
Side step tubes - black	A/PIO	A/PIO
Trailer hitch receiver cover	А	А
Wheels		
16-inch aluminum alloy wheels - 5-spoke type		
Wheel locks (set of 4)	A/PIO	A/PIO
Tires		
P235/70R16 104T-rated all-season tires		
Temporary mini spare tire - space-saver type		

2005 TRIBUTE EXTERIOR FEATURES



EATERIOR FEATURES		11III Levels	
	i	\$	
Lighting			
Headlights - clear-lens halogen complex refractor type			
Fog lights - clear-lens halogen type	Р		
Taillights - aluminum-vaporized combination type			
Side repeater lights - white lens			
Windows/Mirrors			
2-speed fixed & variable-intermittent windshield wipers			
Fixed-intermittent rear-window wiper with washer			
Green-tinted glass - all windows			
Windshield sunshade -center (patterned-type)			
Privacy-tint glass - rear windows & liftgate			
Rear window defogger (with timer)			
Rear flip-up window (liftgate)			
Heated door mirrors	-	Р	
Dual power remote folding mirrors – black		-	
Dual power remote folding mirrors – body-color	Р		

= Standard
 P = Package Option
 O = Option
 A = Dealer-Installed Accessory
 PIO = Port-Installed Option
 Bolded Type = New Feature

2005 TRIBUTE INTERIOR FEATURES



INTERIOR FEATURES	11111	TTIII Levels		
	i	S		
Trim				
<i>i</i> -type cloth-trimmed seat upholstery		-		
<i>s</i> -type cloth-trimmed seat upholstery	-			
Leather-trimmed seat upholstery with vinyl door panel trim inserts	Р	Р		
Full carpeting				
Carpet floor mats - front & rear				
All-weather floor mats - front & rear	A/PIO	A/PIO		
Cloth headliner - color-keyed				
Door handles – silver painted				
Power window switch panels - front; silver color				
Center instrument panel treatment - black Maple-look	Р	Р		
Steering wheel – urethane				
Steering wheel – leather wrapped	Р	Р		
Seating				
5-passenger seating capacity				
Reclining front bucket seats with adjustable headrests				
6-way power driver's seat	Р	Р		
Adjustable driver's seat lumbar support	-			
Adjustable driver's seat height	Р	Р		
60/40 split fold-down rear seatback with adjustable headrests (all seating positions)				
Heated front seats	-	Р		
Front seatback map pockets - driver- & passenger-side	-			
Windows				
Power-sliding glass moonroof with sunshade	-	Р		
Power windows with driver's-side one-touch-down feature				
Audio/Entertainment Systems				
AM/FM/CD audio system (modular) with digital clock				
AM/FM & In-dash 6-disc CD changer	-	Р		
Sirius satellite radio-ready audio head-unit				
Sirius satellite radio accessory receiver kit	A/PIO	A/PIO		
In-dash 6-disc CD changer (modular)	A/PIO	A/P/PIO		
In-dash full-logic auto-reverse cassette player (modular)	A/PIO	A/PIO		
In-dash MiniDisc player (modular)	А	А		
4-speaker sound system (100-watt) - 2-front & 2-rear full-range door speakers				
7-speaker premium audio sound system (190-watt) - includes 2 tweeters & subwoofer	-	Р		
DVD entertainment system (not available with Luxury Package)	A/PIO	A/PIO		
DVD headphone	А	А		
DVD system installation kit (for vehicles without moonroof)	А	А		
DVD remote control	A	A		
Climate Control				
Heater/defroster (mechanical controls) with rear heater ducts				
CFC-free air conditioning (manually controlled)				
Rear window defogger				
Front side window demisters				
Dust and pollen filter	A	А		

2005 TRIBUTE INTERIOR FEATURES



INTERIOR FEATORES		
	i	S
Instrument Panel		
Two-tone color instrument panel		
Silver-color center instrument panel trim		
Silver-color HVAC controls (mechanical type)		
Cigarette lighter	Α	Α
Ashtray cup - removable	Α	Α
Gauges & Warning Lights		
Tachometer		
Speedometer		
Resettable trip odometers		
Coolant temperature gauge		
Fuel level gauge		
Headlights-on warning chime		
Warning lights: Fasten seat belt, air bag, engine check, low brake fluid, battery charge, oil pressure, low fuel level,		
parking brake, turn signal, high beams, fuel cap, door ajar, cruise control (<i>i</i> optional; <i>s</i> standard), ABS warning,	-	-
Black gauges with white lettering & silver-color bezels (4)		
Convenience		-
Power door locks with 2-stage unlocking & central-locking (front doors) features		
Center console armrest with covered storage compartment		
Center instrument panel storage compartment		
Overhead console with dual storage bins (sunglasses holder + one bin)	■ P	P
Overhead console with dual storage bins (sunglasses holder)	r	P P
	-	P
Storage pockets - front doors		_
Retractable cargo cover	-	P
Cupholders (4) - 2-front & 2-rear		-
Remote keyless illuminated entry system		
Smart unlocking		
Automatic headlight shutoff with delay		
Retained accessory power - 10 minutes for windows & moonroof		
12V power outlets (2-front) Dual illuminated visor vanity mirrors		
Driver-side covered visor vanity mirror	P	
Passenger-side covered visor vanity mirror	-	
Day/night rearview mirror (manual-type)		
Compass/outside temperature auto-dimming mirror	A/PIO	A/PIO
Compass/outside temperature auto-dimining mirror with Homelink	A/PIO A/PIO	A/PIO A/PIO
	A/PIO	A/PIO
Tilt steering wheel	P	
Cruise control with steering wheel mounted controls Remote hood release	P	
		_
Cargo area hooks (4)		
Cargo divider	A A/DIO	A A/DIO
Cargo net	A/PIO	A/PIO
Cargo tray	A/PIO	A/PIO
Cargo tray and organizer	A/PIO	A/PIO
Driver-side footrest		
Glove compartment with lock		
Assist grips (5) (2-"A"-pillar type; 1-front & 2-rear headliner type) - w/o SAC		

2005 TRIBUTE INTERIOR FEATURES



INTERIOR FEATURES		Trim Levels	
	i	S	
Lighting			
Dual map lights			
Center dome light			
Cargo area light (with "on-off" switch)			
Nighttime gauge & controls illumination - green			
Gauge illumination dimming control switch			
Power window switch illumination - all windows			

■ = Standard

P = Package Option O = Option A = Dealer-Installed Accessory PIO = Port-Installed Option Bolded Type = New Feature

2005 TRIBUTE SAFETY & SECURITY FEATURES

 Trim Levels

 i

Safety				
Triple-H body construction				
Side-impact door beams				
Front & rear crumple zones				
Rear seatback reinforcement				
Advanced dual front air bags (SRS) - dual-action inflator with crash-zone & driver's seat position/passenger weight sensors (Mazda Advanced Restraint System)				
Side air bags (front coverage) & Side-impact air curtains with rollover protection (front & rear coverage)		0		
3-point safety belts for all seating positions (5)				
Front safety-belt pretensioners with force limiters				
Height adjustable front shoulder belt "B" pillar anchors				
LATCH rear seat child safety-seat lower anchors & upper tethers				
Child-safety rear door locks				
Passenger power window lock-out feature - driver-controlled				
Security				
Engine immobilizer anti-theft system				
Anti-theft perimeter alarm	PIO	PIO		
Illuminated keyless entry w/ panic button feature (key fob)				

 $\blacksquare = \text{Standard}$

P = Package Option O = Option A = Dealer-Installed Accessory PIO = Port-Installed Option

Bolded Type = New Feature



OPTION PACKAGES	ON PACKAGES Trim Lev	
	i	S
Tow Package (1TP):		
- Frame-mounted Class II hitch receiver with 3,500-lb capacity		Х
- Trailer wiring harness		
Premium Package:		
- 6-way power driver's seat		
- Leather-trimmed seat upholstery (with vinyl door trim)		
- Black Maple-look center instrument panel treatment		
- Leather-wrapped steering wheel		
- Cruise control with steering wheel-mounted controls	Х	
- Dual illuminated visor vanity mirrors	21	
- Fog lights		
- Body-color dual power remote mirrors (folding-type)		
- "A-gloss" painted bumpers & lower body-side trim		
- "A-gloss" painted wheel-arch trim		
Package 1:		
- 6-way power driver's seat		
- 7-speaker premium audio sound system (190-watt) - includes 2 tweeters & subwoofer		
- AM/FM & In-dash 6-disc CD changer		Х
- Moonroof		Λ
- Retractable cargo cover		
- Overhead storage (1-bin/sunglasses holder)		
Package 2:		
- 6-way power driver's seat		
- 7-speaker premium audio sound system (190-watt) - includes 2 tweeters & subwoofer		
- AM/FM & In-dash 6-disc CD changer		
- Retractable cargo cover		Х
- Leather-trimmed seat upholstery (with vinyl door trim)		Λ
- Black-maple-look center instrument panel treatment		
- Leather-wrapped steering wheel		
- Overhead storage (2-bin; sunglasses holder + 1 bin)		
Package 3:		
- 6-way power driver's seat		
- 7-speaker premium audio sound system (190-watt) - includes 2 tweeters & subwoofer		
- AM/FM & In-dash 6-disc CD changer		
- Retractable cargo cover		
- Leather-trimmed seat upholstery (with vinyl door trim)		
- Black-maple-look center instrument panel treatment		Х
- Leather-wrapped steering wheel		
- Overhead storage (1-bin/sunglasses holder)		
- Heated front seats		
- Heated door mirrors		
- Moonroof		



INTERIOR & EXTERIOR COLORS

		INTERIOR BUMPER &				BODY TRIM CO	LOR	
			i	5	5	i	S	
		DARK FLINT GRAY	MEDIUM PEBBLE BEIGE	DARK FLINT GRAY	MEDIUM PEBBLE BEIGE	MOLDED-IN		
COLOR CODE		CLOTH	CLOTH	CLOTH/	CLOTH/	COLOR	A-GLOSS PAINT	COLOR CODE
				LEATHER (optional)	LEATHER (optional)			
		ED0	ED1	ED0	ED1	ZJWA	•	
A2X	Mystic Black					Storm Gray	Mystic Black	A2X
UB	Classic White					Storm Gray	Dark Titanium Metallic	26B
25V	Lapis Blue Metallic					Storm Gray	Dark Titanium Metallic	26B
25W	Redfire Metallic					Storm Gray	Dark Titanium Metallic	26B
21H	Platinum Metallic					Storm Gray	Platinum Metallic	21H
26B	Dark Titanium Metallic					Storm Gray	Dark Titanium Metallic	26B
28D	Pebble Ash Metallic	•			•	Storm Gray	Pebble Ash Metallic	28D
31K	Blazing Copper Metallic					Storm Gray	Dark Titanium Metallic	26B
33D	Stormfront Gray Metallic					Storm Gray	Dark Titanium Metallic	26B

SPECIFICATIONS

	<u>i</u>		<u>s</u>
ENGINE AND ELECTRICAL			
Engine Type	2.3L DOHC 16-valve 4-cylinder		3.0L DOHC 24-valve 6-cylinder
Horsepower, SAE net	153 @ 5800 rpm		200 @ 6000 rpm
Torque, SAE net	152 @ 4250 rpm		193 @ 4850 rpm
Displacement (cubic inches/cc)	138.0/2261		181.1/2967
Bore x Stroke (inches/mm)	3.44 x 3.70/87.5 x 94.0		3.50 x 3.13/89.0 x 79.5
Compression Ratio	9.7:1		10.0:1
Fuel System		Sequential Electronic multi-port Fuel Injection	
Recommended Fuel		Unleaded regular (87 Octane rating)	
Valvetrain	4 valves per cylinder, mechanical lifters		4 valves per cylinder, hydraulic lifters
Engine Block		Aluminum diecast	
Cylinder Heads		Aluminum diecast	
Emission Control	3-way c	ose coupled catalytic converter with an underbody converter	
Ignition System		Electronic Distributorless coil over plug	
Alternator		12V - 120A Max	
Battery		12V-60AH (GR40R)	
Starter		12V - 1.4 kw	
DRIVETRAIN			
Туре		FWD	
4WD System (Optional)		Intelligent Four Wheel Drive System	
Transmission:	5-speed manual or optional 4-speed AT with overdrive		4-speed AT with overdrive

nr jpc 2.12.DOHC 16 value 4-splaner 2.00 e000 pro use Ale 1.52 er 4200 pro 2.00 e000 pro use Ale 1.52 er 4200 pro 1.02 er 4200 pro use Ale 1.52 er 4200 pro 1.02 er 4200 pro stores (indextma) 1.54 valoe 200 pro 3.50 valoe 200 pro stores (indextma) 3.60 valoe 200 pro 3.50 valoe 200 pro stores (indextma) 9.71 0.30 valoe 200 pro stores (indextma) 9.71 0.30 valoe 200 pro stores (indextma) 9.71 0.30 valoe 200 pro stores (indextma) 1.02 er 400 pro 1.02 er 400 pro stores (indextma) 1.02 er 400 pro 1.02 er 400 pro stores (indextma) 1.02 er 400 pro 1.02 er 400 pro stores (indextma) 1.02 er 400 pro 1.02 er 400 pro stores (indextma) 1.02 er 400 pro 1.02 er 400 pro stores (indextma) 1.02 er 400 pro 1.02 er 400 pro stores (indextma) 1.02 er 400 pro 1.02 er 400 pro stores (indextma) 1.02 er 400 pro 1.02 er 400 pro stores (indextma) 1.02 er 400 pro 1.02 er 400 pro	ENGINE AND ELECTRICAL								
speare. SAE erd 152 € 2007gm SAE erd 152 € 2007gm SAE erd 152 € 2007gm SAE erd 138 022sI Sarbe (nobes) SAE erd 138 022sI Sarbe (nobes) Sarbe	Engine Type		2 3L DOHC 16-yalve 4-cylinder			3.01.00	HC 24-valve 6-cylinder		
Na An132 4° 450 rpm139 0° 480 rpmusema (ubineksy)134 4.3 7087 5 5 94.0350 3.13 890 x 79.5x Stork (index/ma)3.44 3.3 7087 5 5 94.03.50 x 3.13 890 x 79.5yessin Ratio9.7.1100.1SystemSequential Electronic multi-port Fuel Injection100.1yessin Ratio9.7.14 valves per cylinder, mechanical lifters4 valves per cylinder, mechanical lifterssequential Electronic multi-port Fuel Injection4 valves per cylinder, mechanical lifters4 valves per cylinder, mechanical lifterssequential Electronic multi-port Fuel Injection4 valves per cylinder, mechanical lifters4 valves per cylinder, mechanical liftersset Hauk5 valves coupled calablytic coursetter with an underbody coverter4 valves per cylinder, hydraulic lifterssind Cortrol3 valves coupled calablytic coursetter with an underbody coverter12 V-10AM (GatR)store Cortrol12 V-10AM (GatR)12 V-10AM (GatR)store Cortrol12 V-10AM (GatR)12 V-10AM (GatR)store Cortrol12 V-10AM (GatR)12 V-11store Cortrol12 V-10AM (GatR)12 V-11store Cortrol12 V-1112 V-11store Cortrol13 Store Cortrol13 Store Cortrolstore Cortr			,						
lacency (unique indusion)138.0241181.12907stoke (unique indusion)34.3 3.078.75.84.010.0stoke (unique indusion)10.010.0menselorSegential Betronia (unique indusion)10.0menselor (unique indusion)10.010.0menselor (unique indusion)10.									
x Sinker (inclusivance) 3.43 x 3.70087 5 x 94.0 3.00 x 3.13208.0 x 97.5 System 10.21 10.21 System Sequential Electonic malle-port Fuel Injection 10.21 system Usleaded regular (K7 Octain rating) 4 valves per cylinder, hydraulic lifters sin der Haud 4 valves per cylinder, mechanical lifters Akunitum diceat sin Control 3.wy close coupled catalytic converter 4 valves per cylinder, hydraulic lifters sin Control 3.wy close coupled catalytic converter 4 valves per cylinder, hydraulic lifters sin Control 3.wy close coupled catalytic converter 4 valves per cylinder, hydraulic lifters sin Control 3.wy close coupled catalytic converter 4 valves per cylinder, hydraulic lifters sin Control 3.wy close coupled catalytic converter 4 valves per cylinder, hydraulic lifters sin Control 12.V 6.04M (Rd Rd R) 5 valves 5 valves sint Control 12.V 6.04M (Rd Rd R) 5 valves 5 valves sint Control 5 valves 12.V 6.04M (Rd Rd R) 5 valves sint Control 5 valves 12.V 6.04M (Rd Rd R) 5 valves 2 valves <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td>						1			
presion knoin9.7.1100.1SystemSequential Electronic multi-port fled lights100.1systemUndeadet regular (R7 Octane rating)4 valves per cylinder, hnechanical lifters4 valves per cylinder, hnechanical lifterset RickAluminum diceat4 valves per cylinder, hnechanical lifters4 valves per cylinder, hnechanical liftersder HeadsSware close concert writh an underdox converter4 valves per cylinder, hydraulic liftersder HeadsSware close concert writh an underdox converter100.1sin ControlSware close concert writh an underdox converter100.1sin ControlSware close concert writh an underdox converter100.1sin ControlSware close concert writh an underdox converter100.1sin ControlElectronic Distributorles coll over plig100.1sin ControlSystem12V-12VA Max12V-12VA <td colse="" concert="" sin="" sin<="" td=""><td>• • •</td><td></td><td></td><td></td><td></td><td>2.50</td><td></td></td>	<td>• • •</td> <td></td> <td></td> <td></td> <td></td> <td>2.50</td> <td></td>	• • •					2.50		
SystemSequential Electronic munit-oper Fixed Injectionunmaded PediValves per cylinder, mechanical lifters4 valves per cylinder, mychanica liftersne BlockA valves per cylinder, mechanical lifters4 valves per cylinder, mychanica liftersne BlockA manuel diegesA manuel diegesder HeakA minum diecastA manuel diegession GarafiSway close coupled catalytic converter with an underboly converterion SystemElectronic Distributoris coil or open pleratorI2V - 120A Maxrg12V - 120A Max12V - 120A Max14 - speed AT with relinger Topo ple14 - speed AT with relinger Topo ple14 - speed AT with relinger Topo ple14 - speed AT with relinger Topo ple <td pl<="" relinger="" td="" topo=""><td></td><td></td><td></td><td></td><td></td><td>3.50</td><td></td></td>	<td></td> <td></td> <td></td> <td></td> <td></td> <td>3.50</td> <td></td>						3.50		
Numerical Field Uteladed regular (8) Cotane rating) 4 valves per cylinder, hydralic lifter ne Block A uninum diceast 4 valves per cylinder, hydralic lifter ne Block A uninum diceast 4 valves per cylinder, hydralic lifter ne Block A uninum diceast 4 valves per cylinder, hydralic lifter ne Block A uninum diceast 4 valves per cylinder, hydralic lifter ne Block A valves core cylinder, widta underbody converter 5 valves core cylinder, hydralic lifter ion Control 3 vary close core cylinder, widta underbody converter 12 v-120A Max valves 12 v-120A Max 12			9.7:1				10.0:1		
4 valves per cylinder, mechanical lifters4 valves per cylinder, hydraulic liftersne BlockAluminum dicesstder HeadsAluminum dicesstsion Control3-way close coapiled rathytic converter with an underbody converterion SystemElectronic Distributorless coll over plagmator12V-10A Maxrator12V-10A Maxer12V-10A Maxer12V-10A Maxer12V-10A Maxer12V-10A Maxer12V-14 kwFVDSpetin (Optional)Spetin (Opti									
Aluminam discastAluminam discastoder HeadsAluminam discastsine Control3-way close coupled catalytic converter with an underbody converterion SystemElectronic Distributorless coil over plugnator12V-120A Marg12V-102 Marg12V-102 MaFWDFWDSystem Coptional 4-speed AT with overdriveSystem Coptional 4-speed AT with overdriveAluminam dir coptional 4-speed AT with overdriveSystem Coptional					Unleaded regular (87 Octane rating)				
Aluminum diecastsino Control3-ava close coupled cala/site converter with an underbod convertersino Control3-ava close coupled cala/site converter with an underbod convertermatorElectronic Distributiones coll over plugmator12V - 120A Maxry12V - 120A Maxer12V - 120A MaxPEVCOME (RGR0R)FVDFVDFVDFVDIntelligent Four Wheel Drive SystemSystem (Optional)System (Optional) <td <="" colspan="2" td=""><td>Valvetrain</td><td>4 v</td><td>alves per cylinder, mechanical lift</td><td>ers</td><td></td><td>4 valves per</td><td>r cylinder, hydraulic lifters</td></td>	<td>Valvetrain</td> <td>4 v</td> <td>alves per cylinder, mechanical lift</td> <td>ers</td> <td></td> <td>4 valves per</td> <td>r cylinder, hydraulic lifters</td>		Valvetrain	4 v	alves per cylinder, mechanical lift	ers		4 valves per	r cylinder, hydraulic lifters
sino Control 3-way close coupled callylic converter with an underbody converter ion System Electronic Distributorless coll over plus tadro 12/-12/0A Max ry 12/-12/0A ry 12/-12/0A ry 12/-12/0A ry 12/-12/0A ry <	Engine Block								
Bectronic Distributorless coll over plug nator I2V - 120A Max T2V - 120A Max tyrg I2V-0.0A M(GR400) er I2V - 14 kw FWD System (Optional) System (Optional) System (Optional) System (Optional) System (Optional) System (Optional) System (Optional) System (Optional) System (Optional) System (Optional) System (Optional) <th cols<="" td=""><td>Cylinder Heads</td><td></td><td></td><td></td><td></td><td></td><td></td></th>	<td>Cylinder Heads</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Cylinder Heads							
nator $12V \cdot 120 A Max$ try $12V \cdot 60AH$ (GR40R) try $12V \cdot 60AH$ (GR40R) try $12V \cdot 1.4 kar$ FWD System (Optional)									

CHASSIS					
Body Type			Monocoque Unibody		
Front Suspension		Independent, MacPherson struts supported by L-shape Lower Control Arms (LCAs), coil springs & stabilizer bar			
Rear Suspension		Multi-link suspension with two lateral links and trailing arms			
Shock Absorbers		Telescopic, double action			
Steering Type		Power rack-and-pinion			
Power Assist			Engine-rpm sensitive		
Steering Wheel Turns Lock-to-Lock			2.9		
Turning Circle, Curb-to-Curb (feet/m)		38.3/11.7			
Braking System		Power assist (ABS w/ EBD std)			
Anti-Lock Braking System		4-wheel, 4-sensor (2WD) or 4-sensor + G Sensor (4WD), 4-channel ABS with EBD			
Front Brakes (inches/mm)		Single Piston Ventilated Discs (10.9/278)		Single Piston Ventilated Discs (11.9/303)	
Rear Brakes (inches/mm)		Drums (9.0/229)		Single Piston Solid Discs (11.9/302)	
Parking Brake			Mechanical, hand-operated on rear wheels		
Wheels			16 x 7.0JJ alloy wheel		
Tires			P235/70R16 104T-rated all-season radial		
Tire Inflation Pressures (F/R)			32 psi /32 psi		
Temporary Spare Tire	2WD		T185/60 R17		
	4WD		T185/60 R17		
EPA Curb Weight (lbs/kg)	2WD	3181/1443 (MT); 3260/1479 (AT)		3322/1507	
	4WD	3346/1518 (MT); 3408/1546 (AT)		3482/1579	

2005 TRIBUTE				🖂 mazi
SPECIFICATIONS				
		<u>i</u>		<u>s</u>
ESTIMATED FUEL ECONOMY				
PA Mileage (City/Highway)				
	2WD MT	24/29		
	4WD MT	TBD		
	2WD AT	22/25		20/25
	4WD AT	19/22		18/22
CAPACITIES				
Engine Oil (U.S. quarts/L)		4.5/4.3		6.0/5.7
ngine Coolant (U.S. quarts/L)		5.3/5.0 (MT); 6.4/6.0 (AT)		10.6/10.0
Vasher Fluid Tank (U.S. quarts/L)		5.5/5.0 (M1), 0.4/0.0 (A1)	4.8/4.5	10.0/10.0
Fuel Tank Capacity (gallons/L)			4.8/4.5	
PA Passenger Volume w/o Moonroof (cubic feet)			16.5/62.0 100.1	
PA Passenger Volume w/o Moonroof (cubic feet) PA Passenger Volume w/ Moonroof (cubic feet)			96.6	
AE Cargo Volume w/ Rear Seatback Up (cubic feet)			29.7	
AE Cargo Volume w/ Rear Seatback Up (cubic feet) AE Cargo Volume w/ Rear Seatback Folded (cubic fe	(and)	66.8	29.1	66.9
-	.et)	00.8	100.0	66.9
oof Rack Payload (lbs.)		1500	100.0	3500
Cowing Capacity (lbs.)		1500		3300
PA Vehicle Size Category	2WD		IDTI (L'alt Data Tead 1)	
	4WD	LDT1 (Light-Duty Truck 1)	LDT1 (Light-Duty Truck 1)	LDT2 (Light-Duty Truck 2)
	4WD	LDTT (Light-Duty Truck T)		LD12 (Light-Duty Truck 2)
EXTERIOR DIMENSIONS				
Vheelbase (inches/mm)			103.1/2620	
			61.3/1557	
rack, Front (inches/mm)				
Track, Front (inches/mm) Track, Rear (inches/mm)			60.9/1548	
rack, Rear (inches/mm)			60.9/1548 174.4/4429	
rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm)				
rack, Rear (inches/mm) .ength w/o Trailer Hitch (inches/mm) .ength w/ Trailer Hitch (inches/mm)			174.4/4429	
			174.4/4429 174.7/4438	
rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/ Trailer Hitch (inches/mm) Vidth (inches/mm)			174.4/4429 174.7/4438 72.0/1828	
rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/ Trailer Hitch (inches/mm) Vidth (inches/mm) eight w/ Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm)			174.4/4429 174.7/4438 72.0/1828 67.7/1720	
'rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/ Trailer Hitch (inches/mm) Vidth (inches/mm) leight w/o Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm) Minimum Ground Clearance (laden) (inches/mm)			174.4/4429 174.7/4438 72.0/1828 67.7/1720 70.0/1779	
rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/ Trailer Hitch (inches/mm) Vidth (inches/mm) leight w/o Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm) Minimum Ground Clearance (laden) (inches/mm)	2WD	59:41	174.4/4429 174.7/4438 72.0/1828 67.7/1720 70.0/1779	60:40
'rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/ Trailer Hitch (inches/mm) Vidth (inches/mm) leight w/o Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm) Minimum Ground Clearance (laden) (inches/mm)	2WD 4WD	59:41 58:42	174.4/4429 174.7/4438 72.0/1828 67.7/1720 70.0/1779	60:40 59:41
rack, Rear (inches/mm) enegth w/o Trailer Hitch (inches/mm) ength w/o Trailer Hitch (inches/mm) Vidth (inches/mm) leight w/o Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm) Jinimum Ground Clearance (laden) (inches/mm) Veight Distribution %, Front:Rear			174.4/4429 174.7/4438 72.0/1828 67.7/1720 70.0/1779	
rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/ Trailer Hitch (inches/mm) Vidth (inches/mm) leight w/ Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm) Minimum Ground Clearance (laden) (inches/mm) Veight Distribution %, Front:Rear NTERIOR DIMIENSIONS			174.4/4429 174.7/4438 72.0/1828 67.7/1720 70.0/1779 8.4/214	
rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/ Trailer Hitch (inches/mm) Width (inches/mm) leight w/o Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm) fininum Ground Clearance (laden) (inches/mm) Veight Distribution %, Front:Rear NTERIOR DIMENSIONS lead Room w/o Moonroof, Front (inches/mm)			174.4/4429 174.7/4438 72.0/1828 67.7/1720 70.0/1779 8.4/214 40.4/1026	
rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/o Trailer Hitch (inches/mm) Vidth (inches/mm) leight w/o Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm) Veight Distribution %, Front:Rear NTERIOR DIMENSIONS lead Room w/o Moonroof, Front (inches/mm) lead Room w/o Moonroof, Front (inches/mm)			174.4/4429 174.7/4438 72.0/1828 67.7/1720 70.0/1779 8.4/214 40.4/1026 39.2/996	
rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/o Trailer Hitch (inches/mm) (idth (inches/mm) leight w/o Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm) (inimum Ground Clearance (laden) (inches/mm) //eight Distribution %, Front:Rear NTERIOR DIMENSIONS lead Room w/o Moonroof, Front (inches/mm) lead Room w/o Moonroof, Front (inches/mm) lead Room w/ Moonroof, Front (inches/mm)			174.4/4429 174.7/4438 72.0/1828 67.7/1720 70.0/1779 8.4/214 40.4/1026 39.2/996 39.3/998	
rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/o Trailer Hitch (inches/mm) leight w/o Roof Rails (inches/mm) leight w/o Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm) finimum Ground Clearance (laden) (inches/mm) veight Distribution %, Front:Rear NUERIOR DIMENSIONS lead Room w/o Moonroof, Front (inches/mm) lead Room w/ Moonroof, Front (inches/mm) lead Room w/ Moonroof, Frant (inches/mm) lead Room w/ Moonroof, Frant (inches/mm)			174.4/4429 174.7/4438 72.0/1828 67.7/1720 70.0/1779 8.4/214 40.4/1026 39.2996 39.3998 37.5/953	
rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/o Trailer Hitch (inches/mm) (idth (inches/mm) leight w/o Roof Rails (inches/mm) leight w/o Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm) Veight Distribution %, Front.Rear NTERIOR DIMENSIONS lead Room w/o Moonroof, Front (inches/mm) lead Room w/o Moonroof, Rear (inches/mm) lead Room w/ Moonroof, Rear (inches/mm)			174.4/4429 174.7/4438 72.0/1828 67.7/1720 70.0/1779 8.4/214 40.4/1026 39.2996 39.3998 37.5/953 41.6/1057	
rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/o Trailer Hitch (inches/mm) Vidth (inches/mm) leight w/o Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm) finimum Ground Clearance (laden) (inches/mm) Veight Distribution %, Front:Rear NTERIOR DIMENSIONS lead Room w/o Moonroof, Front (inches/mm) lead Room w/ Moonroof, Rear (inches/mm) lead Room w/ Moonroof, Rear (inches/mm) lead Room w/ Moonroof, Rear (inches/mm) eg Room, Front (inches/mm) eg Room, Front (inches/mm)			174.4/4429 174.7/4438 72.0/1828 67.7/1720 70.0/1779 8.4/214 40.4/1026 39.2/996 39.3/998 37.5/953 41.6/1057 36.3/922	
rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/o Trailer Hitch (inches/mm) Width (inches/mm) leight w/o Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm) fininum Ground Clearance (laden) (inches/mm) Veight Distribution %, Front:Rear NTERIOR DIMENSIONS lead Room w/o Moonroof, Front (inches/mm) lead Room w/o Moonroof, Front (inches/mm) lead Room w/ Moonroof, Rear (inches/mm) lead Room, Front (inches/mm) eg Room, Rear (inches/mm) houlder Room, Front (inches/mm)			174.4/4429 174.7/438 72.0/1828 67.7/1720 70.0/1779 8.4/214 40.4/1026 39.2/996 39.3/998 37.5/953 41.6/1057 36.3/922 56.1/1426	
rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/o Trailer Hitch (inches/mm) idth (inches/mm) eight w/o Roof Rails (inches/mm) eight w/o Roof Rails (inches/mm) limimur Ground Clearance (laden) (inches/mm) /eight Distribution %, Front:Rear NTERCOR DIMENSIONS ead Room w/o Moonroof, Front (inches/mm) ead Room, Front (inches/mm) eg Room, Front (inches/mm) houlder Room, Rear (inches/mm)			174.4/4429 174.7/4438 72.0/1828 67.7/1720 70.0/1779 8.4/214 40.4/1026 39.2/996 39.3/998 37.5/953 41.6/1057 36.3/922 56.1/1426 56.2/1428	
'rack, Rear (inches/mm) ength w/o Trailer Hitch (inches/mm) ength w/ Trailer Hitch (inches/mm) Vidth (inches/mm) leight w/o Roof Rails (inches/mm) leight w/ Roof Rails (inches/mm) Minimum Ground Clearance (laden) (inches/mm)			174.4/4429 174.7/438 72.0/1828 67.7/1720 70.0/1779 8.4/214 40.4/1026 39.2/996 39.3/998 37.5/953 41.6/1057 36.3/922 56.1/1426	