

2011 TRIBUTE SPECIFICATION DECK

ISSUE DATE: June 28, 2010 REVISED DATE: July 14, 2010

PRODUCTION TIMING:

JOB #1: July, 2010

LINEUP:

TRIBUTE *i* (Sport, Touring, Grand Touring) 2WD & 4WD TRIBUTE *s* (Grand Touring) 2WD & 4WD

CONTENTS:	Page(s)
Product Changes	2
Product Summary	3
Equipment and Features	4-5
Packages & Options	6
Accessories	7
Color & Trim	8
Specifications	9-10
Revisions	11

1

2011 TRIBUTE PRODUCT CHANGES

OVERVIEW

MODEL / SERIES / AVAILABILITY

No Change

FUNCTIONAL CHANGES

• Towing Capacity on s Grand Touring models changed from 3,500 to 3,450

INTERIOR CHANGES

• No Change

EXTERIOR CHANGES

Added

• Color - Tuxedo Black

Deleten

Color - Mystic Black and Monterey Gray

NEW PACKAGE / OPTION CHANGES

No Change

SAFETY CHANGES

No Change

Product Changes and Features Availability

Features, options and package content subject to change.

2011 TRIBUTE

PRODUCT SUMMARY

The lineup consists of a SPORT, TOURING and GRAND TOURING models.

i Sport i Touring i & s Grand Touring (in addition to Sport) (in addition to Touring)	
Functional / Powertrain Functional / Powertrain Functional / Powertrain ● 2.5L.NCT 4-cylinder engine (i trim) ● 2.5L.NCT 4-cylinder engine (i trim) OR	
6-speed automatic overdrive transmission (2wd Sport 5-speed M/T	s trim)
available) Front wheel drive, available 4WD (4WD n/a with 5-speed MT) Towing Equipped (s Model)	
Power-assisted ventilated front disc & rear drum brakes Power-assisted rack-and-pinion steering with engine speed-sensing	
Prover-assisted rack-and-prison seering with engine speed-sensing variable assist. • Independent MacPherson strut front suspension	
Multilink rear suspension with dual lateral links & trailing arms	
Front and rear stabilizer bars	
Anti-Lock Brake System (ABS) w/ EBD	
Dynamic Stability Control	
Traction Control System	
Exterior Exterior	
16-inch alloy wheels (7 Spoke) Roof rack with cross bars	
P235/70R16 BSW T-rated all-season tires Privacy-lint glass: rear door, quarter, and backlight One touch open / close moonroof with sunshade T145 / 50 R17 space saver tire wisteel wheel	
Molded-in-color / painted two tone bumpers	
Black front grille with chrome-plated grille bar and logo	
Body-color door handles	
Clear lens halogen fog lights	
Black dual power remote mirrors (folding-type) 2-speed variable-intermittent windshield wipers	
2-speed fixed-intermittent rear wiper with washer	
Fixed mast-type radio antenna	
Automatic clear-lens halogen headlights	
Rear window delogger (with timer) Solar tint on front and rear doors and quarter glass	
Solar union rand rear doors and quarier glass Flip-up liftgate window	
Single exhaust outlet	
"Easy Fuel" Capless Fuel Filler	
Interior Interior	
5-passenger seating capacity 6-way power driver's seat with manual lumbar support Leather trimmed seating surfaces	
Air conditioning (manual type) Overhead console with dual storage bins	id manuai lumbar
Heatler/defroster (mechanical controls) with rear heater ducts Front seatback map pockets (driver & passenger side) Satellite Radio with 6 month subscription AMFM6 CD audio system with 7-speakers and automatic Overhead console with single storage bin and map	liahta
Full interior carpeting; carpet floor mats (front & rear) volume control Leather wrapped steering wheel	igins
Reclining front bucket seats with adjustable headrests Steering wheel with audio control switch Single Blade Dual Covered Vanity Mirrors with Dual	Illumination
Rear seat adjustable headrests (all seating positions) Cargo area retractable cover Garage Door Opener	
60/40 split fold-flat rear seatback Electrochromatic Rear View Mirror with Rear View to AMENOR and a market fold-flat rear seatback	Jisplay
AMFMICD audio system (modular) w/ 4 speakers, digital clock, and audiliary lack	
Sirius satellite radio-ready head unit	
Power door locks with two-stage unlocking feature	
Accessory Delay (Interior Lights off / Battery Saver)	
Power windows with driver's-side one-touch-down feature Passenger power window lock-out feature (driver-controlled)	
Cruise control wisteering wheel-mounted controls (A/T only)	
Urethane tilt steering wheel	
Ambient Temperature Gauge	
Dual map lights; Cargo area light Tachometer; resettable trip odornetiers (2)	
Chrome inner door handles	
Front and rear door storage bins, front with bottle holders	
Center floor console w/ covered storage bin and 2 cup holders	
Rear Cup holders Glove compartment	
Single blade dual covered visor vanity mirrors	
Day/night rearview mirror (manual-type)	
Driver-side footrest	
Remote hood release Battery saver	
Cluster Warning Lights: Air Bag, Check Engine, Parking Brake Cluster Warning Lights: Air Bag, Check Engine, Parking Brake	
Brake Fluid, Low Battery Chargei Oil Pressure/Fuel, Turn Signal,	
Auto Cruise Control Indicator, Hill Mode Indicator (Gas AT), ABS Warning For Lights "Yo" Indicator Seaton Seat Relatindicator	
Warning, Fog Lights 'On' Indicator, Fasten Seat Belt Indicator, Key-In-Ignition Warning Chime, Engine Collant Temp Gauge, TPM	
Assist Handle - "A" pillar on passenger side	
C Pillar coat hooks - 2	
Safety Safety Safety	
Roll Stability Control	
Side air curtains and side air bags	
Triple-H* body construction; Front & rear crumple zones	
Advanced dual front airbags (SRS) 3-point safety belts for all seating positions	
Front safety-belt pretensioners with force limiters	
Height adjustable front shoulder belt "B" pillar anchors	
LATCH rear seat child safety-seat lower anchors & upper tethers	
Child-safety rear door locks Slam Lock - Front and Rear Door	
Illuminated keyless entry w/ panic button feature	
Engine immobilizer anti-theft system	
Daytime Running Lights The control of the	
Tire pressure monitoring system (TPMS)	
Auto Door Lock / Unlock	
Auto Door Lock / Unlock	

MNAO Product Strategies 2/10/17 3 2011 Tribute Specifications.xls

2010 TRIBUTE				
	i	i	i	s
EQUIPMENT & FEATURES	Sport	Touring	Grand Touring	Grand Touring
EQUIPMENT & LATURES	2.5L I4 Engine - 171 HP	2.5L I4 Engine - 171 HP	2.5L I4 Engine - 171 HP	3.0L V6 24-valve 240 HP
	TRB ISP	TRB ITR	TRB IGT	TRIB SGT
DRIVETRAIN, ENGINE & TRANSMISSION 2.5L IVCT 16-valve 4-cylinder engine	Std	Std	Std	
3.0L IVCT 10-Valve 4-Cylinder engine 3.0L IVCT 24-valve 6-cylinder engine	-	-	-	Std
5-speed manual transmission 6-speed electronically controlled automatic transmission	Std Opt	Std	- Std	- Std
o-speed electronically controlled automatic transmission Electronic 4-wheel drive (4WD)	Opt (AT only)	Opt	Opt	Opt
Electronic multiport fuel injection	Std Std	Std Std	Std Std	Std Std
Front wheel drive SUSPENSION & CHASSIS	Stu	Stu	Siu	Siu
Anti-lock Brake System (ABS) w/ Electronic Brakeforce Distribution (EBD) Electric Power Steering (EPS)	Std Std	Std Std	Std Std	Std Std
Independent front MacPherson strut suspension with coil springs and shock absorbers	Std	Std	Std	Std
Power-assisted rack-and-pinion steering with engine-speed-sensing variable assist	Std Std	Std Std	Std Std	Std Std
Power-assisted ventilated front disc/rear drum brakes Rear multi-link suspension with dual lateral links, trailing arms, coil springs, and shock absorbers	Std	Std	Std	Std
Stabilizer bars: front and rear TIRES & WHEELS	Std	Std	Std	Std
Tires, size / type	P235/70 R16	P235/70 R16	P235/70 R16	P235/70 R16
Wheels, size / type	16" / Alloy	16" / Alloy	16" / Alloy	16" / Alloy
EXTERIOR FEATURES "Easy Fuel" capless fuel filler door	Std	Std	Std	Std
2-speed fixed-intermittent rear-window wiper w/ washer	Std	Std	Std	Std
2-speed variable-intermittent windshield wipers Automatic Headlamps	Std Std	Std Std	Std Std	Std Std
Black front grille with chrome bezel	Std	Std	Std	Std
Bright Mazda badge - rear driver-side Bright Mazda logo badge - front & rear liftgate	Std Std	Std Std	Std Std	Std Std
Bright Tribute badge - rear passenger-side	Std	Std	Std	Std
Bumpers – molded-in-color / painted Door handles – body-color	Std Std	Std Std	Std Std	Std Std
Dual power remote manual folding mirrors – black	Std	Std	Std	Std
Fog lights - clear-lens halogen type Fuel door – body-color	Std Std	Std Std	Std Std	Std Std
Headlights - clear-lens halogen complex refractor type	Std	Std	Std	Std
Heated door mirrors Privacy-tint glass - rear door, quarter and backlight		- Std	Std Std	Std Std
Rear flip-up window (liftgate)	Std	Std	Std	Std
Rear liftgate 4WD badging Rear window defogger (with timer)	Std Std	Std Std	Std Std	Std Std
Roof rack with cross bars	-	Std	Std	Std
Solar-tint glass - rear door, quarter and backlight Solar-tinted glass - windshield and front-side windows	Std Std	Std Std	Std Std	Std Std
Stop lamp - center high mount	Std	Std	Std	Std
T145/90 R17 Space saver tire w/steel wheel	Std Std	Std Std	Std Std	Std Std
Taillights - aluminum-vaporized combination type Towing preparation (Class II), frame mounted trailer hitch w/ 3,500-lb capacity and wiring harness	-	-	-	Std
COMFORT & CONVENIENCE "A" pillar assist handle - passenger side	Std	Std	Std	Std
**C" Pillar coat hooks - 2	Std	Std	Std	Std
Accessory Delay (Interior Lights off / Battery Saver)	Std Std	Std Std	Std Std	Std Std
Ambient temperature (center display) Auto-dimming rearview mirror w/rear view display	- Siu	-	Std	Std
Cargo area light (with "on-off" switch) Carpet floor mats - front & rear	Std	Std	Std	Std
Carpet floor mats - front & rear Center dome light	Std Std	Std Std	Std Std	Std Std
CFC-free air conditioning - manually controlled	Std Std	Std Std	Std Std	Std Std
Cloth headliner - color-keyed Coat hook	Std	Std	Std	Std
Coolant temperature gauge	Std	Std	Std	Std
Cruise control with steering wheel mounted controls (A/T only) Cupholders (4) - 2-front & 2-rear	Std (A/T only) Std	Std Std	Std Std	Std Std
Day/night rearview mirror (manual-type)	Std	Std	Std	Std
Door handles – chrome plated Driver-side footrest	Std Std	Std Std	Std Std	Std Std
Dual map lights	Std	Std	Std	Std
Floor console with 2 cup holders and enclosed storage bin Front power point	Std Std	Std Std	Std Std	Std Std
Front/Rear door storage bins	Std	Std	Std	Std
Fuel level gauge Full carpeting	Std Std	Std Std	Std Std	Std Std
Garage Door Opener	-	-	Std	Std
Gauge illumination dimming control switch Glove compartment	Std Std	Std Std	Std Std	Std Std
Headlights-on warning chime	Std	Std	Std	Std
Heater/defroster (mechanical controls) with rear heater ducts Interior lights-off delay / battery saver	Std Std	Std Std	Std Std	Std Std
Nighttime gauge & controls illumination	Std	Std	Std	Std
One touch open / close power-sliding glass moonroof with sunshade Overhead console with dual storage bins	-	Std	Std -	Std -
Overhead console with single storage bin and map lights	-	-	Std	Std
Power door locks with 2-stage unlocking Power window switch panels - high gloss black	Std Std	Std Std	Std Std	Std Std
Power windows with driver's-side one-touch-down feature	Std	Std	Std	Std
Rear power point (12v) Rear window defogger	Std Std	Std Std	Std Std	Std Std
Remote hood release	Std	Std	Std	Std
Remote keyless illuminated entry system Resettable trip odometers	Std Std	Std Std	Std Std	Std Std
Resettable trip odometers Retractable cargo cover	Opt	Std	Std	Std
Single Blade Dual Covered Vanity Mirrors	Std	Std	Std Std	Std Std
Single Blade Dual Covered Vanity Mirrors w/Dual Illumination Speedometer	Std	Std	Std Std	Std
Steering wheel – leather wrapped	-	-	Std	Std
Steering wheel – urethane Steering wheel with audio control switch	Std -	Std Std	Std	Std
Tachometer	Std	Std	Std	Std
Tilt steering wheel	Std	Std	Std	Std

MNAO Product Strategies 2/10/17 4 2011 Tribute Specifications.xls

2010 TRIBUTE				
	i	i	i	s
	Sport	Touring	Grand Touring	Grand Touring
EQUIPMENT & FEATURES	2.5L I4 Engine -	2.5L I4 Engine -	2.5L I4 Engine -	3.0L V6 24-valve
	171 HP	171 HP	171 HP	240 HP
	TRB ISP	TRB ITR	TRB IGT	TRIB SGT
SEATING & TRIM		1		
5-passenger seating capacity	Std	Std	Std	Std
50/40 split fold-flat rear seatback with adjustable headrests (all seating positions)	Std	Std	Std	Std
6-way power driver's seat (slide, seat cushion tilt, seat height) with manual lumbar support		Std	Std	Std
Cloth Seats	Std	Std	-	-
Front seatback map pockets - driver & passenger		Std	Std Std	Std Std
Heated front seats			Std	Std
_eather-trimmed seats	-	-		
Reclining front bucket seats with adjustable headrests	Std	Std	Std	Std
4-speaker sound system (100-watt) - 2-front & 2-rear full-range door speakers	Std	-	- Ctul	- Ctd
7-speaker audio sound system (190-watt) - includes 2 tweeters & subwoofer	-	Std Std	Std Std	Std Std
AM/FM & In-dash 6-disc CD changer with automatic volume control	Std	510	510	510
AM/FM/CD audio system (modular), digital clock, and auxilliary jack	Std	Std	Std	Std
Fixed Mast Antenna	Sta	Std	Std	Std
Sirius® satellite radio with 6 month subscription	Std	Std	Std	Std
Sirius® satellite radio-compatible audio system INSTRUMENTATION	Std	Sid	510	510
	Std	Std	Std	Std
Black gauges with white lettering & silver-color bezels	Std (M/T only)	510	510	Sta -
Center instrument panel treatment - black	Std (A/T only)	Std	Std	Std
Center instrument panel treatment - painted high gloss black	Std (A/T only)	Std	Std	Std
Hill mode indicator cluster warning light Two-tone color instrument panel and dash (Mono-tone w/ Charcoal)	Std (A/T dilly)	Std	Std	Std
I wo-tone color instrument panel and dash (Mono-tone W/ Charcoal) Cluster Warning Lights: Air Bag, Check Engine,	Siu	Siu	Stu	Siu
Parking Brake, Brake Fluid, Low Battery Charge/				
Oil Pressure/Fuel, Trun Signal, Auto Cruise				
Control Indicator, Hill Mode Indicator (Gas AT),	Std	Std	Std	Std
ABS Warning, Fog Lights "On" Indicator, Fasten,	O.C	Std	Stu	Siu
Seat Belt Indicator, Key-In-Ignition Warning				
Chime, Engine Collant Temp Gauge, TPM				
SAFETY & SECURITY				
3-point safety belts for all seating positions (5)	Std	Std	Std	Std
Anti-theft perimeter alarm	Std	Std	Std	Std
Auto door lock / unlock	Std	Std	Std	Std
Child seat tether anchor - ceiling mounted; 3 points	Std	Std	Std	Std
Child-safety rear door locks	Std	Std	Std	Std
Daytime running lights	Std	Std	Std	Std
Dual front air bags (SRS) - crash-zone & driver's seat position/passenger weight sensors	Std	Std	Std	Std
Dynamic Stability Control	Std	Std	Std	Std
Engine immobilizer anti-theft system	Std	Std	Std	Std
Front & rear crumple zones	Std	Std	Std	Std
Front safety-belt pretensioners with force limiters	Std	Std	Std	Std
Height adjustable front shoulder belt "B" pillar anchors	Std	Std	Std	Std
SO FIX / LATCH floor child seat anchor	Std	Std	Std	Std
Passenger power window lock-out feature - driver-controlled	Std	Std	Std	Std
Rear seatback reinforcement	Std	Std	Std	Std
Rear View Video Camera System in Mirror	Std	Std	Std	Std
Roll Stability Control	Std	Std	Std	Std
Side air bags (front coverage) & Side-impact air curtains with rollover protection (front & rear coverage)	Std	Std	Std	Std
Side-impact door beams	Std	Std	Std	Std
Slam Lock - Front and Rear Door	Std	Std	Std	Std
Fire pressure monitoring system	Std	Std	Std	Std
raction Control System	Std	Std	Std	Std
riple-H body construction	Std	Std	Std	Std

2011 TRIBUTE				
PACKAGES & OPTIONS	<i>i</i> Sport	<i>i</i> Touring	i Grand Touring	s Grand Touring
NONE AVAILABLE				

2011 TRIBUTE				
ACCESSORIES	<i>i</i> Sport	<i>i</i> Touring	<i>i</i> Grand Touring	s Grand Touring
EXTERIOR				
Ski / snowboard attachment - roof rack type	Dealer	Dealer	Dealer	Dealer
Side steps, Black	Port/Dealer	Port/Dealer	Port/Dealer	Port/Dealer
Remote start (AT only)	Port/Dealer	Port/Dealer	Port/Dealer	Port/Dealer
Roof cargo box, medium (silver)	Dealer	Dealer	Dealer	Dealer
Roof luggage basket	Dealer	Dealer	Dealer	Dealer
Car cover, Car cover cable lock	Dealer	Dealer	Dealer	Dealer
Cargo box, short (black)	Dealer	Dealer	Dealer	Dealer
Bike attachment - trailer-hitch type	Dealer	Dealer	Dealer	Dealer
Bike attachment - roof rack type	Dealer	Dealer	Dealer	Dealer
Wheel locks (set of 4)	Port/Dealer	Port/Dealer	Port/Dealer	Port/Dealer
Touch-up paint	Dealer	Dealer	Dealer	Dealer
Roof rack with cross bars	Port/Dealer	STD	STD	STD
Rear spoiler - Primer	Dealer	Dealer	Dealer	Dealer
Front mask	Dealer	Dealer	Dealer	Dealer
Hood bug deflector	Dealer	Dealer	Dealer	Dealer
License plate frame (Zoom-Zoom)	Dealer	Dealer	Dealer	Dealer
Trailer hitch harness and trailer hitch receiver (1,500 lb. capacity)	Port/Dealer	Port/Dealer	Port/Dealer	-
Trailer hitch receiver cover	Port/Dealer	Port/Dealer	Port/Dealer	Dealer
INTERIOR				
Ash Tray (Cup Type)	Dealer	Dealer	Dealer	Dealer
3.5mm audio cable	Dealer	Dealer	Dealer	Dealer
Hands free device	Dealer	Dealer	Dealer	Dealer
Portable navigation travel pack	Dealer	Dealer	Dealer	Dealer
Portable navigation system (nuvi 1260T and nuvi 1490T)	Dealer	Dealer	Dealer	Dealer
Auto-dimming rearview mirror with compass	Port/Dealer	Port/Dealer	STD (no compass)	STD (no compass)
Auto-dimming rearview mirror with compass & Homelink	Port/Dealer	Port/Dealer	- (- (
Retractable cargo cover	Port/Dealer	STD	STD	STD
All-weather floor mats - front & rear	Port/Dealer	Port/Dealer	Port/Dealer	Port/Dealer
Cargo mat, carpet type	Port/Dealer	Port/Dealer	Port/Dealer	Port/Dealer
Cargo net	Port/Dealer	Port/Dealer	Port/Dealer	Port/Dealer
Windshield sunscreen (with logo)	Dealer	Dealer	Dealer	Dealer
Roadside assistance kit	Dealer	Dealer	Dealer	Dealer
First aid kit	Dealer	Dealer	Dealer	Dealer

2011 TRIBUTE INTERIOR & EXTERIOR COLORS

				∞ - /(1 - 1 (1)	0.10000			
				i		i	i	& s
			Sp	ort	Tou	ıring	Grand	Touring
		INTERIOR	Charcoal	Graystone	Charcoal	Graystone	Charcoal	Graystone
COLOR			Cloth	Cloth	Cloth	Cloth	Leather	Leather
CODE	EXTERIOR		EE6	EE7	EE6	EE7	EE6	EE7
40K	Tuxedo Black		•		-		-	
A7A	White Suede			•		•		•
36Y	Sangria Red					•		•
39W	Steel Blue							
39X	Ingot Silver							

^{■ =} availability

	2011 TRIBUTE			
CDECYFIC ATIONS	i	S		
SPECIFICATIONS	Sport, Touring, Grand Touring	Grand Touring		
ENGINE				
Engine Type	2.5L iVCT 16-valve 4-cylinder	3.0L iVCT 24-valve 6-cylinder		
Iorsepower, SAE net	171 @ 6000 rpm	240 @ 6550 rpm		
orque, SAE net	171 @ 4500 rpm	223 @ 4300 rpm		
/alvetrain	Double overhead camsha			
ntake valves	2 per cylinder, 3:			
xhaust valves	2 per cylinder, 30			
Bore x Stroke (inches)	3.5 x 3.94	3.50 x 3.13		
Compression Ratio	9.7:1	10.3:1		
FUEL SYSTEM	M Id			
uel System	Multi-port electron			
Recommended Fuel	Unleaded, regular 87 4	Unleaded, regular 87/ E85		
Cylinder Heads Emission CO2 Value	······································			
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	ULEVII / TIER 2 Bin 5	ULEVIIq / TIER 2 Bin 4		
Emission Control System	Electrically control	nea with Catalyst		
ELECTRICAL SYSTEM	C 10 N	(CON)		
gnition System	Coil-On-Pl			
Alternator	12V -	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
Battery	60AH, 5	i de finite de la companya de la co		
tarter	12V, 1.4KW	12V, 1.6KW		
DRIVETRAIN				
ype	2 Wheel Dri			
WD System (Optional)	Active Torque Split All	Wheel Drive System		
Fransmission:	5-spd MT or opt 6-spd AT w/overdrive	6-speed AT with overdrive		
Rear Axle Ratio				
GEAR RATIOS (:1)	5MT / 6AT	6AT		
1st	3.500/4.584	4.584		
2nd	1.944/2.964	2.964		
3rd	1.258/1.912	1.912		
4th	0.947/1.446	1.446		
5th	0.809/1.000	1,000		
6th	/0.746	0.746		
Reverse	3.374/2.940	2.940		
Final Drive	4.133/3.510	3.510		
CHASSIS	A DOME OF THE REAL PROPERTY OF THE PROPERTY OF	ACCULATION AND ACCULATION OF THE PARTY OF TH		
ehicle Size Category	LDT1 (Light-Duty Truck 1)/ LDT2			
Front Suspension	Independent front MacPherson strut suspension with			
Rear Suspension	Rear multi-link suspension with dual lateral links, trailin			
shock Absorbers	Frt Strut - Twin Tube Gas Charged/ R	ear Snock - Twin Tube Gas Charged		
teering Type	Electric Power A	Assist Steering		
ower Assist	Vehicle speed-sens	ing variable assist		
teering Wheel Turns Lock-to-Lock	2.9			
Overall Steering Ratio				
Curning Circle, Curb-to-Curb (feet)	36.			
traking System	Diagonal Hydraulic In	····		
nti-Lock Braking System	STD	STD		
Front Brakes (inches/mm)	Disc 11.9"	Disc 11.9"		
Rear Brakes (inches)	Drum 10"	Drum 10"		
arking Brake	Foot oparation	Foot oparation		
TIRES & WHEELS		W. ACT. Tr.		
ires	P235/70R16 BSV	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
Vheels	16 x 7.0 cast aluminu	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
Tire Inflation Pressures (F/R) Temporary Spare Tire	32P T145/90 R17 N			

2011 TRIBUTE			
SPECIFICATIONS	i Sport, Touring, Grand Touring	S Grand Touring	
EXTERIOR LENGTH DIMENSIONS	Sport, Touring, Grana Touring	Grana Touring	
Wheelbase (inches)		3.1	
Front overhang (inches) Rear overhang (inches)		3.9 7.8	
Length (inches)	17	4.9	
EXTERIOR WIDTH DIMENSIONS	71		
Vehicle width excluding mirrors (inches) Vehicle width including mirrors (inches)		1.1	
Vehicle width with mirrors folded (inches)	7'	7.9	
Front track (inches)		).7	
Rear track (inches)  EXTERIOR HEIGHT DIMENSIONS	60	0.2	
Vehicle height without options (inches)	67.9 / 70.2(		
Approach Angle (degrees)	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	/ 19.2 (4WD)	
Departure Angle (degrees) Minimum running ground clearance (inches)	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	8.3 / 8.1 (4WD)	
INTERIOR DIMENSIONS	0.4 (2 W D)	( )	
Head Room, Front (inches)		ı/ moonroof)	
Head Room, Rear (inches)		r/ moonroof)	
Leg Room, Front (inches) Leg Room, Rear (inches)		1.6 5.6	
Shoulder Room, Front (inches)	50	5.6	
Shoulder Room, Rear (inches)	55	5.9	
Hip Room, Front (inches) Hip Room, Rear (inches)		3.3 9.1	
Knee Clearance 2nd row (inches)		.1	
PASSENGER VOLUMES			
Passenger Volume - first row (cubic feet) Passenger Volume - second row (cubic feet)	***************************************	v/ moonroof)	
Passenger Volume - second row (cubic feet)  Passenger Volume - total (cubic feet)	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	w/ moonroof) w/moonroof)	
CARGO VOLUMES (TRUNK / CARGO INDEX)			
Cargo Volume behind first row (cubic feet)		r/ moonroof)	
Cargo Volume behind second row (cubic feet) CARGO DIMENSIONS	3)	1.4	
Cargo length front - at floor (inches)	66	5.7	
Cargo length second - at floor (inches)	3	5	
Cargo length front (at belt) (inches) Cargo length second (at belt) (inches)		).2 5.4	
Cargo height - at rear wheel centerline (inches)	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	7.9	
Cargo width between wheelhouse (inches)	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	).7	
Cargo width - maximum excluding wheelhouses (inches)  Cargo rear opening height	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	3.9 3.5	
Cargo rear opening meight  Cargo rear opening width at floor (inches)	***************************************	3.2	
VOLUME INDICES			
Interior Passenger Volume - SAE (cubic feet)	99.4/ 96.0(v	v/Moonroof)	
WEIGHTS Base Curb Weight (lbs) 2WD	3272(MT)/ 3337(AT)	3396	
Sase cure weight (183) 2WD	3483	3555	
GVWR 2WD	4320(MT) / 4440(AT)	4520	
4WD CAPACITIES	4600	4680	
Engine Oil (U.S. quarts)	50	6.0	
Engine Coolant (U.S. quarts)	6.9	10.6	
Washer Fluid Tank (U.S. quarts/L)	4	.7	
Fuel Tank Capacity (gallons) Towing Capacity (lbs.)	1500	7.5 3450	
EPA Vehicle Size Category	LDT1 (Light-		
FUEL ECONOMY			
EPA Mileage City/Highway (mpg) Manual Transmission 2WD  EPA Mileage City/Highway (mpg) Automatic Transmission 2WD	23 / 28	10 / 25	
EPA Mileage City/Highway (mpg) Automatic Transmission 2WD  EPA Mileage City/Highway (mpg) Automatic Transmission 4WD	21 / 28 20 / 26	19 / 25 18 / 23	

2011	TRIBUTE
RE	/ISIONS

1,2110.0.10			
DATE	PAGE	CONTENT	UPDATES
May 7, 2010	All	All	Initial Draft
June 2, 2010	7	Accessories	Updated accessories table
	4/5	Equip & Features	Corrected engine displacement error (2.5L repalced typo of 2.4L)
	3 & 4	Prod summary / Equip & Features	Clarified 6-way power seat function with manual lumbar support
June 28, 2010	10	Specifications (2)	Towing capacity changed from 3500 to 3450
July 14,2010	2	Product Changes	Added Towing capacity change to the functional change section of Produt Change page
	10	Spec 2	Changed Manual Transmission City FE from 22 to 23