

2019 MX-5 Miata SPECIFICATION DECK

LINEUP:

Soft Top

- Sport
- Club
- Grand Touring

<u>MX-5 RF</u>

- Club
- Grand Touring

2019 MX-5 MIATA PRODUCT CHANGES

OVERVIEW

MODEL / SERIES / AVAILABILITY

No change

EXTERIOR CHANGES

- New 16 inch alloy wheel color Metallic Black (Sport)
- New 17 inch alloy wheel color Metallic Black (Club)

INTERIOR CHANGES

ADD

• Tilt and telescoping steering column (All)

DELETE

- CD Player (All)
- Anti-Theft Alarm (Grand Touring)

FUNCTIONAL CHANGES

PE Upgrade

- 181 HP, 151 lb-ft torque (+ 26 HP, + 3 lb-ft torque)(All)
- Reline 7500 rpm (+700rpm)

Fuel economy improvement

• +1 mpg highway (ALL MT)

SAFETY

- Rearview camera (All)
- Smart City Brake Support (SCBS) (Grand Touring)
- Traffic Sign Recognition (TSR) (Grand Touring)

PACKAGE / OPTION CHANGES

i-ACTIVSENSE® Sport Package (Sport)

- Smart City Brake Support System (SCBS)
- Lane Departure Warning System (LDWS)
- Blind Spot Monitoring (BSM)
- Rear Cross Traffic Alert (RCTA)

i-ACTIVSENSE® Club Package (Club)

- Smart City Brake Support System (SCBS)
- Lane Departure Warning System (LDWS)

GT-S Package (Grand Touring MT only)

- Limited-slip rear differential
- Bilstein® Dampers (Shock absorbers)
- Shock tower brace (Front)
- Sport-tuned suspension

COLOR & TRIM

Add new Soft Top Color

Brown Cloth (GT)

Product Changes and Features Availability

Features, options and package content subject to change.

2019 MX-5 MIATA RF PRODUCT CHANGES

OVERVIEW

MODEL / SERIES / AVAILABILITY

No change

EXTERIOR CHANGES

• Change 17 inch alloy wheel color - Metallic Black (Club)

INTERIOR CHANGES

ADD

• Tilt and telescoping steering column (All)

DELETE

- CD Player (All)
- Anti-Theft Alarm (Grand Touring)

FUNCTIONAL CHANGES

PE Upgrade

- 181 HP, 151 lb-ft torque (+ 26 HP, + 3 lb-ft torque)(All)
- Redline 7500 rpm (+700rpm)

Fuel economy improvement

• +1 mpg highway (ALL MT)

SAFETY

- Rearview camera (All)
- Smart City Brake Support (SCBS) (Grand Touring)
- Traffic Sign Recognition (TSR) (Grand Touring)

PACKAGE / OPTION CHANGES

i-ACTIVSENSE® Club Package (Club)

- Smart City Brake Support System (SCBS)
- Lane Departure Warning System(LDWS)

Brembo/BBS Recaro package (Club MT only)

- Brembo front brakes with red-painted front & rear calipers
- BBS forged 17" alloy wheels (Gunmetal finish)
- Aero kit: Side sill extensions and rear bumper skirt (PIO)
- Heated Recaro Sport Seats
- Black Roof

GT-S Package (Grand Touring MT only)

- Limited-slip rear differential
- Bilstein® Dampers (Shock absorbers)
- Shock tower brace (Front)
- Sport-tuned suspension
- Black Roof

COLOR & TRIM

No change

Product Changes and Features Availability

Features, options and package content subject to change.

2019 MX-5 MIATA PRODUCT SUMMARY

The 2019 MAZDA MX-5 Miata offers a lineup with SPORT, CLUB and GRAND TOURING models to best meet different customer preferences and to help facilitate easier ordering, stocking and selling of vehicles.

The following equipment is standard as indicated. Each series includes the standard equipment of the previous series, except where additions / exceptions are noted:

	the standard equipment of the previous series, except where additions / e	
Sport	Club	Grand Touring
Standard Equipment	In addition to Sport	In addition to Sport
Functional / Powertrain ■ SKYACTIV®-G 2.0L DOHC 16-VALVE I4 VVT	Functional / Powertrain Front shock tower brace (MT only)	Functional / Powertrain Without limited slip differential (MT only)
SKYACTIV®-G 2.0E DONG 16-VALVE 14 VV1 SKYACTIV®-MT 6-Speed manual transmission w/	Induction Sound Enhancer (MT only)	Without front shock tower brace (MT only)
short-throw shifter or SKYACTIV®-Drive 6-speed	Limited slip differential (MT only)	Without short tower brace (WT only) Without sport-tuned suspension with Bilstein dampers (MT only)
automatic transmission w/paddle shifters	Sport-tuned suspension with Bilstein® dampers (MT only)	
ABS with Electronic Brake force Distribution (EBD)		
and Brake Assist		
 Advanced Front Midship Layout 		
Aluminum Power Plant Frame (PPF)		
Dynamic Stability Control w/Traction Control Front & rear stabilizer bars		
Front & rear stabilizer bars Front double wishbone suspension with aluminum arms		
and monotube dampers		
Front ventilated disc brakes		
Low-inertia dual-mass flywheel		
 Manual-shift mode and sport mode on AT 		
Power-assist 4-wheel disc brakes		
Rear disc brakes with aluminum calipers Rear multi-link suspension with aluminum bearing.		
 Rear multi-link suspension with aluminum bearing support and monotube dampers 		
Steering - Double-Pinion Electric Power Assist Steering		
(DP-EPAS)		
, ,	Exterior	Exterior
16-inch Metallic Black aluminum alloy wheels	Trinch Metallic Black aluminum alloy wheels	Exterior 17-inch dark silver aluminum alloy wheels
195/50R16 high performance tires	205/45R 17 high performance tires	Auto on/off headlights
Aluminum front fenders, hood and trunk lid	Front air dam - black (port installation)	Auto-dimming driver-side mirror
Body-color door handle and front & rear bumpers	High mount stop lamp with body color cover	Body-color heated side mirrors
Daytime running lights - halogen	Daytime running lights - LED	Rain-sensing windshield wipers
Dual exhaust outlets - silver	Rear lip spoiler - black (port installation)	Without front air dam and rear lip spoiler - black (port installation)
Dual power side mirrors - piano black Class reas window with defeases.	Seat back bar trim - piano black Wines, Design Blade ile Teurnement	
Glass rear window with defogger High mount stop lamp with black cover	Wiper, Design Blade ilo Tournament Trunk lid-mounted "shark fin" antenna	
HPR windshield	- Hunk nu-mounted shark infrance ina	
LED headlamps and Tail lights		
Manual black cloth convertible top		
Rear fender mounted radio antenna		
Seat back bar trim - black		
Variable-intermittent windshield wipers		
<u>Interior</u>	<u>Interior</u>	<u>Interior</u>
3-Spoke leather steering wheel	Black cloth-trimmed seats with red accent stitching	Automatic air conditioning
Air conditioning AMEN and a matter with Connection (including discourse).	BOSE® Audio System with 9 Speakers, including driver	Auto-dimming rear view mirror with Homelink®
 AM/FM audio system with 6-speakers (including driver 's side headrest speakers) 	and passenger headrest speakers and subwoofer (AudioPilot™) ■ Door pull handle cap - Bright	Cloth lining on convertible top Heater control dial - Bright ilo black
Auxiliary audio input jack	Door Trim - Vinyl leather w/body-color upper	Heated leather-trimmed seats
Cloth-trimmed bucket seats	Engine start switch with bright ring	Mazda navigation system
Color touchscreen display	Heated seats w/3 settings	Vent louver bezel - Bright ilo black
Coolant-temperature gauge	IP lower panel - Vinyl leather ilo plastic	
Courtesy light on windshield header	Rear console lid - Vinyl leather ilo plastic	
Cruise control	SiriusXM® satellite radio w/4-month subscription	
 Door pull handle with silver cap Driver and passenger back panel covered storage box 		
Dual cup holders (removable)		
Engine start switch with black ring		
Fuel lid lock connected to door locks		
Gauge rings - Bright		
 HD radio™ 		
Leather-trimmed shift knob Leather-trimmed parking brake		
Leather-trimmed parking brake Lockable center rear storage console		
Mazda Advanced keyless entry		
MAZDA CONNECT™ infotainment system		
Meter Ring - Bright		
Wind blocker - mesh aero board		
Multi-Function Commander Control		
Padded door armrests Power door locks		
Power door locks Power windows with one-touch down feature		
Remote trunk lid release		
Speed-sensing audio volume control system		
 Steering wheel mounted audio & speed controls 		
Tachometer		
Tilt and Telescoping Steering Wheel Trip computes (distance to ampty over five coop gurrent five)		
 Trip computer (distance to empty, avg. fuel econ., current fuel and avg. vehicle speed) 		
USB audio input (2)		
	0-4-1-	L
Safety Anti-theft engine immobilizer	Safety Blind Spot Monitoring (BSM)	Safety Adaptive Front lighting System (AES)
Anti-tnert engine immobilizer Dual front airbags	Rear Cross Traffic Alert (RCTA)	Adaptive Front-lighting System (AFS) High Beam Control
Rearview Camera		Lane Departure Warning System (LDWS)
Side-impact airbags		Smart City Brake Support (SCBS)
Side-impact door beams		Traffic Sign Recognition (TSR)
Tire Pressure Monitoring System (TPMS)		
	Draduat Changes and Frations Assistability	l
	Product Changes and Features Availability Features, options and package content subject to change.	
	i satures, options and package content subject to change.	

21

2019 MX-5 MIATA RF PRODUCT SUMMARY

The 2019 MAZDA MX-5 Miata RF offers a lineup with CLUB and GRAND TOURING models to best meet different customer preferences for a more premium convertible experience as well as to help facilitate easie ordering, stocking and selling of vehicles.

The following equipment is standard as indicated. Each series includes the standard equipment of the previous series, except where additions / exceptions are noted:

Club

Grand Touring

	Club	Grand Touring
L		All Club content, plus or in place of:
	nctional / Powertrain SKYACTIV®-G 2.0L DOHC 16-VALVE I4 VVT	Functional / Powertrain Without limited slip differential (MT only)
	SKYACTIV®-MT 6-Speed manual transmission w/ short-throw shifter or	Without limited slip differential (MT only) Without front shock tower brace (MT only)
1	SKYACTIV®-Drive 6-speed national transmission w/paddle shifters	Without sport-tuned suspension with Bilstein dampers (MT only)
١.	ABS with Electronic Brake force Distribution (EBD) and Brake Assist	
•	Advanced Front Midship Layout	
	Aluminum Power Plant Frame (PPF)	
	Dynamic Stability Control w/Traction Control	
	Front & rear stabilizer bars	
	Front double wishbone suspension with aluminum arms and monotube dampers Front shock tower brace (MT only)	
	Front ventilated disc brakes	
	Induction Sound Enhancer (MT only)	
	Limited slip differential (MT only)	
	Low-inertia dual-mass flywheel	
	Manual-shift mode and sport mode on AT	
	Power-assist 4-wheel disc brakes	
	Rear disc brakes with aluminum calipers Rear multi-link suspension with aluminum bearing support and monotube dampers	
	Sport-tuned suspension with Bilstein® dampers (MT only)	
	Steering - Double-Pinion Electric Power Assist Steering (DP-EPAS)	
	terior	Exterior
	17-inch Metallic Black aluminum alloy wheels	17-inch dark silver aluminum alloy wheels
١.	205/45R 17 high performance tires	Auto on/off headlights
	Aluminum front fenders, hood and trunk lid	Auto-dimming driver-side mirror
	Body-color door handles and front & rear bumpers	Body-color heated side mirrors
	Dual exhaust outlets - silver	Rain-sensing windshield wipers
	Dual power side mirrors - piano black Front air dam and rear lin engiler - black (port installation)	Without front air dam and rear lip spoiler - black (port installation)
	Front air dam and rear lip spoiler - black (port installation) Glass rear window with defogger	
	High mount stop lamp with body color cover	
	HPR windshield	
١.	LED daytime running lights	
	LED headlamps and Tail lights	
	Power Retractable Fastback Roof	
	Rear fender mounted radio antenna Seat back bar trim - piano black	
	Trunk lid-mounted "shark fin" antenna	
	Variable-intermittent windshield wipers	
١.	Wiper, Design Blade	
In	erior	<u>Interior</u>
	3-Spoke leather steering wheel	Auto-dimming rear view mirror with Homelink®
	Air conditioning	Automatic air conditioning
	Auxiliary audio input jack	Heater control dial - Bright ilo black
	Bluetooth hands-free phone and audio Black cloth-trimmed seats with red stitching	Heated leather-trimmed seats Mazda navigation system
	BOSE® Audio System with 9 Speakers, incl. driver and passenger headrest speakers (AudioPilot™)	Vent louver bezel - Bright ilo black
	Color touchscreen display	Total louver bozzi. Englit ilo black
	Coolant-temperature gauge	
	Courtesy light on windshield header	
	Cruise control	
	Driver foot rest Door pull handle cap - Bright	
	Door Trim - Vinyl leather w/body-color upper	
	Driver and passenger back panel covered storage box	
	Dual cup holders (removable)	
	Engine start switch with bright ring	
	Fuel lid lock connected to door locks	
	HD radio™ Heated seats w/3 settings	
	IP lower panel - Vinyl leather	
	Leather shift knob	
	Leather-trimmed parking brake	
	Lockable center rear storage console	
	Mazda Advanced keyless entry	
	MAZDA CONNECT™ infotainment system Mater Ring - Bright	
	Meter Ring - Bright Wind blocker - transparent	
	Multi-Function Commander Control	
	Padded door armrests	
	Power door locks	
	Power windows with one-touch down feature	
	Rear console lid - Vinyl leather Remote trunk lid release	
1:	SiriusXM® satellite radio w/4-month subscription	
	Speed-sensing audio volume control system	
١.	Steering wheel mounted audio & speed controls	
	Tachometer	
	Tilt and Telescoping Steering Wheel	
	Trip computer (distance to empty, avg. fuel econ., current fuel econ., and avg. vehicle speed) USB audio inputs (2)	
Sa	fety	Safety Advantus Forest Hobbins Contact (AFC)
	Anti-theft engine immobilizer Blind Spot Monitoring (BSM)	Adaptive Front-lighting System (AFS) High Beam Control
	Dual front airbags	High Beam Control Lane Departure Warning System (LDWS)
	Rear Cross Traffic Alert (RCTA)	Smart City Brake Support (SCBS)
	Rearview Camera	Traffic Sign Recognition
	Side-impact airbags	
	Side-impact door beams	
ľ	Tire Pressure Monitoring System (TPMS)	
	Product Changes and E	

Product Changes and Features Availability
Features, options and package content subject to change.

2019 MX-5 MIATA					
EQUIPMENT AND FEATURES	Sport MX-5 SP	Club MX-5 CL	Grand Touring MX-5 GT		
ENGINE & TRANSMISSION			2: 1		
SKYACTIV®-G 2.0L DOHC 16-valve 4-cylinder engine Aluminum Power Plant Frame (PPF)	Std Std	Std Std	Std Std		
Exhaust, single with dual outlets	Std	Std	Std		
Induction Sound Enhancer	-	Std (MT only)	Std (MT only)		
Rear wheel drive	Std	Std	Std		
Transmission, SKYACTIV®-MT 6-speed manual with short throw shifter Transmission, SKYACTIV®-Drive 6-speed AT with paddle shifters	Std Available	Std Available	Std Available		
Manual-shift mode and sport mode on AT	Available	Available	Available		
Variable Valve Timing	Std	Std	Std		
SUSPENSION And both Durlon (ABO) of Floringia Burlo (and Birtibution (EBD) with Burlon Assista	Obd	Obd	Obd		
Anti-lock Brake System (ABS) w/ Electronic Brakeforce Distribution (EBD) with Brake Assist Brakes, power - assisted 4-wheel ventilated front / solid rear disc	Std Std	Std Std	Std Std		
Brembo front brakes with red-painted front & rear calipers	-	Pkg(1)(2)	-		
Dampers (Shock absorbers), gas filled monotube (front and rear)	Std	Std (AT only)	Std		
Dampers (Shock absorbers), Bilstein® (not available for AT models)	-	Std (MT only)	Pkg (3)		
Dynamic Stability Control (DSC) with Traction Control Front and rear stabilizer bars	Std Std	Std Std	Std Std		
Fr. Double wishbone suspension	Std	Std	Std		
Limited-slip rear differential (not available for AT models)	-	Std (MT only)	Pkg (3)		
Rr. Multi-Link suspension	Std	Std	Std		
Rear aluminum brake calipers	Std	Std	Std		
Shock tower brace - Front (not available for AT models) Sport-tuned suspension	-	Std (MT only) Std (MT only)	Pkg (3) Pkg (3)		
Steering, Double-Pinion Electric Power Assist Steering (DP-EPAS)	Std	Std	Std		
TIRES & WHEELS					
195/50R16 high-performance summer tires	Std	-	-		
205/45 R17 high-performance summer tires 16 x 6.5 inch aluminum alloy wheels, metallic black	- Std	Std -	Std		
17 x 7 inch aluminum alloy wheels, metallic black	Siu -	Std	-		
17 x 7 inch aluminum alloy wheels, dark silver	-	-	Std		
BBS forged 17 inch alloy wheels, dark gunmetal finish (not available for AT models)	-	Pkg(1)(2)	-		
Tire puncture repair kit	Std	Std	Std		
EXTERIOR FEATURES Antenna, rear fender mounted	Std	Std	Std		
Antenna, trunk lid-mounted "shark fin"	-	Std	Std		
Body colored, front & rear bumpers	Std	Std	Std		
Aluminum bonnet hood	Std	Std	Std		
Aluminum trunk lid Body colored door handles	Std Std	Std Std	Std Std		
Convertible top, black cloth	Std	Std	-		
Convertible top, black cloth with cloth lining	-	-	Std		
Convertible top, dark cherry cloth with cloth lining *	-	Available	Available		
Convertible top, brown cloth with cloth lining	-	- Std	Available		
Front air dam - black (port Installation) Daytime running lights (Sport: bulb, Club & GT: LED)	Std	Std	Std		
Glass rear window	Std	Std	Std		
Headlights - LED	Std	Std	Std		
High mount stop lamp (Sport: w/black cover, Club & GT: w/body color cover)	Std	Std	Std		
Headlight - auto on/off HPR Windshield	Std	Std	Std Std		
Rear bumper skirt - black (port Installation, not available for AT models)	-	Pkg(1)(2)	-		
Rear lip spoiler - black (port Installation)	-	Std	-		
Mirrors, auto dimming (exterior - driver side)	-	-	Std		
Mirrors, dual power remote (Sport& Club: piano black, GT: body colored) Mirrors, heated	Std	Std -	Std Std		
Seat back bar trim - black	Std	-	- Siu		
Seat back bar trim - piano black	-	Std	Std		
Side sill extensions- black (port installation - not available for AT models)	-	Pkg(1)(2)	-		
Tail lights - LED	Std	Std	Std		
Trunk light Windshield, solar-control/tinted (green)	Std Std	Std Std	Std Std		
Wipers, intermittent w/adjustable timing	Std	Std	- Siu		
Wipers, intermittent w/adjustable timing and rain sensor	-	-	Std		

2019 MX-5 MIATA					
EQUIPMENT AND FEATURES	Sport MX-5 SP	Club MX-5 CL	Grand Touring MX-5 GT		
INTERIOR					
12V power outlet	Std	Std	Std		
Air conditioning, Manual	Std	Std	-		
Air conditioning, Automatic	-	-	Std		
Center console vinyl leather	_	Std	Std		
Cruise control	Std	Std	Std		
Cup holders, 2 (removable)	Std	Std	Std		
Defogger, rear window	Std	Std	Std		
Demisters, front side window	Std	Std	Std		
Door locks, power w/speed sensor	Std	Std	Std		
Door Trim					
- Armrests, padded	Std	Std	Std		
- Door trim upper: black plastic	Std	-	-		
- Door trim upper: body color	-	Std	Std		
- Panel: Vinyl (black) w/silver handle	Std	-	-		
- Panel: Vinyl leather (Sport & Club: Black, GT: Black, Tan or Auburn Nappa) w/bright handle	-	Std	Std		
Engine start switch with black ring	Std	-	-		
Engine start switch with bright ring	-	Std	Std		
Floor mats, carpeted	Std	Std	Std		
Foot rest - driver	Std	Std	Std		
Full instrumentation including tachometer, coolant temperature gauge, & fuel indicators	Std	Std	Std		
Gauges, black with white lettering	Std	Std	Std		
Gauges - normal gauge hood with bright meter ring	Std	Std	Std		
Heater/defroster with multiple-speed fan	Std	Std	Std		
Heater control dial (Sport & Club: Black, GT: Bright)	Std	Std	Std		
Lamp - courtesy overhead with dimming	Std	Std	Std		
Locking rear center console - (Sport: PP, Club & GT: Vinyl leather)	Std	Std	Std		
Mazda Advanced Keyless Entry	Std	Std	Std		
Mirror, vanity / driver & passenger	Std	Std	Std		
Mirror, auto dimming rearview w/Homelink	-	-	Std		
Parking brake, leather trimmed	Std	Std	Std		
Power windows with driver and passenger one-touch-down feature	Std	Std	Std		
Push button ignition	Std	Std	Std		
Remote, trunk lid release	Std	Std	Std		
Seats	O.G	0.0	O.G		
- Bucket with reclining and forward/back slide feature	Std	Std	Std		
- Front tilt (driver side only)	Std	Std	Std		
- Heated, 3 heat settings	-	Std	Std		
- Integrated headrests	Std	Std	Std		
- Upholstery, cloth (black)	Std	-	-		
- Upholstery, cloth (black with red stitch) - Upholstery, leather (Black)	-	Std Pkg ₍₁₎	- Std		
- Upholstery, leather (Sport Tan)	_	1 Kg(1)	Available		
- Upholstery, leather (Auburn Nappa)	_	-	Available		
- Recaro Sport Seats	-	Pkg ₍₂₎	-		
Shift knob, leather wrapped	Std	Std	Std		
Storage - driver and passenger back panel (covered)	Std	Std	Std		
Steering, 3-spoke leather wrapped	Std	Std	Std		
Steering wheel w/audio and speed controls	Std	Std	Std		
Tilt and telescoping steering column	Std	Std	Std		
Trip computer (distance to empty, avg. fuel econ., current fuel econ., and avg. vehicle speed)	Std	Std	Std		
Vent louver bezel (Sport & Club: Black, GT: Bright)	Std	Std	Std		
Warning lamps: air bags, battery, brake, engine, fuel, high-beam, oil, seat belt					
	Std	Std	Std		

2019 MX-5 MIATA					
EQUIPMENT AND FEATURES	Sport MX-5 SP	Club MX-5 CL	Grand Touring MX-5 GT		
AUDIO SYSTEM					
AM/FM sound system with 6 speakers including driver headrest speakers	Std	-	-		
Auxiliary-audio input jack	Std	Std	Std		
Bluetooth hands free phone & audio	Std	Std	Std		
BOSE® 9-speaker audio system with Audiopilot™ (driver and passenger headrest speakers and subwoofer)	-	Std	Std		
MAZDA CONNECT	Std	Std	Std		
- 7" full color touch screen					
- Multi Function Commander Control					
- Infotainment system voice command					
- Radio Broadcast Data System program information					
- HD radio™					
- Aha™, Pandora®, Stitcher™ internet radio integration					
- SMS text message audio delivery and relay					
- E911 automatic emergency notification					
Mazda Navigation System	-	-	Std		
SiriusXM® satellite radio w/4-month subscription	-	Std	Std		
Speed - sensing automatic volume control	Std	Std	Std		
USB audio input(s)	2	2	2		
SAFETY & SECURITY					
Adaptive Front-lighting System (AFS)	-	-	Std		
Anti-theft engine Immobilizer	Std	Std	Std		
Blind Spot Monitoring (BSM)	Pkg(4)	Std	Std		
Dual front airbags	Std	Std	Std		
High beam Control	-	-	Std		
Lane Departure Warning System (LDWS)	Pkg(4)	Pkg (5)	Std		
Rear Cross Traffic Alert (RCTA)	Pkg(4)	Std	Std		
Rearview Camera	Std	Std	Std		
Side impact airbags	Std	Std	Std		
Side impact door beams	Std	Std	Std		
Smart City Brake Support (SCBS)	Pkg(4)	Pkg(5)	Std		
Three point safety belts with pretensioners and force limiters	Std	Std	Std		
Tire pressure monitoring system (TPMS)	Std	Std	Std		
Traffic Sign Recognition (TSR) (speed limit recognition - displayed on the Multi- information Display)	-	-	Std		

* Dark Cherry Cloth Roof - Late Availability

⁽¹⁾ Brembo/BBS Package (MT only)
(2) Brembo/BBS RECARO Package (MT only)
(3) GT-S Package (MT Only)
(4) i-ACTIVSENSE Sport Package
(5) i-ACTIVSENSE Club Package

2019 MX-5 MIATA RF				
EQUIPMENT AND FEATURES	Club	Grand Touring		
ENGINE A TRANSMISSION	MX-5 CL	MX-5 GT		
ENGINE & TRANSMISSION	Ctd	Ctd		
SKYACTIV®-G 2.0L DOHC 16-valve 4-cylinder engine Aluminum Power Plant Frame (PPF)	Std Std	Std Std		
Exhaust, single with dual outlets	Std	Std		
Induction Sound Enhancer	Std (MT only)	-		
Rear wheel drive	Std	Std		
Transmission, SKYACTIV®-MT 6-speed manual with short throw shifter	Std	Std		
Transmission, SKYACTIV®-Drive 6-speed AT with paddle shifters	Available	Available		
Manual-shift mode and sport mode on AT	Available	Available		
Variable Valve Timing	Std	Std		
SUSPENSION Anti-look Proka System (ARS) w/ Flastrania Brakafaraa Distribution (FDD) with Braka Assist	Ctd	C+d		
Anti-lock Brake System (ABS) w/ Electronic Brakeforce Distribution (EBD) with Brake Assist Brakes, power - assisted 4-wheel ventilated front / solid rear disc	Std Std	Std Std		
Brembo Front Brakes with red-painted front & rear calipers	Pkg ₍₁₎ (2)	-		
Dampers (Shock absorbers), Bilstein (not available for AT models)	Std (MT only)	Pkg (3)		
Dampers (Shock absorbers), gas filled front and rear	Std	Std		
Dynamic Stability Control (DSC) with Traction Control	Std	Std		
Front and rear stabilizer bars	Std	Std		
Fr. Double wishbone suspension	Std	Std		
Limited-slip differential, rear (not available for AT models)	Std (MT only)	Pkg (3)		
Rear aluminum brake calipers	Std	Std		
Rr. Multi-Link suspension	Std	Std		
Shock tower brace , front (not available for AT models)	Std (MT only)	Pkg (3) Pkg (3)		
Sport-tuned suspension Steering, Double-Pinion Electric Power Assist Steering (DP-EPAS)	Std (MT only) Std	Std		
TIRES & WHEELS	Sid	Sid		
205/45 R17 high-performance summer tires	Std	Std		
17 x 7 inch aluminum alloy wheels, metallic black	Std	-		
17 x 7 inch aluminum alloy wheels , dark silver	-	Std		
BBS forged 17 inch alloy wheels , dark gunmetal finish (not available for AT models)	Pkg(1)(2)	-		
Tire puncture repair kit	Std	Std		
EXTERIOR FEATURES	Otal	04-1		
Antenna, rear fender mounted Antenna, trunk lid-mounted "shark fin"	Std Std	Std Std		
Aluminum bonnet hood	Std	Std		
Aluminum trunk lid	Std	Std		
Black roof (not available for AT models)	Pkg ₍₂₎	Pkg (3)		
Body colored door handles	Std	Std		
Body colored, front & rear bumpers	Std	Std		
Daytime running lights - LED	Std	Std		
Front air dam (black - port Installation)	Std	-		
Glass rear window	Std	Std		
Headlights - LED	Std	Std		
Headlight - auto on/off High mount stop lamp with body color cover	- Std	Std Std		
High mount stop lamp with body color cover HPR Windshiled	Std	Std		
Mirrors, auto dimming (exterior - driver side)	- -	Std		
5. 5, 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.				
Mirrors, dual power remote - body colored	-	Std		
Mirrors, dual power remote - body colored Mirrors, dual power remote - piano black		Std -		
	-			
Mirrors, dual power remote - piano black Mirrors, heated Power retractable fastback roof / body color with black accents	- Std - Std	-		
Mirrors, dual power remote - piano black Mirrors, heated Power retractable fastback roof / body color with black accents Rear bumper skirt - black (port installation - not available for AT models)	- Std - Std Pkg(1)(2)	- Std		
Mirrors, dual power remote - piano black Mirrors, heated Power retractable fastback roof / body color with black accents Rear bumper skirt - black (port installation - not available for AT models) Rear lip spoiler - Black (Port Installation)	- Std - Std Pkg(1)(2) Std	Std Std - -		
Mirrors, dual power remote - piano black Mirrors, heated Power retractable fastback roof / body color with black accents Rear bumper skirt - black (port installation - not available for AT models) Rear lip spoiler - Black (Port Installation) Seat back bar trim - black	- Std - Std Pkg(1)(2) Std -	- Std Std - -		
Mirrors, dual power remote - piano black Mirrors, heated Power retractable fastback roof / body color with black accents Rear bumper skirt - black (port installation - not available for AT models) Rear lip spoiler - Black (Port Installation) Seat back bar trim - black Seat back bar trim - piano black	- Std - Std Pkg(1)(2) Std - Std	Std Std Std - Std		
Mirrors, dual power remote - piano black Mirrors, heated Power retractable fastback roof / body color with black accents Rear bumper skirt - black (port installation - not available for AT models) Rear lip spoiler - Black (Port Installation) Seat back bar trim - black Seat back bar trim - piano black Side sill extensions - black (port installation - not available for AT models)	- Std - Std Pkg(1)(2) Std - Std Pkg(1)(2)	Std Std - - Std		
Mirrors, dual power remote - piano black Mirrors, heated Power retractable fastback roof / body color with black accents Rear bumper skirt - black (port installation - not available for AT models) Rear lip spoiler - Black (Port Installation) Seat back bar trim - black Seat back bar trim - piano black Side sill extensions - black (port installation - not available for AT models) Tail lights - LED	- Std - Std Pkg(1)(2) Std - Std Pkg(1)(2) Std Std Std Std Std	Std Std Std - Std - Std - Std		
Mirrors, dual power remote - piano black Mirrors, heated Power retractable fastback roof / body color with black accents Rear bumper skirt - black (port installation - not available for AT models) Rear lip spoiler - Black (Port Installation) Seat back bar trim - black Seat back bar trim - piano black Side sill extensions - black (port installation - not available for AT models) Tail lights - LED Trunk light	- Std - Std Pkg(1)(2) Std - Std Pkg(1)(2) Std Std Std Std Std Std	Std Std Std - Std - Std - Std - Std Std		
Mirrors, dual power remote - piano black Mirrors, heated Power retractable fastback roof / body color with black accents Rear bumper skirt - black (port installation - not available for AT models) Rear lip spoiler - Black (Port Installation) Seat back bar trim - black Seat back bar trim - piano black Side sill extensions - black (port installation - not available for AT models) Tail lights - LED	- Std - Std Pkg(1)(2) Std - Std Pkg(1)(2) Std Std Std Std Std	Std Std Std - Std - Std - Std		

2019 MX-5 MIATA RF					
EQUIPMENT AND FEATURES	Club	Grand Touring			
	MX-5 CL	MX-5 GT			
INTERIOR	0.1	0.1			
12V power outlet	Std	Std			
Air conditioning, Manual	Std	-			
Air conditioning, Automatic	-	Std			
Center console vinyl leather	Std	Std			
Cruise control Cup holders, 2 (removable)	Std Std	Std Std			
	Std	Std			
Defiogger, rear window	Std	Std			
Demisters, front side window	Std	Std			
Door locks, power w/speed sensor Door Trim	Siu	Siu			
	C+4	C+d			
- Armrests, padded	Std	Std			
- Door trim upper: black plastic - Door trim upper: body color	C+4	C+4			
- Door trim upper: body color - Panel: Vinyl (black) w/Silver handle	Std	Std -			
	- Std	- Std			
- Panel: Vinyl leather (Black, Sport Tan or Auburn Nappa) w/Bright handle	Std				
Floor mats, carpeted Foot rest - driver	Std	Std Std			
Full instrumentation including tachometer, coolant temperature gauge, & fuel indicators	Std Std	Std Std			
Gauges, 4.6 inch full-color LCD display showing trip computer data and roof status information	Std	Std			
Gauges, black with white lettering	Std	Std			
Gauges - normal gauge hood with bright meter ring	Std	Std			
Heater/defroster with multiple-speed fan Heater control dial - bright	Std	Std			
	Std	Std			
Lamp - courtesy overhead with dimming	Sid	Sia			
Locking rear center console - PP Locking rear center console - Vinyl leather	Std	Std			
,	Std	Std			
Mirror, vanity / driver & passenger Mirror, auto dimming rearview w/Homelink	Sid	Std			
Mazda Advanced Keyless Entry	Std	Std			
Parking brake, leather trimmed	Std	Std			
Power windows with driver and passenger one-touch-down feature	Std	Std			
Push button ignition	Std	Std			
Remote, trunk lid release	Std	Std			
Seats	Sid	Siu			
- Bucket with reclining and forward/back slide feature	Std	Std			
- Front tilt (driver side only)	Std	Std			
- Heated (3 heat settings)	Std	Std			
- Integrated headrests	Std	Std			
- Upholstery, cloth (black)	-	-			
- Upholstery, cloth (black with red stitch)	Std	_			
- Upholstery, leather (Black)	Pkg ₍₁₎	Std			
- Upholstery, leather (Sport Tan)	- 1.09(1)	Available			
- Upholstery, leather (Auburn Nappa)	_	Available			
- Recaro Sport Seats (Heated)	Pkg (2)	-			
Shift knob, leather wrapped	Std	Std			
Steering, 3-spoke leather wrapped	Std	Std			
Steering wheel w/audio and speed controls Steering page page back page (covered)	Std	Std			
Storage - passenger back panel (covered)	Std	Std			
Tilt and telescoping steering column	Std	Std			
Trip computer (compass, distance to empty, avg. fuel econ., current fuel econ.)	Std	Std			
Vent louver bezel- bright	Std	Std			
Warning lamps: air bags, battery, brake, engine, fuel, high-beam, oil, seat belt	Std	Std			
Wind blocker - transparent	Std	Std			

2019 MX-5 MIATA RF					
EQUIPMENT AND FEATURES Club					
	MX-5 CL	MX-5 GT			
AUDIO SYSTEM					
AM/FM sound system with 6 speakers including driver headrest speakers	-	-			
Auxiliary-audio input jack	Std	Std			
Bluetooth hands free phone & audio	Std	Std			
BOSE® 9-speaker audio system with Audiopilot™ (driver and passenger headrest speakers and subwoofer)	Std	Std			
MAZDA CONNECT	Std	Std			
- 7" full color touch screen					
- Multi Function Commander Control					
- Infotainment system voice command					
- Radio Broadcast Data System program information					
- HD radio™					
- Aha™, Pandora®, Stitcher™ internet radio integration					
- SMS text message audio delivery and relay					
- E911 automatic emergency notification					
Mazda Navigation System	-	Std			
SiriusXM® satellite radio w/4-month subscription	Std	Std			
Speed - sensing automatic volume control	Std	Std			
USB audio inputs(s)	2	2			
SAFETY & SECURITY					
Adaptive Front Lighting System (AFS)	-	Std			
Anti-theft Engine Immobilizer	Std	Std			
Blind Spot Monitoring (BSM)	Std	Std			
Dual front airbags	Std	Std			
High beam Control	-	Std			
Lane Departure Warning System (LDWS)	Pkg(4)	Std			
Rear Cross Traffic Alert (RCTA)	Std	Std			
Rearview Camera	Std	Std			
Side impact airbags	Std	Std			
Side impact door beams	Std	Std			
Smart City Brake Support (SCBS)	Pkg(4)	Std			
Three point safety belts with pretensioners and force limiters	Std	Std			
Tire pressure monitoring system (TPMS)	Std	Std			
Traffic Sign Recognition (TSR) (speed limit recognition - displayed on the Multi- information Display)	-	Std			

⁽¹⁾ Brembo/BBS Package (MT only)

⁽²⁾ Brembo/BBS RECARO Package (MT only)

⁽³⁾ GT-S Package (MT Only)

⁽⁴⁾ i-ACTIVSENSE Club Package

2019 MX-5 MIATA						
PACKAGES & OPTIONS Sport Club C MX-5 SP MX-5 CL MX-5 CL						
Brown Cloth Roof			Opt.			
i-ACTIVSENSE® Sport Package - Smart City Brake Support (SCBS) - Lane Departure Warning System(LDWS) - Blind Spot Monitoring (BSM) - Rear Cross Traffic Alert (RCTA)	Opt.					
i-ACTIVSENSE® Club Package - Smart City Brake Support (SCBS) - Lane Departure Warning System (LDWS)		Opt.				
Brembo/BBS Package (MT only) - Brembo front brakes with red-painted front & rear calipers - BBS forged 17" alloy wheels (Dark Gunmetal finish) - Aero kit: Side sill extensions, rear bumper skirt - Heated black leather-trimmed Seats		Opt.				
Brembo/BBS RECARO Package (MT only) - Brembo front brakes with red-painted front & rear calipers - BBS forged 17" alloy wheels (Dark gunmetal finish) - Aero kit: Side sill extensions, rear bumper skirt - Heated Recaro Sport Seats		Opt.				
GT-S Package (MT Only) - Limited-slip rear differential - Dampers (Shock absorbers), Bilstein® - Shock tower brace (Front) - Sport-tuned suspension			Opt.			

2019 MX-5 MIATA RF				
PACKAGES & OPTIONS	Club MX-5 CL	Grand Touring MX-5 GT		
	MX-5 CL	MX-5 G1		
Brembo/BBS Package (MT only)				
- Brembo front brakes with red front & rear calipers				
- BBS forged 17" alloy wheels (Dark Gunmetal finish)	Opt.			
- Aero kit: Side sill extensions, rear bumper skirt				
- Heated Black Leather-trimmed Seats				
Brembo/BBS RECARO Package (MT only)				
- Brembo front brakes with red-painted front & rear calipers				
- BBS forged 17" alloy wheels (Dark Gunmetal finish)	Opt.			
- Black Roof				
- Aero kit: Side sill extensions, rear bumper skirt				
- Heated Recaro Sport Seats				
i-ACTIVSENSE® Club Package				
- Smart City Brake Support (SCBS)	Opt.			
- Lane Departure Warning System (LDWS)				
GT-S Package (MT only)				
- Limited-slip rear differential				
- Dampers (Shock absorbers), Bilstein®		Opt.		
- Shock tower brace (Front)		Opt.		
- Sport-tuned suspension				
- Black Roof				

	2019 MX-5 MIATA SOFT TOP				
	PIO ACCESSORIES	Sport	Club	Club w/ Brembo	Grand Touring
EXTE	ERIOR				
3AP	Appearance Package (Upgrade for Club) - Includes Side Sill Extensions & Rear Bumper Skirt in Black	N/A	Х	N/A	N/A
	Appearance Package (Upgrade for Sport/GT) - Includes Front Air Dam, Side Sill Extensions, Rear Bumper Skirt, &				
4AP	Rear Lip Spoiler in Black (N/A w/ RSB or RSL)	Х	N/A	N/A	Х
RSB	Rear Lip Spoiler, Black (N/A w/ RSL or 4AP)	Х	N/A	N/A	Х
RSL	Rear Lip Spoiler, Color-Keyed (N/A w/ RSB or 4AP)	X	N/A	N/A	Х
WLK	Wheel Locks	Χ	Χ	X	Х
INTE	RIOR				
1IP	Interior Package (for A/T) - Includes Soul Red Engine Oil Cap with MX-5 Logo, Alloy Pedals, & Stainless Steel Door Sill Trim Plates (N/A w/ SCP)	Х	Х	N/A	Х
	Interior Package (for M/T) -Includes Soul Red Engine Oil Cap with MX-5 Logo, Alloy Pedals, & Stainless Steel Door				
2IP	Sill Trim Plates (N/A w/ SCP)	Х	Х	Х	Х
1WP	Weather Package - Includes Cargo Tray & Floor Mats, All Weather (N/A w/ FLA)	Х	X	X	Х
CGN	Cargo Net	Х	Х	X	Х
FLA	Floor Mats - All Weather (N/A with 1WP Weather Package)	Х	Х	Х	Х
ILK	Interior Lighting Kit	Х	Х	Χ	Х
SCP	Door Sill Trim Plates (N/A with 1IP or 2IP Interior Packages)	Х	Х	Х	Х

	2019 MX-5 MIATA RF				
	PIO ACCESSORIES	Club	Club w/ Brembo	Grand Touring	
EXTE	ERIOR				
3AP	Appearance Package (Upgrade for Club) - Includes Side Sill Extensions & Rear Bumper Skirt in Black	Х	N/A	N/A	
	Appearance Package (Upgrade for GT) - Includes Front Air Dam, Side Sill Extensions, Rear Bumper Skirt, & Rear				
4AP	Lip Spoiler in Black (N/A w/ RSB or RSL)	N/A	N/A	Χ	
RSB	Rear Lip Spoiler, Black (N/A w/ RSL or 4AP)	N/A	N/A	Х	
RSL	Rear Lip Spoiler, Color-Keyed (N/A w/ RSB or 4AP)	N/A	N/A	Χ	
WLK	Wheel Locks	Х	X	Χ	
INTE	RIOR				
	Interior Package (for A/T) - Soul Red Engine Oil Cap with MX-5 Logo, Alloy Pedals, & Stainless Steel Door Sill Trim	.,		.,	
1IP	Plates (N/A w/ SCP)	Х	N/A	Х	
2IP	Interior Package (for M/T) - Soul Red Engine Oil Cap with MX-5 Logo, Alloy Pedals, & Stainless Steel Door Sill Trim Plates (N/A w/ SCP)	X	X	х	
1WP	Weather Package - Includes Cargo Tray & Floor Mats, All Weather (N/A w/ FLA)	Х	X	Х	
CGN	Cargo Net	X	X	X	
FLA	Floor Mats - All Weather (N/A with 1WP Weather Package)	Х	Х	Χ	
ILK	Interior Lighting Kit	X	X	X	
SCP	Door Sill Trim Plates (N/A with 1IP or 2IP Interior Packages)	Х	Х	Х	

2019 MX-5 MIATA				
DIO ACCESSORIES	Sport	Club	Club w/ Brembo	Grand Touring
AUDIO / ELECTRONICS				
3.5 mm Audio Cable (for AUX jack)	X	Χ	X	X
Navigation System - OEM SD Card	X	X	X	STD
EXTERIOR				
Car Cover - All Weather (Gray - Silverguard Plus Material)	Х	Х	Х	Х
Car Cover - Indoor (Red - Satin Stretch Material)	Х	X	X	X
Car Cover Cable & Lock	Х	Х	Х	Х
Front Air Dam (Brilliant Black)	Х	STD	STD	X
Front Mask, Full (with Front Air Dam Skirt)	Х	Х	Х	Х
Front Mask, Full (without Front Air Dam Skirt)	Х	N/A	N/A	Χ
Front Strut Tower Brace (*A/T only, Std on M/T and on GT-S Pkg.)	Х	X*	X*	X*
License Plate Frame (Various Styles)	X	Χ	X	X
License Plate Frame, Slimline (Various Styles)	Х	Х	Х	Х
License Plate Frame Kit (Various Styles)***	X	X	X	X
*** includes License Plate Frame, Key Chain, and (4) Wheel Valve Stem Caps				
Lower Arm Bar	Х	Х	Х	Х
Mazda Keychains (Various Styles)	X	Χ	X	X
Mazda Wheel Valve Stem Caps (Black or Chrome)	Х	Х	Х	Х
Oil Filler Cap (Red Anodized w/ MX-5 Logo)	X	X	X	X
Rear Bumper Skirt (Brilliant Black) (N/A with Rear Splash Guards)	Х	Х	STD	Х
Rear Lip Spoiler (Brilliant Black)	X	STD	STD	X
Rear Lip Spoiler (Body Color)	X	N/A	N/A	Х
Side Sill Extensions (Brilliant Black) (N/A with Front Splash Guards)	X	X	STD	X
Splash Guards Front (Body Color) (N/A with Side Sill Extensions)	X	X	N/A	Х
Splash Guards Rear (Body Color) (N/A with Rear Bumper Skirt)	X	X	N/A	X
Touch-Up Paint (Body Color)	X	Х	X	X
Tunnel Under Bars	X	X	Х	X
Wheel Locks (4/set) (Black or Chrome)	X	X	X	X
INTERIOR				
Air Vent Louver (Satin Chrome Bezel)	Х	Х	Х	STD
Ash tray	Х	Χ	X	Χ
Bulb, LED (for Front Room Lamp or Trunk Cargo Lamp)	Х	Х	Х	Х
Cargo Net	X	X	Х	X
Cargo Tote	Х	Х	Х	Х
Cargo Tray	X	X	X	X
Center Console Lid (Alcantara material)	Х	Х	Х	Х
Door Center Trim (Alcantara material)	X	X	X	X
Door Sill Trim Plates, RH/LH (Non-illuminated)	Х	Х	Х	Х
First Aid Kit	X	X	X	X
Floor Mats, All Weather	X	X	Х	Х
Instrument Panel / Lower Panel (Alcantara material)	X	X	X	Х
Interior Lighting Kit	Х	Х	Х	Х
Parking Brake Boot (Alcantara material)	X	X	X	Х
Pedals, Alloy (Accelerator, Brake, Clutch, Foot Rest) (A/T or M/T)	Х	Х	Х	Х
Roadside Assistance Kit	X	X	X	Χ
Shift Boot (A/T) (Alcantara material)	Х	Х	N/A	Х
Shift Boot (M/T) (Alcantara material)	X	X	X	X
Windshield Sunscreen (Silver Reflective / Foldable)	X	Х	X	X

	2019	9 MX-5 MIA	TA SOFT TO)		
	INTER	IOR & EXT	ERIOR COLO	RS		
	INTERI	OR		NTERIOR		
COLOR		Sport	Club		ng	
		Black	Black*	Black*	Sport Tan	Auburn Nappa
		Cloth	Cloth w/red stitch		Leather	
46V	Soul Red Crystal Metallic	NH6	NK5	NK5	NZ1	-
41W	Jet Black Mica	NH6	NJ2	NJ2	-	NZ4
47A	Ceramic Metallic	NH6	NH9	NH9	-	-
25D	Snowflake White Pearl Mica	-	-	NK3	-	NZ4
46G	Machine Gray Metallic	-	NK1	NK1	-	NZ4
45B	Eternal Blue Mica	-	-	NK2	NZ1	-
A4D	Arctic White	NH6	NJ3	-	-	-

 $^{^{\}star}$ Each interior has a unique color code to reflect the body color interior accents on Club and GT

	2019 MX-5 INTERIOR & EXT	MIATA RF ERIOR COLO	RS		
	INTERIOR	INTERIOR			
COLOR		Club	Grand Touring		
		Black*	Black*	Sport Tan	Auburn Nappa
		Cloth w/red stitch		Leather	•
46V	Soul Red Crystal Metallic	NK5	NK5	NZ1	-
41W	Jet Black Mica	NJ2	NJ2	-	NZ4
47A	Ceramic Metallic	NH9	NH9	-	-
25D	Snowflake White Pearl Mica	-	NK3	-	NZ4
46G	Machine Gray Metallic	NK1	NK1	-	NZ4
45B	Eternal Blue Mica	-	NK2	-	-
A4D	Arctic White	NJ3	-	-	-

^{*} Each interior has a unique color code to reflect the body color interior accents on Club and GT

2019 MAZDA	MIATA MX-5 (RF dif	ferences noted)		
SPECIFICATIONS	Sport	Club	Grand Touring	
Engine Type	SKYACTIV	G 2.0L DOHC 16-valve 4-cylind	Her with VVT	
Engine Code	OKTACTIV	SKYACTIV-G 2.0L	aci with VVI	
Valvetrain	Chain-driven dual overhead	cams, 4 valves per cylinder with	h variable intake valve timing	
Horsepower, SAE net		181 hp @ 7000 rpm		
Torque, SAE net		151 lb-ft @ 4000 rpm		
Redline (MT/AT)		7500 rpm		
Displacement (cu in. / cc)		122 / 1,998		
Bore x Stroke (in. / mm)		3.29 x 3.59 / 83.5 x 91.2		
Compression Ratio		13:0 Aluminum		
Engine Block Cylinder Head		Aluminum		
FUEL ECONOMY		Aluminam		
EPA Estimated Mileage, City/Highway (mpg) - M/T		26/34		
EPA Estimated Mileage, City/Highway (mpg) - A/T		26/35		
FUEL SYSTEM				
Fuel Injection	E	ectronically controlled fuel inject	ion	
Recommended Fuel		Premium unleaded, 91 octane or greater		
Minimum Octane Requirement (R+M/2)	Re	Regular unleaded, 87 octane or greater		
Emission Control (50 state emissions)		ULEV125 (T3Bin125)		
ELECTRICAL SYSTEM				
Ignition System		Distributor-less ignition		
Alternator		12V - 100A		
Battery		46B24L-S		
Starter		12V; 1.4KW		
DRIVETRAIN	F	nt-midehin angina roor wheel a	lrivo	
Type Transmissions, Manual	Fro	nt-midship engine, rear-wheel of 6-speed manual	#IIV C	
Transmissions, Manual Transmission, Automatic	6-enged encet AT	with steering-wheel mounted m	anual shift naddles	
Gear Ratios (:1)	o-speed sport A1	6MT / 6AT	anda siint paddies	
1st		5.087 / 3.538		
2nd		2.991 / 2.060		
3rd		2.035 / 1.404		
4th		1.594 / 1.000		
5th		1.286 / 0.713		
6th		1.000 / 0.582		
Reverse		4.696 / 3.168		
Final Drive		2.866 / 3.583		
Limited-Slip Differential	-	Torque-sensing limited-slip differential (MT only)	Torque-sensing limited-slip differential (MT & GT-S pkg only)	
CHASSIS				
Body Type	Monocoque unibody with I	packbone frame construction an	d front and rear suspension	
Front Suspension Rear Suspension		Double wishbone Multi-link		
rtear Suspension			Monotube (Std)	
	Monotube (Std) Monotube Bil			
Shock Absorbers	Monotube		Monotube Bilstein (MT & GT-S pkg)	
Shock Absorbers Steering Type	Monotube			
Steering Type Power Assist		Monotube Bilstein (MT only)	(MT & GT-S pkg)	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet)	Double	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 f	(MT & GT-S pkg) P-EPAS) ft.	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet)	Double	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF	(MT & GT-S pkg) P-EPAS) ft.	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd)	Double	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 f	(MT & GT-S pkg) P-EPAS) ft.	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM	Double	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 l Diameter 32.9 ft. / Radius 16.45	(MT & GT-S pkg) P-EPAS) t. ft.	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes	Double	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 1 Diameter 32.9 ft. / Radius 16.45 vented discs w/single-piston ca	(MT & GT-S pkg) P-EPAS) t. ft.	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes	Double [11-in, sol	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 l piameter 32.9 ft. / Radius 16.45 vented discs w/single-piston aluminu discs w/single-piston aluminu	(MT & GT-S pkg) P-EPAS) t. ft. alipers m calipers	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS	Double [11-in, sol	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF plameter 30.8 ft. / Radius 15.4 l plameter 32.9 ft. / Radius 16.45 plameter 32.9 ft. / Radius 16.45 pented discs w/single-piston cat d discs w/single-piston aluminu Electronic Brakeforce Distributio	(MT & GT-S pkg) P-EPAS) t. ft. alipers m calipers	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake	Double [11-in, sol	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 l piameter 32.9 ft. / Radius 16.45 vented discs w/single-piston aluminu discs w/single-piston aluminu	(MT & GT-S pkg) P-EPAS) t. ft. alipers m calipers	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS	Double [11-in 11-in. sol 4-wheel, 4-channel with I P195/50 R16 high-	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 f Diameter 32.9 ft. / Radius 16.45 vented discs w/single-piston aluminu Electronic Brakeforce Distributio Mechanical (lever type)	(MT & GT-S pkg) P-EPAS) t. ft. salipers m calipers	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires	Double 11-in 11-in. sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 16.45 vented discs w/single-piston cid discs w/single-piston aluminu Electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p	(MT & GT-S pkg) P-EPAS) t. ft. alipers m calipers n (EBD) and Brake Assist	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels	Double 11-in 11-in, sol 4-wheel, 4-channel with l P195/50 R16 high- performance summer 16 x 6.5-in, aluminum	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 l iameter 32.9 ft. / Radius 16.45 vented discs w/single-piston aluminu electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in.	(MT & GT-S pkg) P-EPAS) t. ft. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand	Double 11-in 11-in. sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 l iameter 32.9 ft. / Radius 16.45 vented discs w/single-piston c id discs w/single-piston aluminu Electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridgir	(MT & GT-S pkg) P-EPAS) t. ft. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Inflation Pressure (front/rear)	Double 11-in 11-in, sol 4-wheel, 4-channel with l P195/50 R16 high- performance summer 16 x 6.5-in, aluminum	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 l iameter 32.9 ft. / Radius 16.45 vented discs w/single-piston aluminu electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in.	(MT & GT-S pkg) P-EPAS) t. ft. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS	Double 11-in 11-in, sol 4-wheel, 4-channel with l P195/50 R16 high- performance summer 16 x 6.5-in, aluminum	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 l iameter 32.9 ft. / Radius 16.45 vented discs w/single-piston c id discs w/single-piston aluminu Electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridgir	(MT & GT-S pkg) P-EPAS) t. ft. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Inflation Pressure (front/rear)	Double 11-in 11-in, sol 4-wheel, 4-channel with l P195/50 R16 high- performance summer 16 x 6.5-in, aluminum	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 l iameter 32.9 ft. / Radius 16.45 vented discs w/single-piston ci d discs w/single-piston aluminu electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridgr 29 psi / 29 psi	(MT & GT-S pkg) P-EPAS) t. ft. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches)	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in, aluminum	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 16.45 vented discs w/single-piston aluminu electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridge 29 psi / 29 psi 90.9	(MT & GT-S pkg) P-EPAS) t. ft. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum	
Steering Type Power Assist Turning Circle, Curb-to-Curb (teet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches)	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in, aluminum	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 16.45 vented discs w/single-piston ci d discs w/single-piston aluminu Electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridgt 29 psi / 29 psi 90.9 58.9 / 59.2	(MT & GT-S pkg) P-EPAS) t. ft. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum	
Steering Type Power Assist Turning Circle, Curb-to-Curb (teet) Turning Circle, Wall-to-Wall (teet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Wheels (inches) Wheel Incake (inches) Wheels (inches) Wheels (inches) Height (inches)	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in, aluminum	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 16.45 vented discs w/single-piston ci d discs w/single-piston aluminu Electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridg: 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F	(MT & GT-S pkg) P-EPAS) it. ftt. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum estone	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches) Length, wo License Plate Holder (inches) Width (inches) Height (inches) Height (inches) Minimum Ground Clearance, Laden (inches)	Double 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in, aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 16.45 vented discs w/single-piston ci d discs w/single-piston aluminu Electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridg: 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F	(MT & GT-S pkg) P-EPAS) t. ft. dalipers m calipers n (EBD) and Brake Assist erformance summer aluminum	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches) Length, w/o Liccnes Plate Holder (inches) Wheily (inches) Height (inches) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 16.45 Vented discs w/single-piston ci d discs w/single-piston aluminu Lectronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridge 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F	(MT & GT-S pkg) P-EPAS) it. ftt. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum estone	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Headroom, front (inches) Minimum Ground Clearance, Laden (inches) Minimum Ground Clearance, Laden (inches) History front (inches) Headroom, front (inches)	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 l Diameter 32.9 ft. / Radius 15.4 l Diameter 32.9 ft. / Radius 16.45 vented discs w/single-piston ci d discs w/single-piston aluminu Electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridge 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F 5.32 (I	(MT & GT-S pkg) P-EPAS) it. ftt. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum estone	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches) Length, wo License Plate Holder (inches) Width (inches) Height (inches) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS NEedows (inches) INTERIOR DIMENSIONS Headroom, front (inches) Shoulder Room, front (inches) Shoulder Room, front (inches)	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF plameter 30.8 ft. / Radius 15.4 l plameter 32.9 ft. / Radius 16.45 vented discs w/single-piston ci d discs w/single-piston aluminu lectronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridge 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F 5.32 (f) 37.4 (RF 36.8) 52.2	(MT & GT-S pkg) P-EPAS) it. ftt. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum estone	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches) Minimum Ground Clearance, Laden (inches) Minter Room, front (inches) Shoulder Room, front (inches) Leg Room, front (inches)	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 t Diameter 30.9 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 16.45 Vented discs w/single-piston cr d discs w/single-piston aluminu Lectronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridge 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F 5.32 (f 37.4 (RF 36.8) 52.2 43.1	(MT & GT-S pkg) P-EPAS) it. ftt. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum estone	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Wheelbase (inches) Height (inches) Minimum Ground Clearance, Laden (inches) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Headroom, front (inches) Shoulder Room, front (inches) Leg Room, front (inches) Leg Room, front (inches)	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 liameter 32.9 ft. / Radius 16.45 vented discs w/single-piston cid discs w/single-piston aluminu electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridge 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F 5.32 (I) 37.4 (RF 36.8) 52.2 43.1 52.0	(MT & GT-S pkg) P-EPAS) it. ftt. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum estone	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches) Length, wo License Plate Holder (inches) Width (inches) Height (inches) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Headroom, front (inches) Leg Room, front (inches) Leg Room, front (inches) Hip Room, front (inches) Hip Room, front (inches) Hip Room, front (inches) Hip Room, front (inches) Cargo Volume (cubic feet)	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 t Diameter 30.9 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 16.45 Vented discs w/single-piston cr d discs w/single-piston aluminu Lectronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridge 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F 5.32 (f 37.4 (RF 36.8) 52.2 43.1	(MT & GT-S pkg) P-EPAS) it. ftt. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum estone	
Steering Type Power Assist Turning Circle, Curb-to-Curb (teet) Turning Circle, Wall-to-Wall (teet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches) Minimum Ground Clearance, Laden (inches) MINTERIOR DIMENSIONS Headroom, front (inches) Bedroom, front (inches) Length, w/o License Plate Holder (inches) Minimum Ground Clearance, Laden (inches) Height (inches) Headroom, front (inches) Lengthom, front (inches) Length	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 t Diameter 30.9 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 16.45 Wented discs w/single-piston circle discs w/single-piston aluminu Hectronic Brakeforce Distribution Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridge 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F 5.32 (f 37.4 (RF 36.8) 5.2.2 43.1 52.0 4.59 (RF 4.48)	(MT & GT-S pkg) P-EPAS) It. Ift. alipers In calipers In (EBD) and Brake Assist erformance summer aluminum sistone	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Curb-to-Curb (feet) Turning Circle, Mail-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front // Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Meadroun, Front (inches) Headroom, front (inches) Shoulder Room, front (inches) Leg Room, front (inches) Leg Room, front (inches) Leg Room, front (inches) Cargo Volume (cubic feet) WEIGHTS Curb Weight Distribution, % front: rear - MT	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF piameter 30.8 ft. / Radius 15.4 l piameter 32.9 ft. / Radius 16.45 vented discs w/single-piston ci d discs w/single-piston aluminu electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridge 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F 5.32 (I 37.4 (RF 36.8) 52.2 43.1 52.0 4.59 (RF 4.48) 52:48 (RF 51.49)	(MT & GT-S pkg) P-EPAS) It. Ift. alipers In calipers In (EBD) and Brake Assist erformance summer aluminum sistone	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches) Length, wo License Plate Holder (inches) Width (inches) Height (inches) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Headroom, front (inches) Leg Room, front (inches) Leg Room, front (inches) Leg Room, front (inches) Cargo Volume (cubic feet) WEIGHTS Curb Weight Distribution, % front: rear - MT Curb Weight Distribution, % front: rear - AT	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF plameter 30.8 ft. / Radius 15.4 t plameter 32.9 ft. / Radius 15.4 t plameter 32.9 ft. / Radius 16.45 vented discs w/single-piston cate discs w/single-piston aluminu lectronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F 5.32 (f 37.4 (RF 36.8) 52.2 43.1 52.0 4.59 (RF 4.48) 52:48 (RF 51:49) 53:47 (RF 51:49)	(MT & GT-S pkg) P-EPAS) It. Ift. alipers In calipers In (EBD) and Brake Assist erformance summer aluminum sistone	
Steering Type Power Assist Turning Circle, Curb-to-Curb (teet) Turning Circle, Wall-to-Wall (teet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches) Minimum Ground Clearance, Laden (inches) MINTERIOR DIMENSIONS Headroom, front (inches) Beadroom, front (inches) Length, w/o License Plate Holder (inches) Minimum Ground Clearance, Laden (inches) Hip Room, front (inches) Length, w/o License Plate Holder (inches) Minimum Ground Clearance, Laden (inches) Hip Room, front (inches) Length, w/o License Plate Holder (inches) Minimum Ground Clearance, Laden (inches) Hip Room, front (inches) Length, front (inches) Length, Fort (inches) Length, Federal Spec (los.) - W/T Curb Weight, Federal Spec (los.) - W/T	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 t Diameter 30.9 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 16.45 Vented discs w/single-piston cr d discs w/single-piston aluminu Lectronic Brakeforce Distribution Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridge 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F 5.32 (f 37.4 (RF 36.8) 52.2 43.1 52.0 4.59 (RF 4.48) 52.48 (RF 51.49) 53.47 (RF 51.49) 53.47 (RF 51.49) 2,339 (RF 2,453)	(MT & GT-S pkg) P-EPAS) It. Ift. alipers In calipers In (EBD) and Brake Assist erformance summer aluminum sistone	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Curb-to-Curb (feet) Turning Circle, Mail-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Meadrous, Tront (inches) Headroom, front (inches) Shoulder Room, front (inches) Leg Room, front (inches) Leg Room, front (inches) Cargo Volume (cubic feet) WelGHTS Curb Weight Distribution, % front: rear - AT Curb Weight, Federal Spec (lbs.) - W/T Curb Weight, Federal Spec (lbs.) - W/T Curb Weight, Federal Spec (lbs.) - A/T	Double 11-in 11-in, sol 4-wheel, 4-channel with l P195/50 R16 high- performance summer 16 x 6.5-in, aluminum Yokohama 48.6 4.92	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF plameter 30.8 ft. / Radius 15.4 l plameter 32.9 ft. / Radius 16.45 vented discs w/single-piston ci d discs w/single-piston aluminu electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridge 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F 5.32 (I 37.4 (RF 36.8) 52.2 43.1 52.0 4.59 (RF 4.48) 52.48 (RF 51.49) 53.47 (RF 51.49) 53.47 (RF 51.49) 2,338 (RF 2,493)	(MT & GT-S pkg) P-EPAS) It.	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches) Length, wo License Plate Holder (inches) Width (inches) Height (inches) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Headroom, front (inches) Leg Room, front (inches) Leg Room, front (inches) Cargo Volume (cubic feet) WEIGHTS Curb Weight Distribution, % front: rear - AT Curb Weight Distribution, % front: rear - AT Curb Weight, Federal Spec (libs.) - A/T GWWR (lbs.) - MiT/AT	Double 11-in 11-in, sol 4-wheel, 4-channel with l P195/50 R16 high- performance summer 16 x 6.5-in, aluminum Yokohama 48.6 4.92	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 t Diameter 30.9 ft. / Radius 15.4 t Diameter 32.9 ft. / Radius 16.45 Vented discs w/single-piston cr d discs w/single-piston aluminu Lectronic Brakeforce Distribution Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridge 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F 5.32 (f 37.4 (RF 36.8) 52.2 43.1 52.0 4.59 (RF 4.48) 52.48 (RF 51.49) 53.47 (RF 51.49) 53.47 (RF 51.49) 2,339 (RF 2,453)	(MT & GT-S pkg) P-EPAS) It.	
Steering Type Power Assist Turning Circle, Curb-to-Curb (teet) Turning Circle, Wall-to-Wall (teet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake Tirles WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches) Minimum Ground Clearance, Laden (inches) Minimum Ground Clearance, Laden (inches) Height (inches) Headroom, front (inches) Length, w/o License Plate Holder (inches) Minimum Ground Clearance, Laden (inches) Hip Room, front (inches) Lengthom, front (inches) Lengthom, front (inches) Lengthom, front (inches) Cargo Volume (cubic feet) WEIGHTS Curb Weight Distribution, % front: rear - MT Curb Weight, Federal Spec (lbs.) - A/T GVWR (lbs.) - MT/AT CAPACITIES	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in. aluminum Yokohama 48.6 4.92	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 i Diameter 32.9 ft. / Radius 15.4 i Diameter 32.9 ft. / Radius 15.4 i Diameter 32.9 ft. / Radius 16.45 vented discs w/single-piston clade id discs w/single-piston aluminu Electronic Brakeforce Distribution Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridge 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F 5.32 (I 37.4 (RF 36.8) 52.2 43.1 52.0 4.59 (RF 4.48) 52.48 (RF 51.49) 53.47 (RF 51.49) 53.47 (RF 51.49) 2,339 (RF 2,453) 2,388 (RF 2,463) 2,388 (RF 2,483) 745 (RF 2,862) / 2,789 (RF 2,8	(MT & GT-S pkg) P-EPAS) It. Ift. alipers In calipers In calipers In (EBD) and Brake Assist erformance summer aluminum sistone RF 49.0) RF 5.3)	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches) Length, wo License Plate Holder (inches) Width (inches) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Headroom, front (inches) Leg Room, front (inches) Leg Room, front (inches) Leg Room, front (inches) Cargo Volume (cubic feet) WEIGHTS Curb Weight Distribution, % front: rear - AT Curb Weight Distribution, % front: rear - AT Curb Weight, Federal Spec (lbs.) - A/T GVWR (lbs.) - MT/AT CAPACITIES Oil (U.S. quarts)	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in, aluminum Yokohama 48.6 4.92	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF plameter 30.8 ft. / Radius 15.4 l plameter 32.9 ft. / Radius 16.45 vented discs w/single-piston ci d discs w/single-piston aluminu electronic Brakeforce Distributio Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridgi 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F 5.32 (I 37.4 (RF 36.8) 52.2 43.1 52.0 4.59 (RF 4.48) 52.48 (RF 51:49) 53:47 (RF 51:49) 2,339 (RF 2,453) 2,338 (RF 2,453) 2,338 (RF 2,465) 2,389 (RF 2,465) 2,745 (RF 2,862) / 2,789 (RF 2,87) 745 (RF 2,862) / 2,789 (RF 2,87)	(MT & GT-S pkg) P-EPAS) t. ft. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum estone	
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) Coefficient of Drag (cd) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front / Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches) Minimum Ground Clearance, Laden (inches) Minimum Ground Clearance, Laden (inches) Height (inches) Headroom, front (inches) Lengthom, front (inches) Lengthom, front (inches) Cargo Volume (cubic feet) WEIGHTS Curb Weight Distribution, % front: rear - MT Curb Weight, Federal Spec (lbs.) - A/T GVWR (lbs.) - MT/AT CVP COMPTER CVP COMPTER COWN (lbs.) - MT/AT CAPACITIES	Double 11-in 11-in, sol 4-wheel, 4-channel with I P195/50 R16 high- performance summer 16 x 6.5-in, aluminum Yokohama 48.6 4.92	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (DF Diameter 30.8 ft. / Radius 15.4 i Diameter 32.9 ft. / Radius 15.4 i Diameter 32.9 ft. / Radius 15.4 i Diameter 32.9 ft. / Radius 16.45 vented discs w/single-piston clade id discs w/single-piston aluminu Electronic Brakeforce Distribution Mechanical (lever type) P205/45 R17 high-p 17 x 7-in. Bridge 29 psi / 29 psi 90.9 58.9 / 59.2 154.1 68.3 48.8 (F 5.32 (I 37.4 (RF 36.8) 52.2 43.1 52.0 4.59 (RF 4.48) 52.48 (RF 51.49) 53.47 (RF 51.49) 53.47 (RF 51.49) 2,339 (RF 2,453) 2,388 (RF 2,463) 2,388 (RF 2,483) 745 (RF 2,862) / 2,789 (RF 2,8	(MT & GT-S pkg) P-EPAS) t. ft. alipers m calipers n (EBD) and Brake Assist erformance summer aluminum estone	