

2023 MAZDA CX-9 SPECIFICATION DECK

Mazda reserves the right to change product specifications at any time without incurring obligations.

LINEUP:

CX-9 Touring	AWD
CX-9 Touring Plus	AWD
CX-9 Carbon Edition	AWD
CX-9 Grand Touring	AWD
CX-9 Signature	AWD

		2023 MAZDA CX-9 PRODUCT SUMMARY		
	The lineup consists of The following equipment is standard as indica	TOURING, TOURING PLUS, CARBON EDITION, GRAND TOURING ted. Each series includes the standard equipment of the previous serie	and SIGNATURE models. s, except where additions or exceptions are noted.	
Touring	Touring Plus (In addition to or replaces Touring features)	Carbon Edition (In addition to or replaces Touring Plus features)	Grand Touring (In addition to or relaces Carbon Edition features)	Signature (In addition to or replaces GT features)
UNCTIONAL _ POWERTRAIN 2 25/ HP with 93 octane gasoline 2 26/ HP with 93 octane gasoline 3 20 lb-h1 forque with 93 octane gasoline 3 20 lb-h1 forque with 93 octane gasoline 5 SXVACTIV-G2.5 Dynamic Pressure Turbo engine 5 SXVACTIV-G1X-G2 Separationalic transmission with Sport and manual-shaft mode 4 Si with Electronic Brakdroce Distribution (EBD) 4 Auto-hold Function 1 - ACTIV JAI-Weal Drive G-Vectoring Control Plus (GVS Plus) 4 Hill Launch Assist C Off-Road Traction Assist C Off-Road Traction Assist	EUNCTIONAL Z POWERTBAIN	EUNCTIONAL Z POWERTRAIN	EURCTIONAL Z POWERTBAIN	EUNCTIONAL / POWERTRAIN
& solid rear disc brakes				
Stabilizer bars - front and rear EXTERIOR	EXTERIOR	EXTERIOR	EXTERIOR	EXTERIOR
16° aluminum alloy wheels with Gray Metallic Finish P255/40 R18 tires Auto On/OT Headights Auto Do. The Headights Body-colored rear root spolier Body-colored rear root spolier Body-colored rear root spolier Body-colored power side mirrors with integrated IED un signals Dual exhaust outlets Front Grill with Bright Finish Heated side mirrors High Beam Control (HBC) Intermittent rear wiper IED Daytime running Iamp IED Daytime running Iamp IED Daytimes running Iamp Power Rear Liftgate w/ programmable height aljustment Privacy glass on rear side windows & rear IIIf gate Prairsoy gratebe-intermitting vipers	20° aluminum alloys w/ Black Metallic Finish P 255/50 200 tires P ront Grille with Gloss Black Finish LED Fog lights Power-silling glass moorroof w/sunshade Roof ralls, Aluminum	Automatic power folding side mirrors Adaptive Front-Lighting System (ArS) Chrome lower molding. Foren, Side and rear Automatic power folding side mirrors Side mirrors with Closs Black Finish Windsheld Wiper De-Leer Hands-free power rear liftgate	 20" aluminum alloy wheels with Silver Metalic Frish Automatic power folding side mirrors Adaptive Fron-Lighting System (AFS) Chrome lower molding - Trons, side and rear Windshield Wiper De-Icer Hands-free power rear liftgate 	20° aluminum alloy wheels with Brilliant Silver Finsh Front Grill with Titanium Grav Metallic finish Dual Exhaust Pipes with langer diameter LED grille lighting accent Trim level badge
Roof-mounted "shark fin" antenna				
INTERIOR I 10.25 ⁻¹ large center display (without touch screen) Android Auto ¹⁺ and Apple CarPlay ⁺ integration (Ar conditioning - 3-zone automatic climate control 1 20 outles 72 (ront, cargo area) 2 and Row Captain's Charis 2 and row center armerst with storage, cup holders, two USB inputs for bench seati (four total USB inputs) 3 ard row 50.50 split seats 6 -6-way power passengra's seat 6 -8-way Power diver's seat with power lumbar support 2 USB inputs 8 -8-way Power diver's seat with power lumbar support 2 -20 and concentry of the seatement of the seatement 2 -20 and concentry of the seatement 2 -20 -20 -20 -20 -20 -20 -20 -20 -20 -2	INTERIOR • Frameless Rearview Mirror • Ventilated Front seats • Power driver's seat with memory • Wireless Phone Charger	 INTERICE INTERICE Indrikov hvated sats Inch LCD multi-information meter display Itack Metallic finish incertandic bacek (Scutsive) Black Metallic finish incer bace (Scutsive) Black Metallic finish incer bace bacek (Scutsive) Black Metallic finish incer bacek (Scutsive) Black Metallic finish incertandic bacek (Scutsive) Black Metallic finish incer bacek (Scutsive) Black Metallic finish (Scutsive) Black Metallic finish	 INTERIOR Incl. LCD multi-Information meter display Active Driving Display with Traffic Sign Recognition Gost# premium audio with 12 speakers Inter and rear door pocket LED illuministion Front door pult handle and switch lilluministion (LED) Genarine aluminum Inferior trim Heated stearing wheel ED overhead IED illumination for Art shifter area Paddle Shifters VisuckWW X Traffic Street Lark Subscription Current information for area Fradid soft Softers Sports scores Fuel prices Nearby parking or parking by destination 	INTERICE And Row Captain's Chairs w/center console Anapa leather trimmed seats Santos Rosewood Interior trim Culture and piero and the seate se
AEETY Advanced dual front air bags (SRS) 3-point safety belts for all assating positions Advanced Smart (Ut) Brake Support (Advanced SCBS) with pedestitan detection Billind Spot Moniforing Dynamic Stability Control & Traction Control System Engine-immobilitizer antithert system Ford side-impediate brayes and side air curtains (1st to 3rd row coverage) with roll-over protoction Lane Departure Warning System (DWS) Lane Keap Assist (UKA) Maxdas Radar Crusie Control (MRCC) with Stop & Go Readr Cross Traffic Alert 8 Manifer Advances 5 Mart Brake Support (SBS) with Collision Warning Trive Pressure Monitoring System (TPMS) Tailar Stability Control	SAFEIX	SAFETY • Orher Attention Alert • Smart City Brake Support Reverse (SCBS R)	SAFETY 3.66 th View monitor Driver Attention Alert • Smart City Brake Support Reverse (SCBS R) • Front and Rear Parking Sensors	SAFETY

I

EQUIPMENT & FEATURES					
	Touring	Touring Plus	Carbon Edition	Grand Touring	Signature
ENGINE & MECHANICAL					
SKYACTIV-G [®] 2.5 Dynamic Pressure Turbo DOHC 16-valve 4-cylinder engine	Std	Std	Std	Std	Std
Transmission, SKYACTIV®-Drive 6-Speed AT with manual-shift mode and Sport mode	Std	Std	Std	Std	Std
Front wheel drive	-	-	-	-	-
i-ACTIV AWD All-Wheel Drive	Std	Std	Std	Std	Std
Anti-lock Brake System (ABS) w/ Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std
Auto-hold function	Std	Std	Std	Std	Std
Dynamic Stability Control (DSC), Traction Control (TCS) and Trailer Stability Control	Std	Std	Std	Std	Std
Electronic Parking Brake (EPB)	Std	Std	Std	Std	Std
Hill Launch Assist	Std	Std	Std	Std	Std
Independent front MacPherson strut suspension with stabilizer bar	Std	Std	Std	Std	Std
Independent rear multi-link suspension with stabilizer bar	Std	Std	Std	Std	Std
Off-Road Traction Assist	Std	Std	Std	Std	Std
Hill Launch Assist	Std	Std	Std	Std	Std
Independent front MacPherson strut suspension with stabilizer bar	Std	Std	Std	Std	Std
SKYACTIV-VEHICLE DYNAMICS: G-Vectoring Control Plus (GVC Plus)	Std	Std	Std	Std	Std
TIRES & WHEELS					
18 x 8J inch aluminum alloy wheels					
with Gray Metallic Finish	Std	-	-	-	-
20 x 8.5J inch aluminum alloy wheels					
with Black Metallic finish	-	Std	Std	-	-
with Silver Metallic Finish	-	-	-	Std	-
with Brilliant Silver Finish	-	-	-	-	Std
P255/60 R18 tires	Std	-	-	-	-
P255/50 R20 tires	-	Std	Std	Std	Std
T155/90 D17 temporary spare tire	Std	Std	Std	Std	Std
EXTERIOR FEATURES					
Antenna - roof-mounted "shark fin"	Std	Std	Std	Std	Std
Badging - AWD badge	Std	Std	Std	Std	Std
Badging - Signature trim badge	-	-	-	-	Std
Brake light - center high-mount	Std	Std	Std	Std	Std
Front grille - with Bright Finish	Std	-	-	Std	-
Front grill -with Gloss Black Finish	-	Std	Std	-	-
Front grill - with Titanium Gray Metallic finish	-	-	-	-	Std
Front grill lighting accent	-	-	-	-	Std
Fog lights - front (LED)	Std	Std	Std	Std	Std
Grille lighting accent (LED)	-	-	-	-	Std
Headlights - Adaptive Front-Lighting System (AFS)	-	-	Std	Std	Std
Headlights - Auto On/Off feature		Std	Std	Std	Std
	Std			Std	Std
-	Std Std		Std		
Headlights - High Beam Control (HBC)	Std	Std	Std Std	Std	Sta
Headlights - High Beam Control (HBC) Headlights - LED with auto-leveling	Std Std	Std Std	Std	Std Std	Std Std
Headlights - High Beam Control (HBC) Headlights - LED with auto-leveling Headlights - LED daytime running lights	Std Std Std	Std Std Std	Std Std	Std	Std
Headlights - High Beam Control (HBC) Headlights - LED with auto-leveling Headlights - LED daytime running lights License plate lamp (LED)	Std Std Std Std	Std Std Std Std	Std Std Std	Std Std	Std Std
Headlights - High Beam Control (HBC) Headlights - LED with auto-leveling Headlights - LED daytime running lights License plate lamp (LED) Lower molding color - front, side, rear	Std Std Std Std Black	Std Std Std Std Black	Std Std Std Chrome	Std Std Chrome	Std Std Chrome
Headlights - High Beam Control (HBC) Headlights - LED with auto-leveling Headlights - LED daytime running lights License plate lamp (LED) Lower molding color - front, side, rear Privacy glass - rear side windows and rear liftgate glass	Std Std Std Std Black Std	Std Std Std Std Black Std	Std Std Chrome Std	Std Std Chrome Std	Std Std Chrome Std
Headlights - High Beam Control (HBC) Headlights - LED with auto-leveling Headlights - LED daytime running lights License plate lamp (LED) Lower molding color - front, side, rear Privacy glass - rear side windows and rear liftgate glass Rear Roof spoiler - body color	Std Std Std Std Black Std Std Std	Std Std Std Black Std Std	Std Std Chrome Std Std	Std Std Chrome Std Std	Std Std Chrome Std Std
Headlights - High Beam Control (HBC) Headlights - LED with auto-leveling Headlights - LED daytime running lights License plate lamp (LED) Lower molding color - front, side, rear Privacy glass - rear side windows and rear liftgate glass Rear Roof spoiler - body color Roof rails - aluminum with satin chrome finish	Std Std Std Std Black Std	Std Std Std Std Black Std	Std Std Chrome Std Std Std	Std Std Chrome Std Std Std	Std Std Chrome Std Std Std
Headlights - High Beam Control (HBC) Headlights - LED with auto-leveling Headlights - LED daytime running lights License plate lamp (LED) Lower molding color - front, side, rear Privacy glass - rear side windows and rear liftgate glass Rear Roof spoiler - body color Roof rails - aluminum with satin chrome finish Side Mirrors - automatic power folding	Std Std Std Black Std Std Acc -	Std Std Std Black Std Std Std -	Std Std Chrome Std Std	Std Std Chrome Std Std Std Std	Std Std Chrome Std Std Std Std
Headlights - High Beam Control (HBC) Headlights - LED with auto-leveling Headlights - LED daytime running lights License plate lamp (LED) Lower molding color - front, side, rear Privacy glass - rear side windows and rear liftgate glass Rear Roof spoiler - body color Roof rails - aluminum with satin chrome finish Side Mirrors - automatic power folding Side Mirrors - body-color, dual power remote with LED turn signal indicators	Std Std Std Black Std Std Acc - Std	Std Std Std Black Std Std	Std Std Chrome Std Std Std Std -	Std Std Chrome Std Std Std Std Std	Std Std Chrome Std Std Std Std Std
Headlights - High Beam Control (HBC) Headlights - LED with auto-leveling Headlights - LED daytime running lights License plate lamp (LED) Lower molding color - front, side, rear Privacy glass - rear side windows and rear liftgate glass Rear Roof spoiler - body color Roof rails - aluminum with satin chrome finish Side Mirrors - automatic power folding Side Mirrors - body-color, dual power remote with LED turn signal indicators Side Mirrors - Gloss Black, dual power remote with LED turn signal indicators	Std Std Std Black Std Std Acc - Std -	Std Std Std Black Std Std Std - Std - Std	Std Std Chrome Std Std Std	Std Std Chrome Std Std Std Std Std	Std Std Chrome Std Std Std Std
Headlights - High Beam Control (HBC) Headlights - LED with auto-leveling Headlights - LED daytime running lights License plate lamp (LED) Lower molding color - front, side, rear Privacy glass - rear side windows and rear liftgate glass Rear Roof spoiler - body color Roof rails - aluminum with satin chrome finish Side Mirrors - automatic power folding Side Mirrors - body-color, dual power remote with LED turn signal indicators Side Mirrors - Gloss Black, dual power remote with LED turn signal indicators Side Mirrors - manual folding	Std Std Std Black Std Std Acc - Std - Std Std	Std Std Std Black Std Std Std - Std - Std	Std Std Chrome Std Std Std Std - Std - Std	Std Std Chrome Std Std Std Std Std - -	Std Std Std Std Std Std Std - -
Headlights - High Beam Control (HBC) Headlights - LED with auto-leveling Headlights - LED daytime running lights License plate lamp (LED) Lower molding color - front, side, rear Privacy glass - rear side windows and rear liftgate glass Rear Roof spoiler - body color Roof rails - aluminum with satin chrome finish Side Mirrors - automatic power folding Side Mirrors - body-color, dual power remote with LED turn signal indicators Side Mirrors - Gloss Black, dual power remote with LED turn signal indicators Side Mirrors - manual folding Side Mirrors - driver and passenger heated	Std Std Std Black Std Std Acc - Std -	Std Std Std Black Std Std Std - Std - Std	Std Std Chrome Std Std Std Std - Std - Std	Std Chrome Std Std Std Std Std - - Std	Std Chrome Std Std Std Std Std - - Std
Headlights - High Beam Control (HBC) Headlights - LED with auto-leveling Headlights - LED daytime running lights License plate lamp (LED) Lower molding color - front, side, rear Privacy glass - rear side windows and rear liftgate glass Rear Roof spoiler - body color Roof rails - aluminum with satin chrome finish Side Mirrors - automatic power folding Side Mirrors - body-color, dual power remote with LED turn signal indicators Side Mirrors - Gloss Black, dual power remote with LED turn signal indicators Side Mirrors - manual folding Side Mirrors - driver and passenger heated Windshield wiper de-icer	Std Std Std Black Std Std Acc - Std - Std Std Std Std -	Std Std Std Black Std Std - Std - Std - Std - Std - Std -	Std Std Chrome Std Std Std Std - Std Std Std Std	Std Chrome Std Std Std Std Std - - Std Std	Std Chrome Std Std Std Std Std - - Std Std
Headlights - High Beam Control (HBC) Headlights - LED with auto-leveling Headlights - LED daytime running lights License plate lamp (LED) Lower molding color - front, side, rear Privacy glass - rear side windows and rear liftgate glass Rear Roof spoiler - body color Roof rails - aluminum with satin chrome finish Side Mirrors - automatic power folding Side Mirrors - body-color, dual power remote with LED turn signal indicators Side Mirrors - Gloss Black, dual power remote with LED turn signal indicators Side Mirrors - manual folding Side Mirrors - driver and passenger heated	Std Std Std Black Std Std Acc - Std - Std Std	Std Std Std Black Std Std Std - Std - Std	Std Std Chrome Std Std Std Std - Std - Std	Std Chrome Std Std Std Std Std - - Std	Std Chrome Std Std Std Std Std - - Std

EQUIPMENT & FEATUR	RES				
	Touring	Touring Plus	Carbon Edition	Grand Touring	Signature
COMFORT & CONVENIENCE	Ctol	Ctol	Ctol	Ctal	Ctal
12V power outlets - (2) front and cargo area	Std	Std	Std	Std	Std
Air conditioning - automatic climate control operation with three zones	Std	Std	Std	Std	Std
Assist handles - (4)	Std	Std	Std	Std	Std
Coat Hook - (2) Rear	Std	Std	Std	Std	Std
Cargo area light	Std	Std	Std	Std	Std
Courtesy Lamps, Front doors	Std	Std	Std	Std	Std
Courtesy Lamps, Rear doors	-	-	Std	Std	Std
Cruise control with steering wheel-mounted controls	Std	Std	Std	Std	Std
Gear selector - leather-wrapped	Std	Std	Std	Std	Std
Heater/defroster with rear heater ducts	Std	Std	Std	Std	Std
Illuminated entry system	Std	Std	Std	Std	Std
Illumination - ambient cabin lighting: Front & Rear foot illumination	-	-	-	-	Std
Illumination - overhead A/T shifter area (LED)	-	-	Std	Std	Std
Illumination - front door pocket	Std	Std	-	-	-
Illumination - front and rear door pocket (LED)	-	-	Std	Std	Std
Illumination - front door pull handle and power window switch	-	-	Std	Std	Std
Map lights	Std	Std	Std	Std	Std
Power door locks - speed sensitive with 2-stage unlocking	Std	Std	Std	Std	Std
Power moonroof, sliding with one-touch open/close and interior sunshade	Std	Std	Std	Std	Std
Power Rear Liftgate with programmable height adjustment	Std	Std	-	-	-
Power Rear Liftgate with programmable height adjustment, Hands-free	-	-	Std	Std	Std
Power Windows with one-touch auto up/down feature (4)	Std	Std	Std	Std	Std
Push Button Start	Std	Std	Std	Std	Std
Rearview mirror - manual day/night					
Rearview mirror - auto-dimming with Homelink®	Std	-	-	-	-
Rearview mirror - frameless, auto-dimming with Homelink®	-	Std	Std	Std	Std
Rear window defogger with timer	Std	Std	Std	Std	Std
Remote fuel-door and hood release	Std	Std	Std	Std	Std
Remote keyless entry system - Mazda advanced keyless entry & start system	_	_	-	-	-
Remote keyless entry system - Mazda advanced keyless entry & start system	Std	Std	Std	Std	Std
Steering wheel - heated	-	-	Std	Std	Std
Steering wheel - tilt & telescopic	Std	Std	Std	Std	Std
Steering wheel – leather-wrapped	Std	Std	Std	Std	-
Steering wheel – leather-wrapped with red stitching	-	510	Std	510	-
Steering wheel – leather-wrapped w/unique stitching		_	-	-	Std
Steering wheel-mounted audio, phone and cruise controls	Std	Std	Std	Std	Std
Storage - bottle holders - front and rear door panels	Std		Std	Std	Std
Storage - cargo area storage boxes and under floor storage		Std			
	Std	Std	Std	Std	Std
Storage -2nd-row center console with armrest and storage for bench seats	Std	Std	Std	Std	-
Storage -2nd-row center console with armrest and storage (Signature)	-	-	-	-	Std
Storage - cup holders, (2) front , (2) 2nd Row & (4) 3rd row	Std	Std	Std	Std	Std
Storage - front seatback pockets (driver and passenger)	Two per	Two per	Two per	Two per	Two per
Storage - glove compartment	seat Std	seat Std	seat Std	seat Std	seat Std
Storage - grove compartment Storage - overhead console with sunglasses holder	Std	Std	Std	Std	Std
Storage - overhead console with surglasses holder Sun visors - dual covered vanity mirrors	-	510	-	Jiu	-
Sun visors - dual covered varity mirrors w/ illumination	Std	Std	Std	Std	Std
-	Siu	310			
Sunshades - 2nd-row retractable window sunshades	-	-	Std	Std	Std

I

EQUIPMENT & FEATURES					
	Touring	Touring Plus	Carbon Edition	Grand Touring	Signature
SEATING & TRIM					
7-passenger seating capacity	-	Std	-	Std	-
6-passenger seating capacity with 2nd-row captain's chairs	Std	Available	Std	Available	Std
8-way power adjustable driver's seat w/ power lumbar support	Std	-	-	-	-
8-way power adjustable driver's seat w/ power lumbar support and 2-position memory	-	Std	Std	Std	Std
4-way manual front passenger seat	-	-	-	-	-
6-way power adjustable passenger seat	Std	Std	Std	Std	Std
2nd-row bench seats with 60/40 split fold-down reclining	Std	Std	-	Std	-
2nd-row bench seats with easy slide and tilt rear-access mechanism	Std	Std	-	Std	-
2nd-row captain's chairs with armrests and center walk through, reclining seatback *TR requires TR Premium Pkg	Available*	Available	Std	Available	-
2nd-row captain's chairs w/center console with storage, reclining seatback	-	-	-	-	Std
3rd-row seats - 50/50 split fold-down	Std	Std	Std	Std	Std
Engine Starter Ring - Black	-	-	-	-	-
Engine Starter Ring - satin chrome Finish	Std	Std	Std	Std	Std
Floor mats - carpeted front, 2nd-row and 3rd-row	Std	Std	Std	Std	Std
Headrests, adjustable - front, 2nd-row and 3rd-row (all outboard seating positions)	Std	Std	Std	Std	Std
Heated front seats with 3 level adjustments	Std	Std	Std	Std	Std
Inner handles bezel (Front and Rear Door) - genuine aluminum	-	-	-	Std	
Inner handles bezel (Front and Rear Door) - black metallic Finish	-	-	Std	-	-
Inner handles bezel (Front and Rear Door) - patterned aluminum	-	-	-	-	Std
Heated 2nd-row seats (bench or captain's chairs) with 3 level adjustments	-	-	Std	Std	Std
Seat material - cloth (Black)	-	-	-	-	-
Seat material - leather (1st and 2nd row outboard seating positions - Black or Sand)	Std	Std	-	Std	-
Seat material - leather (1st and 2nd row outboard seating positions - Red)	-	-	Std	-	-
Seat material - Nappa leather(1st and 2nd row outboard seating positions - Deep chestnut or Parchment)	-	-	-	-	Std
Side Louver Basel - black metallic Finish	-	-	Std	-	
IP Decoration panel - patterned aluminum	-	-	-	-	Std
IP Decoration panel - black metallic finish	-	-	Std	-	
Trim inserts - genuine Santos Rosewood	-	-	-	-	Std
Ventilated front seats	-	Std	Std	Std	Std
AUDIO & INFOTAINMENT					
6-speaker sound system	Std	Std	-	-	-
10.25" full-color center display	Std	Std	Std	Std	Std
AM/FM/HD Radio®	Std	Std	Std	Std	Std
Android Auto [™] integration	Std	Std	Std	Std	Std
Apple CarPlay [™] integration	Std	Std	Std	Std	Std
Audio menu voice-command	Std	Std	Std	Std	Std
Auxiliary audio input jack	-	-	-	-	-
Bluetooth® hands free phone & audio streaming	Std	Std	Std	Std	Std
Bose® 12-speaker audio sound system with Centerpoint®2 and AudioPilot®2	-	-			

2023 MAZDA CX-9					
EQUIPMENT & FEATURES	1				
	Touring	Touring	Carbon	Grand	Signature
AUDIO & INFOTAINMENT (Continued)		Plus	Edition	Touring	
MAZDA CONNECT™ Infotainment System	Std	Std	Std	Std	Std
Mazda Connected Services		-			
- Mazda Connect 4G LTE Wi-Fi powered by AT&T**					
In vehicle Wi-Fi					
- Remote Services					
Remote engine start/Remote lock/unlock/Remote hazard light					
- Vehicle status					
Vehicle status alert					
- Navigation services					
Vehicle finder / Send to car*** / Map online update via Mazda Tool Box***					
- Vehicle Connect Services					
Vehicle health report / Online update / Push Notifications					
Malfunction Notification / Recall Notification					
- Automatic 911 Dialing					
- Mazda Road Side Assistance					
Infotainment system voice command					
Pandora [®] internet radio integration					
Radio Broadcast Data System program information					
SMS text message audio delivery and reply					
E911 automatic emergency notification					
Mazda Navigation system	-	-	-	Std	Std
Multi-Function Commander Control	Std	Std	Std	Std	Std
SiriusXM® satellite radio w/ 3-month trial n/a AK & HI	-	-	Std	Std	Std
SiriusXM® 3 Yr Traffic and Travel Link Subscription	-	-	-		
Current information for:					
- Traffic					
- Weather				Std	Std
- Sports scores					
- Fuel prices					
- Nearby parking or parking by destination					
Speed - sensing automatic volume control(Automatic Level control)	Std	Std	Std	Std	Std
USB Audio Inputs					
- Center Console (2 ports)	Std	Std	Std	Std	Std
- 2nd-Row (2 ports)	Std	Std	Std	Std	Std
- 3rd-row (2 ports)	-	-	Std	Std	Std

* Mazda Connected Services is provided during a 3-year trial period; annual subscription fees apply thereafter.

Use of MyMazda App and compatible phone are required. Data fees may apply.

** Mazda Connect 4G LTE Wi-Fi powered by AT&T is available during 3-month/2GB trial period (whichever comes first); monthly subscription

fees apply thereafter. Vehicle cellular connectivity and availability of vehicle GPS signal are required.

*** Requires Mazda Navigation SD card update using Mazda Update Toolbox from users computers.

EQUIPMENT & FEATURES					
	Touring	Touring Plus	Carbon Edition	Grand Touring	Signature
INSTRUMENTATION					
4.6-inch TFT LCD meter display	Std	Std	-	-	-
7-inch TFT LCD meter display	-	-	Std	Std	Std
Active Driving Display (Head-Up Display) with Traffic Sign Recognition	-	-	-	Std	Std
Ambient temperature	Std	Std	Std	Std	Std
Digital clock	Std	Std	Std	Std	Std
Fuel level gauge	Std	Std	Std	Std	Std
Gauges, black with white lettering & white nighttime illumination	Std	Std	Std	Std	Std
Multi-Information Display (MID) Type A- Speedometer, Odometer, Trip Meter, Outside Temperature, Distance-To-Empty, Average Fuel Economy, Current Fuel Economy, Maintenance Monitor, BSM display, Traffic Sign Recognition Display, Distance Recognition Support System Display, Mazda Radar Cruise Control System Display, Lane-Keep Assist System and Lane Departure Warning System Display, Cruise Control Display, Compass Display, Door-Ajar/Trunk lid-Ajar Warning Indication, Warning Message Display	-	-	Std	Std	Std
Multi-Information Display (MID) Type B- Odometer, Trip Meter, Engine coolant temperature gauge, Fuel gauge, Outside Temperature, Distance-To-Empty, Average Fuel Economy, Current Fuel Economy, Maintenance Monitor, BSM display, Distance Recognition Support System Display, Mazda Radar Cruise Control System Display, Lane-Keep Assist System and Lane Departure Warning System Display, Cruise Control Display, Compass Display, Warning Message Display	Std	Std	-	-	-
Paddle Shifters	-	-	Std	Std	Std
Speedometer	Std	Std	Std	Std	Std
Tachometer	Std	Std	Std	Std	Std
Trip computer - Odometer, Trip meter A & B, current and average fuel economy, distance-to- empty	Std	Std	Std	Std	Std
Wireless Phone Charger	Std	Std	Std	Std	Std
SAFETY & SECURITY					
3-point safety belts for all seating positions	Std	Std	Std	Std	Std
360 ⁰ View monitor	-	-	-	Std	Std
Advanced dual front air bags (SRS) Advanced Smart City Brake Support with pedestrian detection (includes night-time	Std	Std	Std	Std	Std
pedestrian detection)	Std	Std	Std	Std	Std
Blind Spot Monitoring (BSM)	Std	Std	Std	Std	Std
Child safety rear door locks	Std	Std	Std	Std	Std
Driver Attention Alert	-	-	Std	Std	Std
Engine immobilizer anti-theft system	Std	Std	Std	Std	Std
Front safety-belt pretensioners with force limiters	Std	Std	Std	Std	Std
Lane Departure Warning System (LDWS)	Std	Std	Std	Std	Std
Lane Keep Assist (LKA)	Std	Std	Std	Std	Std
LATCH system - rear seat child safety seat lower anchors & upper tethers	Std	Std	Std	Std	Std
Mazda Radar Cruise Control (MRCC) with Stop and Go function	Std	Std	Std	Std	Std
Parking sensors - front & rear	-	-	Std	Std	Std
Rear Cross Traffic Alert	Std	Std	Std	Std	Std
Smart City Brake Support Reverse (SCBS R)	- Ctol	- Ctol	Std	Std	Std
Rearview camera Side-impact air bags -front	Std Std	Std Std	Std Std	Std Std	Std Std
· · ·	Siù				
Nide air curtains - front rear and 3rd row with roll over protection	Std	Std	Std	Std	Sta
Side air curtains - front, rear, and 3rd row with roll-over protection Smart Brake Support (SBS)	Std Std	Std Std	Std Std	Std Std	Std Std

2023 MAZDA CX-9 PACKAGES & OPTIONS						
TouringTouringCarbonGrandPlusEditionTouring					Signature	
OPTIONS						
2nd-Row Captain's chairs with armrest and center walk through*	STD	Opt	STD	Opt	STD	
Snowflake White Pearl Mica	Opt	Opt	-	Opt	Opt	
Soul Red Crystal Mica	Opt	Opt	-	Opt	Opt	
Machine Gray Metallic	Opt	Opt	-	Opt	Opt	

*Seating capacity reduces from 7-passengers to 6-passengers

		INTE	2023 MA	ZDA CX-9 ERIOR CC					
	Tou	ring	Tourir	ng Plus	Carbon Edition	Grand	Touring	Signa	ature
INTERIOR	LEAT	HER	LEAT	HER	LEATHER	LEAT	HER	NAPPA L	.EATHER
EXTERIOR	Black	Sand	Black	Sand	Red	Black	Sand	Deep Chestnut	Parchmer
Snowflake White Pearl Mica	•					•		•	
Deep Crystal Blue Mica									
Sonic Silver Metallic	•								
Polymetal Gray Metallic					•				
Machine Gray Metallic	•					•		•	
Jet Black Mica	•					•		-	
Soul Red Crystal Metallic	•		•					•	

SPECIFICATIONS Touring Touring Carbon Grand Touring Signature NGNE & ELICTRICAL Ingine Type Regular unleaded 87 octane 2.51 J4 Dypamic Pressure Turbo Touring Signature Horsepower. SAE net Regular unleaded 93 octane 2.00 tpm Torque, SAF net Regular unleaded 93 octane 310 b-11 @ 2000 rpm Torque, SAF net Regular unleaded 93 octane 310 b-11 @ 2000 rpm Torque, SAF net Torque, SAF net Torque, SAF net 110 f-2480 for the 2000 rpm Bers & Stream Regular unleaded 93 octane 310 b-11 @ 2000 rpm Ford SAF for the 2000 rpm Bers & Stream Torque, SAF net Direct Torque, SAF net 110 f-2400 Bers & Stream Bers & Stream 10 f-2000 10 f-2000 Bers & Stream Bers & Stream 10 f-2000 10 f-2000 Compensation (mn) Bers & Stream 10 f-2000 10 f-2000 Field Spect Stream Adominum Alley 201 f-2000 OT Type Stream Torgue, Stream 10 f-2000 10 f-2000 Finder Head Matrial Adominum Alley 201/26/23 <		2023	MAZDA CX	-9				
Norms Fighter Edition Touring Signature Englise Type 2.5.1.4 Dynamic Pressure Turbo Horspower, SAE net Premium unleaded 87 octane 2.25.1.4 Dynamic Pressure Turbo Torque, SAF net Regular unleaded 87 octane 2.25.1.4 P. # 65000 rpm Torque, SAF net Regular unleaded 93 octane 310.16.1.4 @ 2000 rpm Displacement (subic inches/cc) Bigs 3 Strike (rm) 89.0.X.100 Compression Ratio 10.5 Turel System Excommended Fuel Regular Unleaded, 87 octane 3.000 Recommended Fuel Regular Unleaded, 87 octane or greater Recommended Fuel SAF 5W-30 engine oil 1.0.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1								
Englas Type 2.51 ld Dynamic Pressure Turbo Horsapower, SAE net Regular unleaded 87 octane 250 HP @ 5000 rpm Premium unleaded 93 octane 320 HP @ 5000 rpm Premium unleaded 93 octane 320 HP @ 5000 rpm Diplacement (oubic inches/cc) 10.51 @ / 2488 Bore X Stroke (nm) 89 0 X 100 Compression Ratio 10.5 Free Block Material 99 0 X 100 Compression Ratio 0.300 Free Block Material 430 One or greater Coll Type SAE SW-30 engine oil Fragine Block Material Aluminum Alloy Coll Type SAE SW-30 engine oil Fragine Block Material Aluminum Alloy Coll Type SAE SW-30 engine oil Fragine Block Material Aluminum Alloy Coll Type SAE SW-30 engine oil Fragine Block Material Aluminum Alloy Ensiston Regulation (FLD/Green states) Tatisin 70/ULE V70 Stimater Stroke 10.5 Frage Block Material Aluminum Alloy Control Cyl-Hele Wowy/ Combined 20/26/23 Uncerted Coll Cyl-			Touring				Signature	
Horsepower, SAE net Regular unleaded 87 octane 227 / He # 5000 rpm Premium unleaded 93 octane 230 / He & 5000 rpm Torque, SAE net Premium unleaded 93 octane 310 / He & 5000 rpm Displacement (cubic incles/cc) 87 / Value 151 / 8 / 2500 rpm Displacement (cubic incles/cc) 88 / 0 X 100 89 / 0 X 100 Compression Ratio 10.5 Fuerkinnum nileaded 93 octane 10.5 Preshivemended Fuel Requirer Unleaded, 87 octane or greater 80 / 0 X 100 Recommended Fuel Requirer Unleaded, 87 octane or greater 6,300 Preshive Material Aluminum Alloy 6,300 Chi Type SAE 5W-30 engine 0il 70/76/73 Eleginer Biork Material Aluminum Alloy 7188 / 70/773 Eleginer Biork Material Direct coll-on- plug electronic lightion Aluminum Alloy Cylinder Loss Material SAE 29/20 30 / 12 / 12 / 150/A Eleginer Biork Material Direct coll-on- plug electronic lightion Aluminum Alloy Chi Type Forter Structurer Struct								
Premium unleaded 93 octane 250 HP @ 5000 rpm Torque, SAE net Pequiar unleaded 93 octane 310 br.ft @ 2000 rpm Diplacement (cubic inches/cc) 930 th.ft @ 2000 rpm 151.8 / 2488 Bore X Stroke (rmm) 990 X 100 990 X 100 Compression Ratio 10.5 10.5 Fuel System Direct Diplection 840 M 100 Recommended Fuel Regular Unleaded. 87 octane or greater 6.300 Coll Type SAE 5W-30 engine oil 10.5 Coll Type SAE 5W-30 engine oil 10.10 M 100 Coll Type SAE 5W-30 engine oil 10.10 M 100 Coll Type SAE 5W-30 engine oil 10.10 M 100 Coll Type SAE 5W-30 engine oil 10.10 M 100 Engine Block Material Aluminum Alloy 20/26/23 Unification Advanced 20/26/23 20/26/23 UCTRICALSYSTEM Direct coll-on-plug alectronic ignition 113 Alternation 12V 1 150A 12V 1 150A Battery S500 M 10 3.447 3.447 Orive Wheel AWD 10.449	Engine Type							
Promum Unicaded V3 octane 200 FP ex 2000 Fpm Regular unicaded V3 octane 310 Ib-H ex 2000 Fpm Premium unicaded V3 octane 310 Ib-H ex 2000 Fpm Displacement (cubic inches/cc) 151.8 / 2488 Displacement (cubic inches/cc) 80 0 X 100 Compression Ratio 10.5 Fuel System Bot X 100 Recommended Fuel Regular Unicaded, 87 octane or greater Recommended Fuel Regular Unicaded, 87 octane Recommended Fuel SAF 5W-30 engine oil Engine Block Material Aluminum Alloy Cill Type SAF 5W-30 engine oil Engine Block Material Aluminum Alloy Cill Type SAF 5W-30 engine oil Engine Block Material Aluminum Alloy Unit regular Unit ContoNW 20/26/23 EVENTMEAUR Direct coll-on-plug electronic ignition Alternator 12V - 150A Battery 55D231. Starter 3.447 Orive Wheel AWD Tord 1.449 Gear Ratios (1) 5th 0.707 6th	Horsepower, SAE net							
No. Unit Premium unleaded 93 octane 320 bit % 2488 Biplacement (cubic incles/cc) 151.8 / 2488 Bore x Stroke (mm) 890 X 100 Compression Ratio 10.5 Fuel System Direct onlicetion Recommended Fuel Regular Unleaded. 87 octane or greater Recommended Fuel SAE 5W-30 engine oil Fingine Block Material Aluminum Alloy Cull Type 380 / 2026/23 PA Milesgo (Lip/Highway/Combined 20/26/23 ElectRid/LA SYSIEM Direct coil-on-plug electronic ignition Alternator 12V.14kW Drive Vised 20/26/23 ElectRid/LA SYSIEM Direct coil-on-plug electronic ignition Alternator 12V.14kW Drive Wheel Alternator Care 3/20 Drive Wheel Alternator Gear Ratios (-1) 5/14 Bioly Struct 1992 Struct 1992 Struct 1992 Gear Ratios (-1) 5/14 Gear Ratios (-1) 5/14 Gear Ratios (-1)<								
Disjacement (cubic inches/cc) Biglacement (cubic inches/cc) Biglac	Torque, SAE net	Regular unleaded 87 octane		310) Ib-ft @ 2000	rpm		
Bore x Stroke (mm) 890 x 100 Compression Ratio 10.5 Fuel System Direct onlocation Recommended Fuel Regular Unleaded, 87 octane or greater Recommended Fuel Regular Unleaded, 87 octane or greater Redine (rpm) 6,300 Cylinder Head Material Aluminum Alloy Cylinder Head Material Direct coll-on-plug electronic ignilion Atternator 12V - 14kW Battery 55D23L Starter 12V - 14kW Drive Wheel AWD Transmission: SKYACTIV- Drive 6-speed automatic transmission Starter 192 Brain Drive 44h 1000 Reverse 3rd 1922 Gear Ratios (:1) 5th Front Suspension Final Drive Front Suspension Reverse Front Suspension Tassenst Siteming Hydraulic <t< td=""><td></td><td>Premium unleaded 93 octane</td><td></td><td>320</td><td></td><td></td><td></td></t<>		Premium unleaded 93 octane		320				
Compression Ratio Compression Ratio Compression Ratio Direct injection Recommended Fuel Recommended SAF 5W-30 engine oil Recommended Recommended Rue								
Fuel System Direct Injection Recommended Fuel Regular Unleaded, 87 octane or greater Rediline (rpm) 6,300 Oil Type 6,300 Fighe Block Material Aturninum Alloy Cylinder Head Material Aturninum Alloy Thiskion Regulation (FED/Green states) T3Bin70/UIFV70 ESTIMARTD FUEL FCONOMY ESTIMARTD FUEL FCONOMY FPA Mileage Chronoptic States 20/26/23 EtterRAN Direct coli-on-plug electronic ignition Atternator 12V:1.4KW Battery 550231 Storler 12V:1.4KW DRIVERANN SKYACTIV-Drive Speed automatic transmission Transmission: 15t 3.467 Cear Ratios (:1) 5th 0.707 Einal Drive 4.411 1.000 Reverse: 3.990 1.049 Ford Suspension Independent. MacPherson Stuty Bring and stabilizer bar Rear Suspension Independent. MacPherson Stuty Bring and stabilizer bar Rear Suspension Independent. MacPherson Stuty Bring and stabilizer bar Steering Wheatio 7.61 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
Recommended Fuel Redine (rpm) Regular Unleaded, 87 octane or greater Regular Unleaded, 87 octane Regular Unleaded, 87 octane Regular Un						n		
Redline (rpm) 6.300 OIT type 6.300 Construction 6.300 Engine Block Material Aluminum Aley Cylinder Head Material Aluminum Aley Engine Block Material Aluminum Aley Cylinder Head Material Aluminum Aley Estitu Architecture Tabin76/ULEV70 Estitu Architecture 20/26/23 EtectricAL system Direct coil-on-plug electronic ignition Atternator 12V:1 4kW Drive Wheel AWD Transmission: SKAET Transmission: SKAET Transmission: SKAET ChASIS Stata Gear Ratios (:1) 5th Eterritor 7 passenger", SUV, unloody with Ring Structure "& Passenger with Captariar' Independent, MacPhroson Sterring Ratio 11 dependent, MacPhroson Sterring CaN Gear Ratios (:1) 5th 0.707 Eterritor 7 passenger", SUV, unloody with Ring Structure "& Passenger with Captariar' Toring Type Reverse 3.990 Format During Circle, Curb to Curb (radius - feet) 11 dependent, MacPhroson Storing and stabilizer bar Turning Circle, Wall to Wall (diameter - feet) 41.6 Exering Ratio Standard with EBD Turning Circle, Wall to Wall (diamet	Recommended Fuel							
Engine Block Material Aluminum Alloy Cylinder Head Material Aluminum Alloy Emission Regulation (FED/Green states) T3Bin70/ULEV70 EstiMATED FUEL CCONOMY EPA Mileage City/ Highway/Combined 20/26/23 ELECTRICAL SYSTEM United System Direct coll-on-plug electronic lightion Alternator Bittery 55023L Starter 12V: 150A Battery 55023L Starter 12V: 150A Battery 55023L Starter 12V: 14KW DRIVE (FAIN) DRIVE (FAIN) DRIVE (FAIN) DRIVE (FAIN) DRIVE (FAIN) Clear Ratios (:1) 4th 1000 Enter Starter 3.990 Final Drive Wheel Alternation 1992 Gear Ratios (:1) 7 passenger", SUV, unibody with Rings Structure *6 Passonger with Capital* Final Drive Wheel Alternation 1000 Enter Starter 3.990 Final Drive Wheel Alternation 1000 Enter Starter 3.990 Final Drive Alternation 1000 Enter Starter 1000 Final Drive Alternation 1000 Enter Starter 1000 Final Drive Alternation 1000 Enter Starter 1000 Final Drive Alternation 1000 Enter 1000 Final Drive Alternation 1000 Final Drive Alternation 1000 Enter 1000 Final Drive Alternation 10000 Final Drive Alternation 1000				- rogular or in		gi outor		
Engine Block Material Aluminum Alloy Cylinder Head Material Aluminum Alloy Emission Regulation (FED/Green states) T3Bin70/ULEV70 EXTIMATED FUEL ECONOMY 20/26/23 HECTRICAL SYSTEM Direct coli-on-plug electronic lightion Afternator 12V: 150A Battery 55D23L Starter 12V: 150A Battery 55D23L Drive Vheel AWD Drive Vheel AWD Transmission: SKYACTIV-Drive 6-speed automatic transmission Stat 3 3.487 Gear Ratios (:1) 4th 1.000 Gear Ratios (:1) 4th 0.000 Final Drive YLV, unibody with Rigg Structure *6 Passonger with Capital*s Ford Suspension Independent, MacPherson Strut type coli spring and stabilizer bar Reverse 3.990 Final Drive 4.411 CHASSIS Todependent, MacPherson Strut type coli spring and stabilizer bar Rear Suspension Independent, MacPherson Strut type coli spring and stabilizer bar Rear Suspension Final Drive Overall Steering Ratio 7.6.1 Steering Type Rack and Pinion Power Assist Electric Power Assist Steering (EPAS) Overal Steering Ratio 19.4 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
Engine Block Material Aluminum Alloy Cylinder Head Material Aluminum Alloy Emission Regulation (FED/Green states) T3Bin70/ULEV70 ExtINATED FUEL ECONOMY 20/26/23 PA Mileage City/ Highway/Combined 20/26/23 ELECTRICAL SYSTEM Direct coli-on-plug electronic lightion Alternator 12V: 150A Battery 55D23L Starter 12V: 1.4KW DRIVE/FARIN WD Drive Wheel AWD Transmission: SKYACTIV-Drive 6-speed automatic transmission Start of 1.992 Gear Ratios (:1) 4th Gear Ratios (:1) 4th Gear Ratios (:1) 5th Gear Ratios (:1) 7 passenger", SUV, unibody with Ring Structure *6 Passenger with Capitalr's Passenger vith Capitalr's Passenger with Capitalr's Passenger with Capitalr's Passenger vith Capitalr's Passenger with Capitalr's Passenger vith Capitalr's P	Oil Type			SAE	5W-30 engir	ne oil		
Emission Regulation (ED/Green states) T3Bin70/ULEV70 STIMATED FUEL ECONOMY 20/26/23 EPA Mileage City/Highway/Combined 20/26/23 ELECTRICAL SYSTEM Direct coll-on-plug electronic ignition Alternator 12V - 150A Battery 55D23L Starter 12V: 14kW DRIVETRAIN AWD Drive Wheel AWD Transmission: SKYACTIV-Drive 6-speed automatic transmission Gear Ratios (:1) 1st 3.487 Gear Ratios (:1) 6th 0.600 Reverse 3.990 6th Final Drive 4.411 CIASSIS Body Type 7 passenger*, SUV, unibody with Ring Structure *6 Passenger with Captain's Front Suspension Independent, MauFilter bype coll spring and stabilizer bar Rear Suspension Independent, Multi-link type coll spring and stabilizer bar Rear Suspension Independent, Multi-link type coll spring and stabilizer bar Steering Type Rack and Pinion Power Assist 17.6:1 Steering Wheel Turns Lock-to-Lock 3.1 rev Turning Circle, Wall to Wall (diameter - feet) 19.4	Engine Block Material			/	Aluminum Allo	су		
STIMATED JULE ECONOMY EPA Mileage City/Highway/Combined 20/26/23 HEORICALSYSTEM Direct coil-on-plug electronic ignition Afternator 12V - 150A Battery 55D23I Starter 12V:14kW DRIVETRAIN AWD Drive Vheel AWD Transmission: SKYACTIV-Drive S-speed automatic transmission Gear Ratios (:1) 1st Gear Ratios (:1) 4th Gear Ratios (:1) 5th Body Type 7 passenger', SUV, unibody with Ring Structure 's Passenger with Captain's Independent, MacPherson Strut type coil spring and stabilizer bar Rear Suspension Independent, MacPherson Strut type coil spring and stabilizer bar Steering Type 7 passenger', SUV, unibody with Ring Structure 's Passenger with Captain's Independent, MutT-Inity, type coil spring and stabilizer bar Rear Suspension Independent, MutT-Inity, type coil spring and stabilizer bar Steering Type 7 passenger', SUV, unibody with Ring Structure 's Passenger with Captain's Independent, MutT-Inity, type coil spring and stabilizer bar Steering Type Rear Suspension Unrain Sciele, Wall to Wall (diameter - feet) 17.6:1 Steering Whe								
EPA Mileage City/Highway/Combined 20/26/23 ELECTRICAL SYSTEM Direct coil-on-plug electronic ignition Alternator 12V - 150A Battery 55D231 Starter 12V:1.4kW DRIVETRAIN AWD Drive Vheel AWD Transmission: SKYACTIV-Drive 6-speed automatic transmission Gear Ratios (:1) 1st Gear Ratios (:1) 4th Gear Ratios (:1) 5th CHASSIS 0.600 Reverse 3.990 Final Drive 4.11 CHASSIS Independent, MacPherson Struit type coil spring and stabilizer bar Reverse 3.990 Power Assist Electric Power Assist Steering Type 7 passenger", SUV, unibody with Ring Structure "6 Passenger with Captain's Trevite Turing Circle, Curb to Curb (radius - feet) Overall Steering Ratio 17.6:1 Steering Type Rack and Pinion Power Assist Electric Power Assist Overall Steering Wheel Turns Lock-to-Lock 3.1 rev Turning Circle, Wall to Wall (diameter - feet) 19.4 Turning Circle, Wall to Wall (diameter - feet) 19.4 Braking System Standard with EBD Front Brakes (diameter - inches/mm) Ventilated dis (12.6" / 320)		states)		T	3Bin70/ULEV	70		
ELECTRICAL SYSTEM Ignition System Ignition System Alternator 12V - 150A Battery Starter Drive Vheel AWD Transmission: SKYACTIV-Drive 5-speed automatic transmission Transmission: SKYACTIV-Drive 5-speed automatic transmission Transmission: SKYACTIV-Drive 5-speed automatic transmission 1st 3.487 2nd 1.992 3rd 1.449 6ear Ratios (:1) 5th 0.707 6th 0.600 6th Reverse 3.990 Final Drive Fool Supension Independent, MacPherson Strut type coil spring and stabilizer bar Rear Supension Independent, Multi-link type coil spring and stabilizer bar Rear Supension Electric Power Assit Steering (EPAS) Over Assit Steering Ratio 17.6:1 Steering Ratio 17.6:1 Steering Ratio 19.4 Turning Circle, Wall to Wall (diameter - feet) 41.6 Braking System Standard with EBD Front Brakes (diameter -		binod			20/26/22			
Ignition System Direct coli-on-plug electronic ignition Alternator Alternator Alternator Alternator Alternator Starter Starter	ELECTRICAL SYSTEM				20/20/23			
Afternator 12V - 150A Battery 55D23L Starter 12V:14kW DRIVETRAIN AWD Drive Wheel AWD Transmission: SKYACTIV-Drive 6-speed automatic transmission Transmission: SKYACTIV-Drive 6-speed automatic transmission Gear Ratios (:1) 1st 2nd 1.992 3rd 1.449 4th 0.000 6th 0.600 Reverse 3.990 Final Drive 4.11 CHASSIS Front Suspension Body Type 7 passenger*, SUV, unibody with Ring Structure '6 Passenger with Captain's Front Suspension Independent, MacPherson Strut type coil spring and stabilizer bar Steering Type 7 passenger', SUV, unibody with Ring Structure '6 Passenger with Captain's Front Suspension Independent, Multi-link type coil spring and stabilizer bar Steering Type Rack and Pinion Power Assist Electric Power Assist Steering (EPAS) Over all Steering Ratio 17.6:1 Steering Wheel Turns Lock-to-Lock 3.1 rev Turning Circle, Wall to Wall (diameter - feet) Dagonal Hydrauli				Direct coil-	on-nlua electr	onic ignition		
Battery 55D23L Starler 12V:1.4kW Drive Wheel AWD Transmission: SKYACTIV-Drive 6-speed automatic transmission SKYACTIV-Drive 6-speed automatic transmission 3.487 Cear Ratios (:1) 1st 3.487 Gear Ratios (:1) 4th 1.000 Math 0.000 0.000 Reverse 3.990 6th Final Drive 4.411 CHASSIS 7 passenger*, SUV, unibody with Ring Structure *6 Passenger with Captain's Body Type 7 passenger*, SUV, unibody with Ring Structure *6 Passenger with Captain's Front Suspension Independent, MacPherson Strut type coil spring and stabilizer bar Rear Suspension Independent, Multi-link type coil spring and stabilizer bar Rear Suspension Electric Power Assist Steering (EPAS) Overall Steering Ratio 17.6:1 Steering Wheel Turns Lock-to-Lock 3.1 rev Turning Circle, Curb to Curb (radius - feet) 19.4 Turning System Diagonal Hydraulic Anti-Lock Braking System Diagonal Hydraulic Front Brakes (diameter - inches/mm) Ventilated disc (12.6* / 320) Rear Brakes (diameter - inches/mm) Solid disc (12.7* / 325) Parking Brake Electronic parking brake Tires Size								
Starter 12V:1.4kW DRVETRAIN AWD Drive Wheel AWD Transmission: SKYACTIV-Drive 6-speed automatic transmission Start 3.487 2nd 1.992 3rd 1.449 Gear Ratios (:1) 5th 6ear Ratios (:1) 5th 700 0.000 8everse 3.990 Final Drive 4.411 CHASSIS Independent, Muth-link type coll spring and stabilizer bar Body Type 7 passenger*, SUV, unibody with Ring Structure '6 Passenger with Captain's Front Suspension Independent, Muth-link type coll spring and stabilizer bar Rear Suspension Independent, Muth-link type coll spring and stabilizer bar Steering Type Rack and Pinion Power Assist Electric Power Assist Steering (EPAS) Overall Steering Ratio 17.6:1 Steering Wheel Turns Lock-to-Lock 3.1 rev Turning Circle, Wall to Wall (diameter - feet) 41.6 Braking System Standard with EBD Arti-Lock Braking System Standard with ED Front Brake (diameter - inches/mm) Ventilated disc (12.6* / 320) </td <td></td> <td></td> <td colspan="5"></td>								
DRIVETRAIN AWD Drive Wheel AWD Transmission: SKYACTIV-Drive 6-speed automatic transmission Ist 3.487 Charles 1.992 3rd 1.449 Gear Ratios (:1) 4th 6th 0.600 Reverse 3.990 Final Drive 4.411 CHASSIS Independent, MacPherson Structure Body Type 7 passenger*, SUV, unibody with Ring Structure Front Suspension Independent, MacPherson Struct type coil spring and stabilizer bar Rear Suspension Independent, MacPherson Struct type coil spring and stabilizer bar Rear Suspension Electric Power Assist Steering (EPAS) Overall Steering Ratio 17.6.1 Steering Type 3.1 rev Turning Circle, Walt to Walt (diameter - feet) 41.6 Braking System Standard with EBD Front Brakes (diameter - inches/mm) Solid disc (12.6" / 320) Rear Brakes (diameter - inches/mm) Solid disc (12.6" / 325) Parking Brake Electronic parking brake Turning Circle, Valt to Walt (diameter - feet)								
Transmission: SKYACTIV-Drive 6-speed automatic transmission Int 3.487 2nd 1.992 3rd 1.449 Gear Ratios (:1) 4th 4th 0.000 6th 0.707 6th 0.600 Reverse 3.990 Final Drive 4.411 CHASSIS Body Type 7 passenger*, SUV, unibody with Ring Structure *6 Passenger with Captain's Front Suspension Independent, MacPherson Strut type coil spring and stabilizer bar Rear Suspension Independent, Multi-link type coil spring and stabilizer bar Steering Type Rack and Pinion Power Assist Electric Power Assist Steering (EPAS) Overall Steering Ratio 17.6.1 Steering Wheel Turns Lock-to-Lock 3.1 rev Turning Circle, Wall to Wall (diameter - feet) 41.6 BRAKING Standard with EBD Front Brakes (diameter - inches/mm) Ventilated disc (12.6* / 320) Rear Brakes (diameter - inches/mm) Solid disc (12.6* / 320) Rear Brakes (diameter - inches/mm) Solid disc (12.6* / 320) Rear Brakes (diameter - inches/mm) <td< td=""><td>DRIVETRAIN</td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	DRIVETRAIN							
Ist 3.487 2nd 1.992 3rd 1.449 4th 1.000 6th 0.600 Reverse 3.990 Final Drive 4.411 CHASSIS Body Type 7 passenger', SUV, unibody with Ring Structure *6 Passenger with Captain's Front Suspension Independent, MacPherson Strut type coil spring and stabilizer bar Rear Suspension Independent, Multi-link type coil spring and stabilizer bar Steering Type 7 passenger', SUV, unibody with Ring Structure *6 Passenger with Captain's Front Suspension Independent, MacPherson Strut type coil spring and stabilizer bar Rear Suspension Independent, Multi-link type coil spring and stabilizer bar Reverse 3.1 rev Turning Circle, Curb to Curb (radius - feet) 17.6:1 Steering Wheel Turns Lock-to-Lock 3.1 rev Turning Circle, Wall to Wall (diameter - feet) 41.6 Braking System Diagonal Hydraulic Anti-Lock Braking System Standard with EBD Front Brakes (diameter - inches/mm) Ventilated disc (12.6" / 320) Rear Brakes (diameter - inches/mm) Solid disc (12.6" / 325)	Drive Wheel							
Gear Ratios (:1) 2nd 1.992 3rd 1.449 4th 1.000 5th 0.707 6th 0.600 Reverse 3.990 Final Drive 4.411 CHASSIS Body Type 7 passenger*, SUV, unibody with Ring Structure *6 Passenger with Captain's Independent, MacPherson Struct type coil spring and stabilizer bar Rear Suspension Rear Suspension Independent, MacPherson Struct type coil spring and stabilizer bar Rack and Pinion Power Assist Electric Power Assist Steering (EPAS) Overall Steering Wheel Turns Lock-to-Lock 3.1 rev Turning Circle, Curb to Curb (radius - feet) 19.4 Turning Circle, Curb to Curb (radius - feet) 19.4 Turning Circle, Wall to Wall (diameter - feet) 41.6 BRAKING Diagonal Hydraulic Braking System Standard with EBD Front Brakes (diameter - inches/mm) Ventilated disc (12.6* / 320) Rear Brakes (diameter - inches/mm) Solid disc (12.6* / 325) Parking Brake Electronic parking brake TIRES & WHEELS 18 x 8J 20 x 8.5J Wheel Size P255/60R18 P255/50R20 </td <td>Transmission:</td> <td></td> <td colspan="6"></td>	Transmission:							
Gear Ratios (:1) 3rd 1.449 4th 1.000 5th 0.707 6th 0.600 Reverse 3.990 Final Drive 4.411 CHASSIS Body Type 7 passenger*, SUV, unibody with Ring Structure *6 Passenger with Captain's Front Suspension Independent, MacPherson Strut type coil spring and stabilizer bar Rear Suspension Independent, Multi-link type coil spring and stabilizer bar Steering Type Rack and Pinion Power Assist Electric Power Assist Steering (EPAS) Overall Steering Ratio 17.6:1 Steering Wheel Turns Lock-to-Lock 3.1 rev Turning Circle, Curb to Curb (radius - feet) 41.6 BRAKING Diagonal Hydraulic Anti-Lock Braking System Standard with EBD Front Brakes (diameter - inches/mm) Ventilated disc (12.8" / 320) Rear Brakes (diameter - inches/mm) Solid disc (12.8" / 325) Parking Brake Electronic parking brake TIRES & WHEELS 18 x 81 20 x 8.51 Wheel Size 18 x 82 20 x 8.51								
Gear Ratios (:1) 4th 1.000 Gear Ratios (:1) 5th 0.707 6th 0.600 Reverse 3.990 Final Drive 4.411 CHASSIS Body Type 7 passenger*, SUV, unibody with Ring Structure *6 Passenger with Captain's Independent, MacPherson Strut type coil spring and stabilizer bar Front Suspension Independent, MacPherson Strut type coil spring and stabilizer bar Rear Suspension Independent, Multi-link type coil spring and stabilizer bar Rear Suspension Independent, Multi-link type coil spring and stabilizer bar Rear Suspension Electric Power Assist Steering (EPAS) Overall Steering Ratio 17.6:1 Steering Wheel Turns Lock-to-Lock 3.1 rev Turning Circle, Curb to Curb (radius - feet) 41.6 BRAKING Braking System Braking System Diagonal Hydraulic Front Brakes (diameter - inches/mm) Ventilated disc (12.6" / 320) Rear Brakes (diameter - inches/mm) Ventilated disc (12.6" / 320) Rear Brakes (diameter - inches/mm) Solid disc (12.6" / 325) Parking Brake Electronic parking brake TIRES & WHELS 18 x 81 20								
Gear Ratios (:1) 5th 0.707 6th 0.600 Reverse 3.990 Final Drive 4.411 CHASSIS Body Type 7 passenger*, SUV, unibody with Ring Structure *6 Passenger with Captain's Front Suspension Independent, MacPherson Strut type coil spring and stabilizer bar Rear Suspension Independent, Multi-link type coil spring and stabilizer bar Steering Type Rack and Pinion Power Assist Electric Power Assist Steering (EPAS) Overall Steering Ratio 17.6:1 Stering Wheel Turns Lock-to-Lock 3.1 rev Turning Circle, Curb to Curb (radius - feet) 19.4 Turning Circle, Wall to Wall (diameter - feet) 41.6 Braking System Diagonal Hydraulic Front Brakes (diameter - inches/mm) Standard with EBD Front Brakes (diameter - inches/mm) Solid disc (12.6" / 320) Rear Brakes (diameter - inches/mm) Solid disc (12.6" / 320) Rear Brakes (diameter - inches/mm) Electronic parking brake TIRE & WHELS 18 x 8J 20 x 8.5J Wheel Size 18 x 8J 20 x 8.5J								
6th 0.600 Reverse 3.990 Final Drive 4.411 CHASSIS Body Type 7 passenger*, SUV, unibody with Ring Structure *6 Passenger with Captain's Front Suspension Independent, MacPherson Strut type coil spring and stabilizer bar Rear Suspension Independent, Multi-link type coil spring and stabilizer bar Rear Suspension Independent, Multi-link type coil spring and stabilizer bar Steering Type Rack and Pinion Power Assist Electric Power Assist Steering (EPAS) Overall Steering Ratio 17.6:1 Steering Wheel Turns Lock-to-Lock 3.1 rev Turning Circle, Curb to Curb (radius - feet) 19.4 Turning Circle, Wall to Wall (diameter - feet) 41.6 BRAKING Diagonal Hydraulic Anti-Lock Braking System Standard with EBD Front Brakes (diameter - inches/mm) Ventilated disc (12.6" / 320) Rear Brakes (diameter - inches/mm) Solid disc (12.8" / 320) Rear Brakes Electronic parking brake TIRES & WHELS 18 x 8J 20 x 8.5J Wheel Size 18 x 8J 20 x 8.5J	Gear Ratios (:1)							
Reverse 3.990 Final Drive 4.411 CHASSIS 7 passenger*, SUV, unibody with Ring Structure *6 Passenger with Captain's Independent, MacPherson Strut type coil spring and stabilizer bar Rear Suspension Independent, MacPherson Strut type coil spring and stabilizer bar Rear Suspension Independent, Multi-link type coil spring and stabilizer bar Rear Suspension Independent, Multi-link type coil spring and stabilizer bar Reverse Rack and Pinion Power Assist Electric Power Assist Steering (EPAS) Overall Steering Ratio 17.6:1 Steering Wheel Turns Lock-to-Lock 3.1 rev Turning Circle, Curb to Curb (radius - feet) 19.4 Turning Circle, Wall to Wall (diameter - feet) 41.6 Braking System Diagonal Hydraulic Anti-Lock Braking System Standard with EBD Front Brakes (diameter - inches/mm) Ventilated disc (12.6" / 320) Rear Brakes (diameter - inches/mm) Solid disc (12.8" / 325) Parking Brake Electronic parking brake TIRES & WHEELS 18 x 8J 20 x 8.5J Wheel Size 18 x 8J 20 x 8.5J								
Final Drive4.411CHASSISBody Type7 passenger*, SUV, unibody with Ring Structure *6 Passenger with Captain's Independent, MacPherson Strut type coil spring and stabilizer barRear SuspensionIndependent, MacPherson Strut type coil spring and stabilizer barRear SuspensionIndependent, Multi-link type coil spring and stabilizer barSteering TypeRack and PinionPower AssistElectric Power Assist Steering (EPAS)Overall Steering Ratio17.6:1Steering Wheel Turns Lock-to-Lock3.1 revTurning Circle, Curb to Curb (radius - feet)19.4Turning Circle, Wall to Wall (diameter - feet)41.6BRAKINGBraking SystemFront Brakes (diameter - inches/mm)Ventilated disc (12.6" / 320)Rear Brakes (diameter - inches/mm)Solid disc (12.8" / 325)Parking BrakeElectronic parking brakeTIRES & WHEELS18 x 8J20 x 8.5JTire Size18 x 8J20 x 8.5JTire SizeP255/50R20								
CHASSISBody Type7 passenger*, SUV, unibody with Ring Structure *6 Passenger with Captain'sFront SuspensionIndependent, MacPherson Strut type coil spring and stabilizer barRear SuspensionIndependent, Multi-link type coil spring and stabilizer barRear SuspensionIndependent, Multi-link type coil spring and stabilizer barSteering TypeRack and PinionPower AssistElectric Power Assist Steering (EPAS)Overall Steering Ratio17.6:1Steering Wheel Turns Lock-to-Lock3.1 revTurning Circle, Curb to Curb (radius - feet)41.6BRAKINGBraking SystemBraking SystemDiagonal HydraulicAnti-Lock Braking SystemStandard with EBDFront Brakes (diameter - inches/mm)Ventilated disc (12.6" / 320)Rear Brakes (diameter - inches/mm)Solid disc (12.8" / 325)Parking BrakeElectronic parking brakeTIRES & WHEELS18 x 8JWheel Size18 x 8J20 x 8.5JTire SizeP255/60R18Patsing PatsicP255/50R20								
Front SuspensionIndependent, MacPherson Strut type coil spring and stabilizer barRear SuspensionIndependent, Multi-link type coil spring and stabilizer barSteering TypeRack and PinionPower AssistElectric Power Assist Steering (EPAS)Overall Steering Ratio17.6:1Steering Wheel Turns Lock-to-Lock3.1 revTurning Circle, Curb to Curb (radius - feet)19.4Turning Circle, Wall to Wall (diameter - feet)41.6Braking SystemDiagonal HydraulicAnti-Lock Braking SystemStandard with EBDFront Brakes (diameter - inches/mm)Solid disc (12.6" / 320)Parking BrakeElectronic parking brakeTIRES & WHEELS18 x 8JWheel Size18 x 8J20 x 8.5JTire Size18 x 8J20 x 8.5JTire Size18 x 8J20 x 8.5J20 x 8.5J20 x 8.5J	CHASSIS							
Rear SuspensionIndependent, Multi-link type coil spring and stabilizer barSteering TypeRack and PinionPower AssistElectric Power Assist Steering (EPAS)Overall Steering Ratio17.6:1Steering Wheel Turns Lock-to-Lock3.1 revTurning Circle, Curb to Curb (radius - feet)19.4Turning Circle, Wall to Wall (diameter - feet)41.6BRAKINGBraking SystemBraking SystemDiagonal HydraulicAnti-Lock Braking SystemStandard with EBDFront Brakes (diameter - inches/mm)Ventilated disc (12.6" / 320)Rear Brakes (diameter - inches/mm)Solid disc (12.8" / 325)Parking BrakeElectronic parking brakeTIRES & WHEELS18 x 8JWheel Size18 x 8J20 x 8.5JTire SizeP255/60R18P255/50R20								
Steering TypeRack and PinionPower AssistElectric Power Assist Steering (EPAS)Overall Steering Ratio17.6:1Steering Wheel Turns Lock-to-Lock3.1 revTurning Circle, Curb to Curb (radius - feet)19.4Turning Circle, Wall to Wall (diameter - feet)41.6BRAKINGBraking SystemBraking SystemDiagonal HydraulicAnti-Lock Braking SystemStandard with EBDFront Brakes (diameter - inches/mm)Ventilated disc (12.6" / 320)Rear Brakes (diameter - inches/mm)Solid disc (12.8" / 325)Parking BrakeElectronic parking brakeTIRES & WHEELS18 x 8JWheel Size18 x 8JTire Size18 x 8JP255/50R20			Independent, MacPherson Strut type coil spring and stabilizer bar					
Power AssistElectric Power Assist Steering (EPAS)Overall Steering Ratio17.6:1Steering Wheel Turns Lock-to-Lock3.1 revTurning Circle, Curb to Curb (radius - feet)19.4Turning Circle, Wall to Wall (diameter - feet)41.6BRAKINGBraking SystemBraking SystemDiagonal HydraulicAnti-Lock Braking SystemStandard with EBDFront Brakes (diameter - inches/mm)Ventilated disc (12.6" / 320)Rear Brakes (diameter - inches/mm)Solid disc (12.8" / 325)Parking BrakeElectronic parking brakeTIRES & WHEELS18 x 8JWheel Size18 x 8JTire Size18 x 8JPatson20 x 8.5JTire Size18 x 8JPatson9255/50R20								
Overall Steering Ratio17.6:1Steering Wheel Turns Lock-to-Lock3.1 revTurning Circle, Curb to Curb (radius - feet)19.4Turning Circle, Wall to Wall (diameter - feet)41.6BRAKINGBraking SystemBraking SystemDiagonal HydraulicAnti-Lock Braking SystemStandard with EBDFront Brakes (diameter - inches/mm)Ventilated disc (12.6" / 320)Rear Brakes (diameter - inches/mm)Solid disc (12.8" / 325)Parking BrakeElectronic parking brakeTIRES & WHEELS18 x 8J20 x 8.5JTire Size18 x 8J20 x 8.5JTire Size								
Steering Wheel Turns Lock-to-Lock3.1 revTurning Circle, Curb to Curb (radius - feet)19.4Turning Circle, Wall to Wall (diameter - feet)41.6BRAKINGBraking SystemDiagonal HydraulicAnti-Lock Braking SystemStandard with EBDFront Brakes (diameter - inches/mm)Ventilated disc (12.6" / 320)Rear Brakes (diameter - inches/mm)Solid disc (12.8" / 325)Parking BrakeElectronic parking brakeTIRES & WHEELS18 x 8JWheel Size18 x 8JTire SizeP255/60R18P255/50R20								
Turning Circle, Curb to Curb (radius - feet)19.4Turning Circle, Wall to Wall (diameter - feet)41.6BRAKINGDiagonal HydraulicBraking SystemDiagonal HydraulicAnti-Lock Braking SystemStandard with EBDFront Brakes (diameter - inches/mm)Ventilated disc (12.6" / 320)Rear Brakes (diameter - inches/mm)Solid disc (12.8" / 325)Parking BrakeElectronic parking brakeTIRES & WHEELS18 x 8JWheel Size18 x 8JTire SizeP255/60R18P255/50R20								
Turning Circle, Wall to Wall (diameter - feet) 41.6 BRAKING Diagonal Hydraulic Braking System Diagonal Hydraulic Anti-Lock Braking System Standard with EBD Front Brakes (diameter - inches/mm) Ventilated disc (12.6" / 320) Rear Brakes (diameter - inches/mm) Solid disc (12.8" / 325) Parking Brake Electronic parking brake TIRES & WHEELS 18 x 8J 20 x 8.5J Tire Size P255/60R18 P255/50R20								
BRAKINGBraking SystemDiagonal HydraulicAnti-Lock Braking SystemStandard with EBDFront Brakes (diameter - inches/mm)Ventilated disc (12.6" / 320)Rear Brakes (diameter - inches/mm)Solid disc (12.8" / 325)Parking BrakeElectronic parking brakeTIRES & WHEELSWheel Size18 x 8J20 x 8.5JTire SizeP255/60R18P255/50R20								
Braking SystemDiagonal HydraulicAnti-Lock Braking SystemStandard with EBDFront Brakes (diameter - inches/mm)Ventilated disc (12.6" / 320)Rear Brakes (diameter - inches/mm)Solid disc (12.8" / 325)Parking BrakeElectronic parking brakeTIRES & WHEELSWheel Size18 x 8JTire SizeP255/60R18P255/50R20	BRAKING				11.0			
Anti-Lock Braking SystemStandard with EBDFront Brakes (diameter - inches/mm)Ventilated disc (12.6" / 320)Rear Brakes (diameter - inches/mm)Solid disc (12.8" / 325)Parking BrakeElectronic parking brakeTIRES & WHEELSWheel Size18 x 8JTire SizeP255/60R18P255/50R20			Di	agonal Hydrai	ulic			
Front Brakes (diameter - inches/mm)Ventilated disc (12.6" / 320)Rear Brakes (diameter - inches/mm)Solid disc (12.8" / 325)Parking BrakeElectronic parking brakeTIRES & WHEELS18 x 8JWheel Size18 x 8JTire SizeP255/60R18	Anti-Lock Braking System		St	andard with E	BD			
Rear Brakes (diameter - inches/mm)Solid disc (12.8" / 325)Parking BrakeElectronic parking brakeTIRES & WHEELS18 x 8JWheel Size18 x 8JTire SizeP255/60R18P255/50R20	Front Brakes (diameter - inches/n		Ventila	ted disc (12.6	" / 320)			
TIRES & WHEELS 18 x 8J 20 x 8.5J Wheel Size P255/60R18 P255/50R20	Rear Brakes (diameter - inches/m	Solid disc (12.8" / 325)						
Wheel Size 18 x 8J 20 x 8.5J Tire Size P255/60R18 P255/50R20				Elect	ronic parking	brake		
Tire Size P255/60R18 P255/50R20			10 0		_			
ITTLE SIZE P255/60K18 P255/50R20								
	Tire Size Temporary Spare Tire		P255/60R18		P25 T155/90D17			

2023 MAZDA CX-9 SPECIFICATIONS

	SPECIFICATI	0113
EXTERIOR DIMENSIONS		115 0
Wheelbase	(in) Front (in)	<u> </u>
Track	Rear (in)	65.2
Overall Length	w/ and w/o License Plate Holder (in)	199.4
Overall Length	w/o wheel arch molding (in)	77.2
	w/wheel arch molding (in)	77.5
Overall Width	mirror to mirror, opened (in)	86.9
	mirror to mirror, folded (in)	78.7
0	w/o shark fin antenna (in)	67.6
Overall Height	w/shark fin antenna (in)	69.0
Overhand	Front w/ and w/o License Plate Holder (in)	40.5
Overhang	Rear (in)	43.6
Minimum Ground clearance	Unladen (in)	8.8
INTERIOR DIMENSIONS		
	Front Row (in)	39.3
Headroom w/o Moonroof	2nd Row (in)	38.5
	3rd Row (in)	35.4
Headroom w/ Moonroof	Front Row (in) 2nd Row (in)	<u>40.1</u> 38.5
	3rd Row (in)	38.5 35.4
	Front Row (in)	41.0
Leg Room	2nd Row (in)	39.4
Leg Room	3rd Row (in)	29.7
	2nd Row (in)	4.5
Rear knee clearance	3rd Row (in)	0.1
	Front Row (in)	57.9
Shoulder Room	2nd Row (in)	58.1
	3rd Row (in)	53.1
	Front Row (in)	56.7
Hip Room	2nd Row (in)	57.4
	3rd Row (in)	40.1
	from Floor, Front Row (in)	13.6
	from Ground, Front Row (in)	28.5
Hip Point Height - unladen	from Floor, 2nd Row (in)	14.8
	from Ground, 2nd Row (in)	30.9
	from Floor, 3rd Row (in)	10.1
CARGO AREA DIMENSIONS	Height from floor to roof (in)	30.3
	Threshold Height from Ground (in)	31.7
	Length w/3rd seats upright (in)	21.5
	Length w/3rd Seat folded (in)	50.5
Cargo Room	Length to 1st row - at most front (in)	84.9
	Rear Tail Gate Opening Width (in)	43.2
	Rear Tail Gate Opening Height (in)	29.6
	Width at Floor (in)	58.6
	Width between Rear Tire House (in)	40.2
INTERIOR VOLUME		
Passenger Volume - EPA	w/o Moonroof (cubic ft/L)	135.1/3,825
, ,	w/Moonroof (cubic ft/L)	135.8/3,846
Cargo Volume - EPA	(cubic ft/L)	14.3/405
	2nd and 3rd row seat upright (cubic ft/L)	14.4/407
Cargo Volume - SAE	2nd and 3rd row seats folded (cubic ft/L)	71.2/2017
WEIGHTS & CAPACITIES	3rd row seats folded (cubic ft/L)	38.2/1082
Curb Weight	(lbs.)	4,409
Gross Vehicle Weight Rating	GVWR (Ibs.)	5,822
Engine Oil	w Oil Filter (U.S. quarts/L)	5.0/4.8
Engine Coolant	(U.S. quarts/L)	10.5 / 9.9
Fuel Tank Capacity	(gallons/L)	19.5 / 74.0
Towing Capacity	(Jbs.)	3,500 lbs.
g capacity	(163.)	