

2024 MX-5 Miata SPECIFICATION DECK

Mazda reserves the right to change product specifications at any time without incurring obligations.

LINEUP:

Soft Top

- Sport
- Club
- Grand Touring

MX-5 RF

- Club
- Grand Touring

2024 MX-5 MIATA PRODUCT SUMMARY

The following equipment is standard as indicated. Each series includes the standard equipment of the previous series, except where additions / exceptions are noted:

Sport	Club	Grand Touring
Standard Equipment	In addition to Sport	In addition to Club
Functional / Powertrain ■ SKYACTIV®-G 2.0L DOHC 16-VALVE I4 VVT	Functional / Powertrain ■ Front shock tower brace	Functional / Powertrain • Automatic Transmission w/Paddle Shifters
SKYACTIV®-MT 6-Speed manual transmission w/short-throw	Induction Sound Enhancer	Manual-shift mode and sport mode on AT
shifter	Asymmetric Limited-Slip Differential (MT Only)	·
 ABS with Electronic Brake force Distribution (EBD) and Brake assist 	 Sport-tuned suspension with Bilstein® dampers DSC Track 	
Advanced Front Midship Layout		
Aluminum Power Plant Frame (PPF)Assist Steering (DP-EPAS)		
 Dynamic Stability Control w/Traction Control 		
Enhanced Engine Response		
Front & rear stabilizer barsFront double wishbone suspension with aluminum arms and		
monotube dampers		
Front ventilated disc brakes		
Kinematic Posture Control (KPC)Low-inertia dual-mass flywheel		
Power-assist 4-wheel disc brakes		
Rear disc brakes with aluminum calipers		
 Rear multi-link suspension with aluminum bearing support and monotube dampers 		
Steering - Double-Pinion Electric Power		
Steering Feel Update		
<u>Exterior</u>	Exterior	Exterior
195/50R16 high performance tires Aluminum front fonders, board and trunk lid.	New 17" Metallic Black Alloy Wheel Design	New 17" Metallic Black Alloy with Machined Finish Wheel Design Auto an (off basellists)
 Aluminum front fenders, hood and trunk lid Body-color door handle and front & rear bumpers 	205/45R 17 high performance tiresFront air dam - black (port installation)	Auto on/off headlightsAuto-dimming driver-side mirror
Daytime running lights - halogen	High mount stop lamp with body color cover	Body-color heated side mirrors
Dual exhaust outlets - silverDual power side mirrors - piano black	Daytime running lights - LEDRear lip spoiler - black (port installation)	Rain-sensing windshield wipersWithout front air dam and rear lip spoiler
Glass rear window with defogger Glass rear window with defogger	Seat back bar trim - piano black	- black (port installation)
High mount stop lamp with black cover	Wiper, Design Blade ilo Tournament	Door Sill Trim Plates
HPR windshieldManual black cloth convertible top	Trunk lid-mounted "shark fin" antenna	
Rear fender mounted radio antenna		
Seat back bar trim - black		
 Variable-intermittent windshield wipers New 16" Metallic Black Alloy Wheel Design 		
New Full LED Headlight & Taillight Design		
Interior		
3-Spoke leather steering wheel	<u>Interior</u>	Interior
Air conditioningAM/FM audio system with 6-speakers	BOSE® Audio System with 9 Speakers, including driver and pessenger beadeset and subvectors.	Automatic air conditioning Auto-dimming rear view mirror
(including driver 's side headrest speakers)	driver and passenger headrest and subwoofer (AudioPilot™)	with Homelink®
 Android Auto™ /Apple CarPlay™ integration 	Door pull handle cap - Bright	Cloth lining on convertible top
Cloth-trimmed bucket seatsColor touchscreen display	Door Trim - Vinyl leather w/body-color upper Engine start switch with bright ring	Frameless Inner Mirror Heated leather-trimmed seats
Coolant-temperature gauge	Heated seats w/3 settings	Heater control dial - Bright ilo black
Courtesy light on windshield header	IP lower panel - Vinyl leather ilo plastic	Mazda navigation system
Cruise control Door pull bandle with silver cap	Rear console lid - Vinyl leather ilo plastic SiriusXM® satellite radio w/ 3-month trial	Vent louver bezel - Bright ilo black
 Door pull handle with silver cap Dr & pass back panel covered storage box 	n/a AK & HI	
 Dual cup holders (removable) 	 Wireless Apple CarPlay™ 	
Engine start switch with black ring	New Black Cloth Seats w/Suede Insert	
Fuel lid lock connected to door locksGauge rings - Bright		
● HD radio™		
Leather-trimmed shift knob		
Leather-trimmed parking brakeLockable center rear storage console		
Mazda Advanced keyless entry (New Design)		
 7G MAZDA CONNECT™ Infotainment System (8.8" Screen) Motor Ring Pright		
Meter Ring - BrightWind blocker - mesh aero board		
Multi-Function Commander Control Dedded descriptions		
Padded door armrests Power door locks		
Power windows with one-touch down feature		
Remote trunk lid release Speed cooping purity values control system		
 Speed-sensing audio volume control system Steering wheel mounted audio & speed controls 		
Tilt and Telescoping Steering Wheel		
 Trip computer (distance to empty, avg. fuel econ., current fuel economy and avg. vehicle speed) 		
Alexa		
New Instrument Cluster (Black Trim)		
Touchscreen Apple Carplay/Android AutoUSB Type-C Inputs		
USB Type-C Inputs		
Safety Anti-theft engine immebilizer	Safety	Safety Adaptive Front lighting System (AES)
Anti-theft engine immobilizerDual front airbags		Adaptive Front-lighting System (AFS)High Beam Control
Rearview Camera		Traffic Sign Recognition (TSR)
Side-impact door boams Side impact door boams		MRCC with Distance & Speed Alert (AT Only)
Side-impact door beamsTire Pressure Monitoring System (TPMS)		
Blind Spot Monitoring (BSM)		
 Rear Cross Traffic Alert (RCTA) Land Departure Warning System (LDWS) 		
 Smart City Brake Support (SCBS) 		
Secondary Collision Reduction		
	Product Changes and Features Availability	<u> </u>

Product Changes and Features Availability

Features, options and package content subject to change.

2024 MX-5 MIATA RF PRODUCT SUMMARY

The following equipment is standard as indicated. Each series includes the standar exceptions are noted:	
Club	Grand Touring
Note: Available only with Brembro/BBS Recaro Package Functional / Powertrain	All Club content, plus or in place of: Functional / Powertrain
SKYACTIV®-G 2.0L DOHC 16-VALVE I4 VVT SKYACTIV®-MT 6-Speed manual transmission w/short-throw shifter	6-speed AT with paddle shifters Manual-shift mode and sport mode on AT
 ABS with Electronic Brake force Distribution (EBD) and Brake Assist 	- Manual-shift mode and sport mode on Air
Advanced Front Midship Layout Aluminum Power Plant Frame (PPF)	
 Assist Steering (DP-EPAS) 	
Asymmetric Limited-Slip Differential Brembo® front brakes with red-painted front & rear callpers	
DSC Track Dynamic Stability Control w/Traction Control	
Enhanced Engine Response	
Front & rear stabilizer bars Front double wishbone suspension with aluminum arms and monotube	
dampers	
Front shock tower brace Front ventilated disc brakes	
Induction Sound Enhancer Kinematic Posture Control (KPC)	
Low-inertia dual-mass flywheel	
Power-assist 4-wheel disc brakes Rear disc brakes with aluminum calipers	
Rear multi-link suspension with aluminum bearing support and monotube dampers	
Sport-tuned suspension with Bilstein® dampers	
Steering - Double-Pinion Electric Power Steering Feel Update	
3	
Exterior	Exterior
BBS forged 17 inch alloy wheels , dark gunmetal finish	New 17" Metallic Black Alloy with Machined Finish Wheel
205/45R 17 high performance tires Aluminum front fenders, hood and trunk lid	Auto on/off headlights Auto-dimming driver-side mirror
Body-color door handles and front & rear bumpers Dual exhaust outlets - silver	Body-color heated side mirrors Rain-sensing windshield wipers
Dual power side mirrors - piano black	 Without front air dam and rear lip spoiler - black
Front air dam and rear lip spoller - black (port installation) Glass rear window with defogger	(port installation) Door Sill Trim Plates
High mount stop lamp with body color cover HPR windshield	
LED daytime running lights	
New Full LED Headlight & Taillight Design Power Retractable Fastback Roof	
Rear fender mounted radio antenna	
Seat back bar trim - piano black Trunk lid-mounted "shark fin" antenna	
Variable-intermittent windshield wipers Wiper, Design Blade	
Rear bumper skirt - black (port Installation)	
Side sill extensions- black (port installation)	
Interior	Interior
3-Spoke leather steering wheel	Auto-dimming rear view mirror
 7G MAZDA CONNECT™ Infotainment System (8.8" Screen) Air conditioning 	with Homelink® • Automatic air conditioning
Alexa Heated Recaro Sport Seats	Heater control dial - Bright ilo black Heated leather-trimmed seats
Bluetooth hands-free phone and audio	Heated leather-trimmed seats Mazda navigation system
 BOSE® Audio System with 9 Speakers, including driver and passenger headrest and subwoofer 	Vent louver bezel - Bright ilo black
(AudioPilot™)	
Color touchscreen display Coolant-temperature gauge	
Courtesy light on windshield header Cruise control	
Door pull handle cap - Bright	
Door Trim - Vinyl leather w/body-color upper Driver and passenger back panel covered storage box	
Driver foot rest	
Dual cup holders (removable) Engine start switch with bright ring	
Frameless Inner Mirror Fuel lid lock connected to door locks	
 HD radio™ 	
IP lower panel - Vinyl leather Leather shift knob	
Leather-trimmed parking brake Lockable center rear storage console	
 Mazda Advanced keyless entry (New Design) 	
Meter Ring - Bright Multi-Function Commander Control	
New Instrument Cluster (Black Trim)	
Padded door armrests Power door locks	
Power windows with one-touch down feature Rear console lid - Vinyl leather	
Remote trunk lid release	
SiriusXM® satellite radio w/ 3-month trial n/a AK & HI Speed-sensing audio volume control system	
Steering wheel mounted audio & speed controls Tachometer	
Tilt and Telescoping Steering Wheel	
Touchscreen Apple Carplay/Android Auto Trip computer	
(distance to empty, avg. fuel econ., current F/E, and avg. speed)	
USB-C Inputs Wind blocker - transparent	
Safety Acti theft analog immebilizer	Cafahi
Anti-theft engine immobilizer Blind Spot Monitoring (BSM)	Safety ■ Adaptive Front-lighting System (AFS)
Dual front airbags Lane Departure Warning System (LDWS)	High Beam Control Traffic Sign Recognition
Rear Cross Traffic Alert (RCTA)	MRCC with Distance & Speed Alert (AT Only)
Rearview Camera Secondary Collision Reduction	
Side-impact airbags Side-impact door beams	
Smart City Brake Support (SCBS)	
Tire Pressure Monitoring System (TPMS)	
Product Changes and Featur	res Availability

2024 MX-5 MIATA			
EQUIPMENT AND FEATURES	Sport MX-5 SP	Club MX-5 CL	Grand Touring MX-5 GT
ENGINE & TRANSMISSION SKYACTIV®-G 2.0L DOHC 16-valve 4-cylinder engine	Std	Std	Std
Aluminum Power Plant Frame (PPF)	Std	Std	Std
Exhaust, single with dual outlets Enhanced Engine Response	Std Std	Std Std	Std Std
Induction Sound Enhancer Rear wheel drive	Std Std	Std Std	Std (MT only) Std
Steering Feel Update	Std	Std	Std
Transmission, SKYACTIV®-MT 6-speed manual with short throw shifter Transmission, 6-speed AT with paddle shifters	Std -	Std -	Std Available
Manual-shift mode and sport mode on AT	-	-	Available
Variable Valve Timing SUSPENSION	Std	Std	Std
Anti-lock Brake System (ABS) w/ Electronic Brakeforce Distribution (EBD) with Brake Assist	Std	Std	Std
Asymmetric Limited-Slip Differential Brakes, power - assisted 4-wheel ventilated front / solid rear disc	Std Std	Std Std	Std (MT only) Std
Brembo® front brakes with red-painted front & rear calipers	-	Pkg(1)	-
Dampers (Shock absorbers), gas filled monotube (front and rear) Dampers (Shock absorbers), Bilstein® (not available for AT models)	Std -	- Std	Std (MT only)
Dynamic Stability Control (DSC) with Traction Control	Std	Std	Std Std (MT only)
DSC Track Front and rear stabilizer bars	Std	Std Std	Sta (IVII only)
Fr. Double wishbone suspension	Std	Std	Std
FR-DYC Rr. Multi-Link suspension	Std Std	Std Std	Std Std
Rear aluminum brake calipers	Std	Std	Std
Shock tower brace - Front (not available for AT models) Sport-tuned suspension	= -	Std Std	Std (MT only) Std (MT only)
Steering, Double-Pinion Electric Power Assist Steering (DP-EPAS)	Std	Std	Std
TIRES & WHEELS 195/50R16 high-performance summer tires	Std	-	-
205/45 R17 high-performance summer tires	=	Std	Std
New 16 x 6 inch Metallic Black Alloy Wheel Design New 17 x 7 inch Metallic Black Alloy Wheel Design	Std -	- Std	-
New 17 x 7 inch Metallic Black Alloy with Machined Finish Wheel Design	-	-	Std
BBS forged 17 inch alloy wheels, dark gunmetal finish Tire puncture repair kit	- Std	Pkg(1) Std	- Std
EXTERIOR FEATURES	314	Stu	Stu
Antenna, rear fender mounted	Std	Std	Std Std
Antenna, trunk lid-mounted "shark fin" Body colored, front & rear bumpers	- Std	Std Std	Std
Aluminum bonnet hood	Std	Std	Std
Aluminum trunk lid Body colored door handles	Std Std	Std Std	Std Std
Convertible top, black cloth	Std	Std	-
Convertible top, black cloth with cloth lining Front air dam - black (port Installation)	-	- Std	Std -
Daytime running lights (Sport: bulb, Club & GT: LED)	Std	Std	Std
Glass rear window High mount stop lamp (Sport: w/black cover) (Club & GT: w/body color cover)	Std Std	Std Std	Std Std
Headlight - auto on/off	-	-	Std
HPR Windshield Rear bumper skirt - black (port Installation)	Std	Std Pkg(1)	Std
Rear lip spoiler - black (port Installation)	-	Std	-
Mirrors, auto dimming (exterior - driver side) Mirrors, dual power remote (Sport, Club: piano black) (GT: body colored)	- Std	- Std	Std Std
Mirrors, heated	÷	-	Std
New Full LED Headlight & Taillight Design Seat back bar trim - black	Std Std	Std -	Std -
Seat back bar trim - piano black	-	Std	Std
Side sill extensions- black (port installation) Trunk light	- Std	Pkg(1) Std	Std
Windshield, solar-control/tinted (green)	Std	Std	Std
Wipers, intermittent w/adjustable timing Wipers, intermittent w/adjustable timing and rain sensor	Std -	Std -	- Std
INTERIOR			
12V power outlet	Std	Std	Std
Air conditioning, Manual Air conditioning, Automatic	Std -	Std	- Std
Air conditioning, Automatic Alexa	Std	Std	Std
Center console vinyl leather	-	Std	Std
Cruise control	Std	Std	Std
Cup holders, 2 (removable)	Std	Std	Std
Defogger, rear window Demisters, front side window	Std Std	Std Std	Std Std
Door locks, power w/speed sensor	Std	Std	Std
Door Sill Trim Plates (Black Plastic w/stainless insert) (GT)	-	÷	Std
Door Trim		a	
- Armrests, padded - Door trim upper: black plastic	Std Std	Std -	Std
- Door trim upper: black plastic - Door trim upper: body color	- 510	Std	Std
- Panel: Vinyl (black) w/silver handle	Std	-	-
	_	Std	Std
- Panel: Vinyl leather (Sport & Club: Black, GT: Black or Tan Nappa) w/bright handle			_
- Panel: Vinyl leather (Sport & Club: Black, GT: Black or Tan Nappa) w/bright handle Engine start switch with black ring	Std	-	
- Panel: Vinyl leather (Sport & Club: Black, GT: Black or Tan Nappa) w/bright handle Engine start switch with black ring Engine start switch with bright ring	Std -	Std	Std
- Panel: Vinyl leather (Sport & Club: Black, GT: Black or Tan Nappa) w/bright handle Engine start switch with black ring Engine start switch with bright ring Floor mats, carpeted	Std		
- Panel: Vinyl leather (Sport & Club: Black, GT: Black or Tan Nappa) w/bright handle Engine start switch with black ring	Std - Std	Std Std	Std Std
- Panel: Vinyl leather (Sport & Club: Black, GT: Black or Tan Nappa) w/bright handle Engine start switch with black ring Engine start switch with bright ring Floor mats, carpeted Foot rest - driver Full instrumentation including tachometer, coolant temperature gauge, & fuel indicators Frameless Inner Mirror	Std - Std Std Std - Std	Std Std Std Std	Std Std Std Std Std
- Panel: Vinyl leather (Sport & Club: Black, GT: Black or Tan Nappa) w/bright handle Engine start switch with black ring Engine start switch with bright ring Floor mats, carpeted Foot rest - driver Full instrumentation including tachometer, coolant temperature gauge, & fuel indicators	Std - Std Std Std	Std Std Std Std	Std Std Std Std

2024 MX-5 MIATA				
EQUIPMENT AND FEATURES	Sport MX-5 SP	Club MX-5 CL	Grand Touring MX-5 GT	
Heater control dial (SP & CL: black) (GT: bright)	Std	Std	Std	
Lamp - courtesy overhead with dimming	Std	Std	Std	
Locking rear center console - (Sport: PP) (Club, GT: Vinyl leather)	Std	Std	Std	
Mazda Advanced Keyless Entry	Std	Std	Std	
Mirror, vanity / driver & passenger Mirror, auto dimming rearview w/Homelink	Std	Std -	Std Std	
New Instrument Cluster (Black Trim)	Std	Std	Std	
Parking brake, leather trimmed	Std	Std	Std	
Power windows with driver and passenger one-touch-down feature	Std	Std	Std	
Push button ignition	Std	Std	Std	
Remote, trunk lid release	Std -	Std -	Std	
Seats - Bucket with reclining and forward/back slide feature	Std	Std	Std	
- Front tilt (driver side only)	Std	Std	Std	
- Heated, 3 heat settings	-	Std	Std	
- Integrated headrests - Upholstery, cloth (black)	Std Std	Std -	Std -	
- Upholstery, New Black Cloth Seats w/Suede Insert	-	Std	-	
- Upholstery, leather (Black)	-	-	Std	
- Upholstery, leather (Tan Nappa)	-	- Dka(e)	Available	
- Recaro® Sport Seats Shift knob, leather wrapped	- Std	Pkg(1) Std	- Std	
Shift Knob, leatner wrapped Storage - driver and passenger back panel (covered)	Std	Std	Std	
Steering, 3-spoke leather wrapped	Std	Std	Std	
Steering wheel w/audio and speed controls	Std	Std	Std	
Tilt and telescoping steering column	Std	Std	Std	
Trip computer (distance to empty, avg. fuel econ., current fuel econ., and avg. vehicle speed)	Std	Std	Std	
Vent louver bezel (Sport & Club: Black) (GT: Bright)	Std	Std	Std	
Warning lamps: air bags, battery, brake, engine, fuel, high-beam, oil, seat belt	Std	Std	Std	
Wind blocker - mesh aero board AUDIO SYSTEM	Std	Std	Std	
AM/FM sound system with 6 speakers including driver headrest speakers	Std	-	=	
Touchscreen Android Auto™ / Apple Carplay™	Std	Std	Std	
Apple Carplay™ - Wireless		Std	Std	
Bluetooth hands free phone & audio	Std	Std	Std	
BOSE® 9-speaker audio system w/ Audiopilot™ (driver & passenger headrest speakers and subwoofer)	-	Std	Std	
7G MAZDA CONNECT				
- 8.8" full color touch screen				
- Multi Function Commander Control				
- Infotainment system voice command				
- Radio Broadcast Data System program information	Std	Std	Std	
- Remote Lock/Unlock	Siu	Siu	Siu	
- Remote Engine Start (AT Only) - HD radio™				
- Aha™, Pandora®, Stitcher™ internet radio integration				
- SMS text message audio delivery and relay				
- Automatic 911 Dialing				
Mazda Navigation System	-	-	Std	
SiriusXM® satellite radio w/ 3-month trial n/a AK & HI	-	Std	Std	
Speed - sensing automatic volume control	Std	Std	Std	
USB Type-C audio inputs(s)	2	2	2	
SAFETY & SECURITY				
Adaptive Front-lighting System (AFS)	-	-	Std	
Anti-theft engine Immobilizer	Std	Std	Std	
Blind Spot Monitoring (BSM) Dual front airbags	Std Std	Std Std	Std Std	
High beam Control	- Siu	-	Std	
Lane Departure Warning System (LDWS)	Std	Std	Std	
MRCC with Distance & Speed Alert	-	-	Std (AT Only)	
Rear Cross Traffic Alert (RCTA)	Std	Std	Std	
Rearview Camera	Std	Std	Std	
Secondary Collision Reduction	Std	Std	Std	
Side impact airbags	Std	Std	Std	
Side impact door beams	Std	Std	Std	
Smart City Brake Support (SCBS)	Std	Std	Std	
Three point safety belts with pretensioners and force limiters	Std	Std	Std	
Tire pressure monitoring system (TPMS)	Std	Std	Std	
Traffic Sign Recognition (TSR) (speed limit recognition - displayed on the Multi- information Display)	-	-	Std	

2024 MX-5 MIATA RF		
EQUIPMENT AND FEATURES	Club	Grand Touring
ENGINE & TRANSMISSION	MX-5 CL	MX-5 GT
SKYACTIV®-G 2.0L DOHC 16-valve 4-cylinder engine	Std	Std
Aluminum Power Plant Frame (PPF) Exhaust, single with dual outlets	Std Std	Std Std
Enhanced Engine Response	Std	Std
Induction Sound Enhancer	Std	Std (MT only)
Rear wheel drive Steering Feel Update	Std Std	Std Std
Transmission, SKYACTIV®-MT 6-speed manual with short throw shifter	Std	Std
6-speed AT with paddle shifters	-	Available
Manual-shift mode and sport mode on AT Variable Valve Timing	- Std	Available Std
SUSPENSION	Stu	Std
Anti-lock Brake System (ABS) w/ Electronic Brakeforce Distribution (EBD) with Brake Assist Asymmetric Limited-Slip Differential	Std Std	Std (MT only)
Brakes, power - assisted 4-wheel ventilated front / solid rear disc	Std	Std (Wir Grily)
Brembo® Front Brakes with red-painted front & rear calipers	Std	-
Dampers (Shock absorbers), Bilstein® (not available for AT models)	Std	Std (MT only)
Dampers (Shock absorbers), gas filled front and rear Dynamic Stability Control (DSC) with Traction Control	Std Std	Std Std
Front and rear stabilizer bars	Std	Std
Fr. Double wishbone suspension	Std	Std
FR-DYC	Std	Std
Rear aluminum brake calipers Rr. Multi-Link suspension	Std Std	Std Std
Shock tower brace, front (not available for AT models)	Std	Std (MT only)
Sport-tuned suspension	Std	Std (MT only)
Steering, Double-Pinion Electric Power Assist Steering (DP-EPAS) TIRES & WHEELS	Std	Std
205/45 R17 high-performance summer tires	Std	Std
New 17 x 7 inch Metallic Black Alloy with Machined Finish Wheel Design	-	Std
BBS forged 17 inch alloy wheels , dark gunmetal finish	Std	- Std
Tire puncture repair kit EXTERIOR FEATURES	Std	Siù
Antenna, rear fender mounted	Std	Std
Antenna, trunk lid-mounted "shark fin"	Std	Std
Aluminum bonnet hood	Std	Std
Aluminum trunk lid Black roof	Std Std	Std
Body colored door handles	Std	Std
Body colored, front & rear bumpers	Std	Std
Daytime running lights - LED	Std	Std
Front air dam (black - port Installation) Glass rear window	Std Std	- Std
Headlights - LED	Std	Std
Headlight - auto on/off	-	Std
High mount stop lamp with body color cover	Std	Std
HPR Windshield Mirrors, auto dimming (exterior - driver side)	Std -	Std Std
Mirrors, dual power remote - body colored	-	Std
Mirrors, dual power remote - piano black	Std	-
Mirrors, heated	- Std	Std Std
New Full LED Headlight & Taillight Design Power retractable fastback roof / body color with black accents	Std	Std
Rear bumper skirt - black (port installation - not available for AT models)	Std	-
Rear lip spoiler - Black (Port Installation)	Std	-
Seat back bar trim - black Seat back bar trim - piano black	- Std	- Std
Side sill extensions - black (port installation)	Std	-
Tail lights - LED	Std	Std
Trunk light	Std	Std
Windshield, solar-control/tinted (green) Wipers, intermittent w/adjustable timing	Std Std	Std -
Wipers, intermittent w/adjustable timing Wipers, intermittent w/adjustable timing and rain sensor	- Stu	Std
INTERIOR		
12V power outlet	Std	Std
Air conditioning, Manual	Std	- Std
Air conditioning, Automatic Alexa	- Std	Std
Android Auto™ /Apple CarPlay™ integration	Std	Std
Apple CarPlay™ - Wireless	Std	Std
Center console vinyl leather	Std	Std
Cruise control	Std	Std
Cup holders, 2 (removable)	Std	Std
Defigger, rear window Demisters, front cide window	Std	Std
Demisters, front side window Door locks, power w/speed sensor	Std Std	Std Std
a delited to proceed an appeal annion	-	Std
Door Sill Plates (Black Plastic w/stainless insert) (GT)		
Door Sill Plates (Black Plastic w/stainless insert) (GT) Door Trim		1
	Std	Std
Door Trim	Std Std	Std Std
Door Trim - Armrests, padded - Door trim upper: body color - Panel: Vinyl leather (Black) w/Bright handle	Std Std	Std Std
Door Trim - Armrests, padded - Door trim upper: body color	Std	Std

2024 MX-5 MIATA RF				
EQUIPMENT AND FEATURES	Club	Grand Touring		
	MX-5 CL	MX-5 GT		
ull instrumentation including tachometer, coolant temperature gauge, & fuel indicators	Std	Std		
Gauges, 4.6 inch full-color LCD display showing trip computer data and roof status information	Std	Std		
Gauges, black with white lettering	Std	Std		
Gauges - normal gauge hood with bright meter ring	Std Std	Std Std		
Heater/defroster with multiple-speed fan Heater control dial - bright	Std	Std		
.amp - courtesy overhead with dimming	Std	Std		
ocking rear center console - Vinyl leather	Std	Std		
Mirror, vanity / driver & passenger	Std	Std		
Mirror, auto dimming rearview w/Homelink	-	Std		
Mazda Advanced Keyless Entry	Std	Std		
New Instrument Cluster (Black Trim)	Std	Std		
Parking brake, leather trimmed	Std	Std		
Power windows with driver and passenger one-touch-down feature	Std	Std		
Push button ignition	Std	Std		
Remote, trunk lid release	Std	Std		
Seats				
- Bucket with reclining and forward/back slide feature	Std	Std		
- Front tilt (driver side only)	Std	Std		
- Heated (3 heat settings)	Std	Std		
- Integrated headrests	Std	Std		
- Upholstery, leather (Black) - Upholstery, leather (Tan Nappa)	-	Std Available		
- Opnoistery, learner (Tarri Nappa) - Heated Recaro Sport Seats	- Std	Available		
·	Std	Std		
Shift knob, leather wrapped				
Steering, 3-spoke leather wrapped	Std Std	Std Std		
teering wheel w/audio and speed controls				
Storage - passenger back panel (covered)	Std	Std		
illt and telescoping steering column	Std Std	Std Std		
Trip computer (compass, distance to empty, avg. fuel econ., current fuel econ.)				
Warning lamps: air bags, battery, brake, engine, fuel, high-beam, oil, seat belt Wind blocker - transparent	Std Std	Std Std		
AUDIO SYSTEM	Sid	Std		
Auxiliary-audio input jack	Std	Std		
Bluetooth hands free phone & audio	Std	Std		
OSE® 9-speaker audio system w/ Audiopilot™ (driver and passenger headrest speakers and subwoofer	Std	Std		
G MAZDA CONNECT	Ì			
- 8.8" full color touch screen	Ì			
- Multi Function Commander Control	Ì			
- Infotainment system voice command - Radio Broadcast Data System program information	Ì			
- Remote Lock/Unlock	Std	Std		
- Remote Engine Start (AT Only)	Ì			
- HD radio™	Ì			
- Aha™, Pandora®, Stitcher™ internet radio integration	Ì			
- SMS text message audio delivery and relay	Ì			
- Automatic 911 Dialing				
Mazda Navigation System	-	Std		
Spread - sensing automatic volume control	Std Std	Std Std		
JSB Type-C audio inputs(s)	2	2		
SAFETY & SECURITY	Z			
Adaptive Front Lighting System (AFS)	-	Std		
Anti-theft Engine Immobilizer	Std	Std		
Blind Spot Monitoring (BSM)	Std	Std		
Dual front airbags	Std	Std		
	-	Std		
v .	Std	Std		
ane Departure Warning System (LDWS)		Std (AT On Std		
ane Departure Warning System (LDWS) ARCC with Distance & Speed Alert	-			
ane Departure Warning System (LDWS) MRCC with Distance & Speed Alert Rear Cross Traffic Alert (RCTA)	Std			
ane Departure Warning System (LDWS) MRCC with Distance & Speed Alert Rear Cross Traffic Alert (RCTA) Rearview Camera	Std Std	Std		
High beam Control Anne Departure Warning System (LDWS) MRCC with Distance & Speed Alert Rear Cross Traffic Alert (RCTA) Rearview Camera Secondary Collision Reduction side impact airbags	Std			
ane Departure Warning System (LDWS) MRCC with Distance & Speed Alert Rear Cross Traffic Alert (RCTA) Rearview Camera Rearview Collision Reduction Reduction	Std Std Std	Std Std		
ane Departure Warning System (LDWS) MRCC with Distance & Speed Alert Rear Cross Traffic Alert (RCTA) Rearview Camera Secondary Collision Reduction Side impact airbags Side impact door beams	Std Std Std Std	Std Std Std		
.ane Departure Warning System (LDWS) MRCC with Distance & Speed Alert Rear Cross Traffic Alert (RCTA) Rearview Camera	Std Std Std Std Std	Std Std Std Std		

2024 MX-5 MIATA			
PACKAGES & OPTIONS		Club	Grand Touring
	MX-5 SP	MX-5 CL	MX-5 GT
Brembo/BBS RECARO Package (MT only)			
- Brembo front brakes with red-painted front & rear calipers			
- BBS forged 17" alloy wheels (Dark Gunmetal finish)		Opt.	
- Aero kit: Side sill extensions, rear bumper skirt			
- Heated Recaro Sport Seats			

2024 MX-5 MIATA RF		
PACKAGES & OPTIONS	Club	Grand Touring
	MX-5 CL	MX-5 GT
Brembo/BBS RECARO Package		
- Brembo front brakes with red-painted front & rear calipers		
- BBS forged 17" alloy wheels (Dark Gunmetal finish)	Std.	
- Black Roof	Siu.	
- Aero kit: Side sill extensions, rear bumper skirt		
- Heated Recaro Sport Seats		

20	24 MX-5	5 MIATA SOFT T	OP	
INT	ERIOR &	EXTERIOR COL	ORS	
INTERIOR		IN	TERIOR	
COLOR	Sport	Club	Grand	Touring
	Black	Black*	Black*	Tan
	Cloth	Cloth w/Suede Insert	Leather	Nappa Leather
Soul Red Crystal Metallic				
Jet Black Mica				
Zircon Sand				
Snowflake White Pearl Mica				
Machine Gray Metallic				
Deep Crystal Blue Mica				
Aero Gray				

INTERIOR &	IX-5 MIATA RF EXTERIOR COLO	ORS terior	
COLOR	Club	Touring	
	Black*	Black*	Tan
	Cloth w/Suede Insert	Leather	Nappa Leather
Soul Red Crystal Metallic			
Jet Black Mica			
Zircon Sand			
Snowflake White Pearl Mica			
Machine Gray Metallic			
Deep Crystal Blue Mica			
Aero Gray			

2024 MAZDA M	IIATA MX-5 (RF diff	erences noted)	
SPECIFICATIONS	Sport	Club	Grand Touring
ENGINE Engine Type	SKYACTIV-0	 G 2.0L DOHC 16-valve 4-cyling	der with VVT
Engine Code Valvetrain	Chain-driven dual overhead	SKYACTIV-G 2.0L cams, 4 valves per cylinder wit	h variable intake valve timing
Horsepower, SAE net	Chairi-univerridual overriead	181 hp @ 7000 rpm	ii variable liitake valve tiiriirig
Torque, SAE net		151 lb-ft @ 4000 rpm	
Redline (MT/AT) Displacement (cu in. / cc)		7500 rpm 122 / 1,998	
Bore x Stroke (in. / mm)		3.29 x 3.59 / 83.5 x 91.2	
Compression Ratio Engine Block		13:0 Aluminum	
Cylinder Head		Aluminum	
FUEL ECONOMY EPA Estimated Mileage, City/Highway/Combined (mpg) - M/T		26/34/29	
EPA Estimated Mileage, City/Highway/Combined (mpg) - A/T		26/35/30	
FUEL SYSTEM			
Fuel Injection Recommended Fuel		ctronically controlled fuel injec nium unleaded, 91 octane or gr	
Minimum Octane Requirement (R+M/2)		ular unleaded, 87 octane or gre	
Emission Control (50 state emissions)		ULEV125 (T3Bin125)	
ELECTRICAL SYSTEM Ignition System		Distributor-less ignition	
Alternator		12V - 100A	
Battery Starter		46B24L-S 12V; 1.4KW	
DRIVETRAIN			
Type Transmissions, Manual	Fron	nt-midship engine, rear-wheel of 6-speed manual	drive
Transmissions, Manuai Transmission, Automatic	6-speed sport AT v	vith steering-wheel mounted m	nanual shift paddles
Gear Ratios (:1)		6MT / 6AT	•
1st 2nd		5.087 / 3.538 2.991 / 2.060	
3rd		2.035 / 1.404	
4th		1.594 / 1.000 1.286 / 0.713	
5th 6th		1.000 / 0.582	
Reverse		4.696 / 3.168	
Final Drive		2.866 / 3.583	Torque-sensing limited-slip
Asymmetric Limited-Slip Differential	-	Torque-sensing limited-slip differential (MT only)	differential (MT only)
CHASSIS Body Type	Monocoque unibody with h	oackbone frame construction a	nd front and rear suspension
Front Suspension	Wonocoque unibody with	Double wishbone	na nont ana rear saspension
Rear Suspension		Multi-link	Monotube (Std)
Shock Absorbers	Monotube	Monotube (Std) Monotube Bilstein	Monotube Bilstein
Shock Absorbers Steering Type	Monotube		
Steering Type Power Assist	Double	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D	Monotube Bilstein (MT only)
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet)	Double D	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4	Monotube Bilstein (MT only) P-EPAS) ft.
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM	Double D Di	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45	Monotube Bilstein (MT only) P-EPAS) ft. ft.
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes	Double Di Di	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of	Monotube Bilstein (MT only) P-EPAS) ft. of ft.
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM	Double Di 11-in. soli	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45	Monotube Bilstein (MT only) P-EPAS) ft. 6 ft. calipers um calipers
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake	Double Di 11-in. soli	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of d discs w/single-piston alumini	Monotube Bilstein (MT only) P-EPAS) ft. 6 ft. calipers um calipers
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS	Double Di T1-in. 11-in. solii 4-wheel, 4-channel with P195/50 R16 high-	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of d discs w/single-piston alumini Electronic Brakeforce Distributi Mechanical (lever type)	Monotube Bilstein (MT only) P-EPAS) ft. 6 ft. calipers um calipers on (EBD) and Brake Assist
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires	Double Di Di 11-in. solic 4-wheel, 4-channel with P195/50 R16 high- performance summer	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumini Electronic Brakeforce Distributi Mechanical (lever type)	Monotube Bilstein (MT only) P-EPAS) ft. ft. calipers um calipers ton (EBD) and Brake Assist
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand	Double Di T1-in. 11-in. solii 4-wheel, 4-channel with P195/50 R16 high-	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumini Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg	Monotube Bilstein (MT only) P-EPAS) ft. 6 ft. calipers um calipers on (EBD) and Brake Assist
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear)	Double Di 11-in. 11-in. solic 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumini Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high-	Monotube Bilstein (MT only) P-EPAS) ft. ft. ft. calipers um calipers on (EBD) and Brake Assist performance summer aluminum
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand	Double Di 11-in. 11-in. solic 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumini Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg	Monotube Bilstein (MT only) P-EPAS) ft. ft. ft. calipers um calipers on (EBD) and Brake Assist performance summer aluminum
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches)	Double Di 11-in. 11-in. solic 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumin Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9	Monotube Bilstein (MT only) P-EPAS) ft. ft. ft. calipers um calipers on (EBD) and Brake Assist performance summer aluminum
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches) Track Width, Fear (inches)	Double Di 11-in. 11-in. solic 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumini Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 59.17 / (RF) 59.2	Monotube Bilstein (MT only) P-EPAS) ft. ft. ft. calipers um calipers on (EBD) and Brake Assist performance summer aluminum
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches) Track Width, Rear (inches) Length, w/o License Plate Holder (inches) Width (inches)	Double Di 11-in. 11-in. solic 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumini Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 59.17 / (RF) 59.2 154.1 68.3	Monotube Bilstein (MT only) PP-EPAS) ft. ft. calipers um calipers ton (EBD) and Brake Assist performance summer aluminum estone
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches) Track Width, Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches)	Double Di 11-in. 11-in. solii 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumin Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 59.17 / (RF) 59.2 154.1 68.3	Monotube Bilstein (MT only) P-EPAS) ft. of t. calipers um calipers on (EBD) and Brake Assist performance summer aluminum estone
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches) Track Width, Rear (inches) Length, w/o License Plate Holder (inches) Width (inches)	Double Di T1-in. 11-in. soli 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumin Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 59.17 / (RF) 59.2 154.1 68.3	Monotube Bilstein (MT only) PP-EPAS) ft. ft. calipers um calipers ton (EBD) and Brake Assist performance summer aluminum estone
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches) Track Width, Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Headroom, front (inches) INTERIOR DIMENSIONS Headroom, front (inches)	Double Di 11-in. 11-in. solii 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston alumini Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 59.17 / (RF) 59.2 154.1 68.3 48.8 (F 5.32 (37.4 / (RF) 36.8	Monotube Bilstein (MT only) P-EPAS) ft. of t. calipers um calipers on (EBD) and Brake Assist performance summer aluminum estone
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches) Track Width, Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Headroom, front (inches) Shoulder Room, front (inches) Shoulder Room, front (inches)	Double Di 11-in. 11-in. solii 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumin Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 59.17 / (RF) 59.2 154.1 68.3 48.8 (F 5.32 (37.4 / (RF) 36.8	Monotube Bilstein (MT only) P-EPAS) ft. of t. calipers um calipers on (EBD) and Brake Assist performance summer aluminum estone
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches) Track Width, Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Headroom, front (inches) INTERIOR DIMENSIONS Headroom, front (inches)	Double Di 11-in. 11-in. solii 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston alumini Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 59.17 / (RF) 59.2 154.1 68.3 48.8 (F 5.32 (37.4 / (RF) 36.8	Monotube Bilstein (MT only) P-EPAS) ft. of t. calipers um calipers on (EBD) and Brake Assist performance summer aluminum estone
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches) Track Width, Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches) (w/o sharkfin antenna) Minimum Ground Clearance, Laden (inches) Interior DIMENSIONS Headroom, front (inches) Shoulder Room, front (inches) Leq Room, front (inches) Cargo Volume (cubic feet)	Double Di 11-in. 11-in. solii 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumini Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 59.17 / (RF) 59.2 154.1 68.3 48.8 (F 5.32 (37.4 / (RF) 36.8 52.2 43.1	Monotube Bilstein (MT only) P-EPAS) ft. of t. calipers um calipers on (EBD) and Brake Assist performance summer aluminum estone
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches) Track Width, Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Wheelshight (inches) Width (inches) Height (inches) (w/o sharkfin antenna) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Headroom, front (inches) Shoulder Room, front (inches) Leg Cargo Volume (cubic feet) WEIGHTS	Double Di 11-in. 11-in. solii 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumine Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 59.17 / (RF) 59.2 154.1 68.3 48.8 (F 5.32 (37.4 / (RF) 36.8 52.2 43.1 52.0 4.59 (RF 4.48)	Monotube Bilstein (MT only) P-EPAS) ft. of t. calipers um calipers on (EBD) and Brake Assist performance summer aluminum estone
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches) Track Width, Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches) (w/o sharkfin antenna) Minimum Ground Clearance, Laden (inches) Interior DIMENSIONS Headroom, front (inches) Shoulder Room, front (inches) Leq Room, front (inches) Cargo Volume (cubic feet)	Double Di 11-in. 11-in. solii 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumini Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high-I 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 59.17 / (RF) 59.2 154.1 68.3 48.8 (F 5.32 (37.4 / (RF) 36.8 52.2 43.1 52.0	Monotube Bilstein (MT only) P-EPAS) ft. of t. calipers um calipers on (EBD) and Brake Assist performance summer aluminum estone
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches) Track Width, Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches) (w/o sharkfin antenna) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Headroom, front (inches) Shoulder Room, front (inches) Leq Room, front (inches) Leq Room, front (inches) Leq Room, front (inches) Cargo Volume (cubic feet) WEIGHTS Curb Weight Distribution, % front: rear - AT Curb Weight, Federal Spec (lbs.) - M/T	Double Di 11-in. 11-in. solii 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum Yokohama	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston cld discs w/single-piston alumini Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 59.17 / (RF) 59.2 154.1 68.3 48.8 (F 5.32 (37.4 / (RF) 36.8 52.2 43.1 52.0 4.59 (RF 4.48) 53:47 (RF 51:49) 53:47 (RF 51:49) 53:47 (RF 51:49) 2,368 (RF 2,470)	Monotube Bilstein (MT only) P-EPAS) ft. of t. calipers um calipers on (EBD) and Brake Assist performance summer aluminum estone
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches) Track Width, Rear (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches) (w/o sharkfin antenna) Minimum Ground Clearance, Laden (inches) Interior DIMENSIONS Headroom, front (inches) Beg Room, front (inches) Leg Room, fr	Double Di T1-in. 11-in. solic 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum Yokohama 48.6 4.92	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumine Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 59.17 / (RF) 59.2 154.1 68.3 48.8 (F 5.32 (37.4 / (RF) 36.8 52.2 43.1 52.0 4.59 (RF 4.48) 52:48 (RF 51:49) 53:47 (RF 51:49) 53:47 (RF 51:49) 2,368 (RF 2,470) 2,410 (RF 2,515)	Monotube Bilstein (MT only) P-EPAS) ft. of t. calipers um calipers on (EBD) and Brake Assist performance summer aluminum estone RF 49.0) RF 5.3)
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches) Track Width, Front (inches) Unith (inches) Width (inches) (w/o sharkfin antenna) Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Headroom, front (inches) Shoulder Room, front (inches) Leng Room, front (inches) Leng Room, front (inches) Hip Room, front (inches) Cargo Volume (cubic feet) WEIGHTS Curb Weight Distribution, % front: rear - AT Curb Weight, Federal Spec (lbs.) - A/T GWWR (lbs.) - MI/AT CAPACITIES	Double Di T1-in. 11-in. soli 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum Yokohama 48.6 4.92	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumin Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 59.17 / (RF) 59.2 154.1 68.3 48.8 (F 5.32 (37.4 / (RF) 36.8 52.2 43.1 52.0 4.59 (RF 4.48) 52:48 (RF 51:49) 53:47 (RF 51:49) 2,368 (RF 2,470) 2,410 (RF 2,515) 45 (RF 2,862) / 2,789 (RF 2,8	Monotube Bilstein (MT only) P-EPAS) ft. ift. calipers um calipers ion (EBD) and Brake Assist performance summer aluminum estone RF 49.0) RF 5.3)
Steering Type Power Assist Turning Circle, Curb-to-Curb (feet) Turning Circle, Wall-to-Wall (feet) BRAKING SYSTEM Front Brakes Rear Brakes Rear Brakes ABS Parking Brake TIRES & WHEELS Tires Wheels Tire Brand Tire Inflation Pressure (front/rear) EXTERIOR DIMENSIONS Wheelbase (inches) Track Width, Front (inches) Track Width, Front (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches) Height (inches) Track Width, Rear (inches) Brand Minimum Ground Clearance, Laden (inches) INTERIOR DIMENSIONS Headroom, front (inches) Beg Room, front (inches) Length, w/o License Plate Holder (inches) Width (inches) Height (inches) Height (inches) Height (inches) Group DIMENSIONS Headroom, front (inches) Length, w/o License Plate Holder (inches) INTERIOR DIMENSIONS Headroom, front (inches) Length, Federal Spec (lbs.) - A/T Curb Weight Distribution, % front: rear - AT Curb Weight, Federal Spec (lbs.) - A/T GVWR (lbs.) - MT/AT	Double Di T1-in. T1-in. soli 4-wheel, 4-channel with P195/50 R16 high- performance summer 16 x 6-in. aluminum Yokohama 48.6 4.92	Monotube Bilstein (MT only) Rack and Pinion pinion electric power assist (D iameter 30.8 ft. / Radius 15.4 ameter 32.9 ft. / Radius 16.45 vented discs w/single-piston of discs w/single-piston alumine Electronic Brakeforce Distributi Mechanical (lever type) P205/45 R17 high- 17 x 7-in. Bridg 29 psi / 29 psi 90.9 58.9 59.17 / (RF) 59.2 154.1 68.3 48.8 (F 5.32 (37.4 / (RF) 36.8 52.2 43.1 52.0 4.59 (RF 4.48) 52:48 (RF 51:49) 53:47 (RF 51:49) 53:47 (RF 51:49) 2,368 (RF 2,470) 2,410 (RF 2,515)	Monotube Bilstein (MT only) P-EPAS) ft. if. if. calipers um calipers ion (EBD) and Brake Assist performance summer aluminum estone RF 49.0) RF 5.3) out filter replacement